

बर्दिबास नगरपालिका
बर्दिबास नगरकार्यपालिकाको कार्यालय

बर्दिबास, महोत्तरी
मधेश प्रदेश, नेपाल

बर्दिबास नगरपालिकाको आ. व. २०८२/०८३ को स्वीकृत दररेट

आ. व. २०८२/०८३
श्रावण ०१, २०८२

आज मिति २०८२/०४/०९ गते बिहीबारको दिन विहान ८:३० बजे बाँदास नगरपालिकाको नगर दररेट निर्धारण समितिका संयोजक नगर प्रमुख श्री प्रहलाद कुमार क्षेत्री ज्यूको अध्यक्षतामा निम्न सदस्यहरूको उपस्थितिमा बैठक बसी तपशिल बमोजिमका निर्णय गरियो ।

- श्री प्रहलाद कुमार क्षेत्री
- श्री राममणि अधिकारी
- श्री सन्तोष सिग्देल
- श्री सन्तोष पौडेल
- श्री सर्मिला कुमारी तामाङ
- श्री कमलेश महतो
- आमन्त्रित
- श्री दीपक राज पौडेल
- श्री लोकहरि घिमिरे
- श्री तिलक कटुवाल
- श्री टेक बहादुर कटुवाल

- उपस्थिति
- नगर प्रमुख, ब.न.पा.
 - प्रमुख प्रशासकीय अधिकृत, ब.न.पा.
 - प्रतिनिधि, उ.वा. सं., ब.न.पा., महोत्तरी
 - प्रतिनिधि, नि. व्‍य. सं., महोत्तरी
 - लेखा अधिकृत, ब.न.पा.
 - इन्जिनियर, ब.न.पा.

- अध्यक्ष
- सदस्य
- सदस्य
- सदस्य
- सदस्य
- सदस्य सचिव



- योजना शाखा प्रमुख, ब.न.पा.
- इन्जिनियर, ब.न.पा.
- सब-इन्जिनियर, ब.न.पा.
- अ. सब-इन्जिनियर, ब.न.पा.

आ.व. २०८२/०८३ का लागि बाँदास नगरपालिका भरी लागु हुने गरी तपसिलमा उल्लेख भए बमोजिमका कामदारहरूको दैनिक ज्याला दररेट कायम गर्ने निर्णय गरियो ।

क्र.सं.	विवरण	प्र. ज.	१	२	३
१	अर्ध सिपालु कामदार (सिकर्मी, डकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, पलम्बर, इलेक्ट्रिसियन, मेकानिक, ब्लास्टर, बेल्टर)	प्र. ज.	965.00	965.00	965.00
२	सिपालु कामदार (सिकर्मी, डकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, पलम्बर, इलेक्ट्रिसियन, मेकानिक, ब्लास्टर, बेल्टर)	प्र. ज.	1225.00	1225.00	1225.00
३	ज्यामी	"	800.00	800.00	800.00
४	भरिया	"	800.00	800.00	800.00
५	हेभी सवारी चालक	"	1000.00	1000.00	1000.00
६	लाईट सवारी चालक	"	800.00	800.00	800.00
७	हेल्पर	"	775.00	775.00	775.00
८	सभै हेल्पर, क्याम्प वर्कर, विद्युत हेल्पर	"	775.00	775.00	775.00
९	मेस्तर	"	550.00	550.00	775.00
१०	औषधि छर्ने, लोडीङ आदि गर्ने ज्यामी	"	775.00	775.00	775.00
११	लेन्य मेन तथा रोड वर्कर	"	775.00	775.00	775.00
१२	इलेक्ट्रिकल फोरम्यान तेस्रो तह	प्र. ज.	800.00	800.00	800.00
१३	कम्प्युटर अपरेटर (एस. एल. सि.)	प्र. ज.	800.00	800.00	800.00
१४	कृषि श्रमिक	प्र. ज.	610.00	775.00	775.00
१५	सामान लोड अनलोड गर्ने ज्याला	१०० किलो		25.00	25.00
१६	सिमेन्ट प्लास्टर बुट्टा काट्ने मिस्त्री	प्र. ज.		2500.00	2500.00
१७	निर्माण कार्यमा खटिने साईट सुपरभाईजर	प्र. ज.			775.00
१८	अन्य				

नेपाल सरकारले तोकिएको सुरु तलब स्केल बमोजिम

निर्णय नं.१

१) आ.व. २०८२/८३ का लागि बाँदास नगरपालिका दररेट निर्धारण समितेबाट स्वीकृत भएको दररेट अनुसार बाँदास नगरपालिकाको लागि दररेट कायम गर्ने

निर्णय गरियो ।

२) यस बाहेक अन्य पदहरूमा भर्ना गरी ज्यालादारीमा काम लगाउदा जुन पदमा काम गराउने हो, सो पदमा नेपाल सरकारले निर्धारण गरेको शुरु तलब स्केललाई २६ ले भाग गर्दा आउने रकमलाई दैनिक ज्याला कायम गर्ने ।

३) कामदारको काम गर्ने समय दिनको ८ घण्टा हुनेछ ।

४) भरियाले १ दिनमा ४० के. जी. सम्म भारी बोकी ४ कोषको दुरी तय गर्नु पर्नेछ। (यातायतको साधन उपलब्ध नभएको, सडक सुबिधा नभएको)

निर्णय नं.२

निर्धारण गरिएका दररेटमा मूल्य अभिवृद्धि कर र भाडा कर समावेश गरिएको छैन ।

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'Page 1 of 39'.

निर्णय नं.३

यसमा उल्लेख नभएका निर्माण सामग्रीको दररेटको हकमा स्थानीय बजारबाट कम्तीमा ३ वटा फर्म व्यवसायी संग बजारभाउ दररेट लिई दररेट कायम गर्ने तथा स्थानीय बजारमा उपलब्ध हुन नसक्ने सामग्रीको दररेट अन्य जिल्लाको दररेटमा हुवानी भाडा समावेश गरी दररेट कायम गर्ने निर्णय गरियो ।

निर्णय नं.४

मेसिन, औजार तथा उपकरण भाडा दर सम्बन्धि मेसिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर,ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।

निर्णय नं.५

बाँदेबास नगरपालिका भन्ने लागु हुने गरी तपश्लमा उल्लेख भए बमोजिम तथा आ.व. २०८२/८३ का लागि बाँदेबास नगरपालिका दररेट निर्धारण समितित्वाट पारित भएको दर रेटमा नपरेका निर्माण सामग्री, मालसमान हुवानी र मेसिन उपकरणको भाडा दर रेट, गत बिगत आ.व. मा निर्धारण गरिएको दर रेट, निर्माण व्यवसायी संघ, विभिन्न निर्माता कम्पनी र अधिकृत बिक्रेता र स्प्लायर्स, विभिन्न सरकारी संस्था र कार्यालय बाट प्राप्त दर रेट तथा राय सुझावलाई समेत दृष्टिगत गरि आ.व. २०८३/८३ का लागि निम्न बमोजिम निर्णय गरियो ।

बाँदेबास नगरपालिकाको आ.व. २०८१/८२ को अन्तिम भाडा तथा मेसिन सम्बन्धि दररेट						
क्र. नं.	विवरण	इकाई	दररेट	दररेट	दररेट	केफियत
			२०८१/८२	२०८१/८२	२०८२/८३	
1	लेभल मेशिन	प्र. दिन	1092.00	1092.00	1092.00	
2	थेडोलाइट	"	1638.00	1638.00	1638.00	
3	टोटल स्टेशन	"	2184.00	2184.00	2184.00	
4	टायर गाडा	"	982.80	982.80	982.80	
5	बयल गाडा	"	764.40	764.40	764.40	
6	टिप्पर (ईन्धन बाहेक) ६ चक्का	"	5460.00	5460.00	5460.00	
7	ट्याक्टर टिपराईन्धन बाहेक) १० चक्का	"	7400.00	7400.00	7400.00	
8	टक टिपर (ईन्धन समेत)	प्र. काबटल, प्र. कि. मी.				
	क) पक्की बाटो	"	3.30	3.30	3.30	
	ख) ग्राभेल बाटो	"	4.40	4.40	4.40	
	ग) कच्ची बाटो	"	5.00	5.00	5.00	
9	ट्याक्टर (ईन्धन बाहेक)	प्र. दिन	2730.00	2730.00	2730.00	
10	ट्याक्टर (ईन्धन समेत)	"	3822.00	3822.00	3822.00	
11	ट्याक्टर (ईन्धन समेत)	प्र. काबटल, प्र. कि. मी.				
	क) पक्की बाटो	"	3.60	3.60	3.60	
	ख) ग्राभेल बाटो	"	4.20	4.20	4.20	
	ग) कच्ची बाटो	"	4.81	4.81	4.81	
12	ट्याक्टरमा लेभलर लगाइ माटो काटने, हुवानी गर्ने लेभलर लगाइ माटो सम्पाउने कामको लागि	"	114.66	114.66	114.66	
13	हल्का सवारी साधन (ईन्धन बाहेक)	प्र. दिन	2948.40	3500.00	3500.00	
14	सामान हुवानी	प्र. काबटल, प्र. कि. मी.				
	पक्की बाटो	"	2.40	2.40	2.40	
	ग्राभेल बाटो	"	3.24	3.24	3.24	
	कच्ची बाटो	"	3.60	3.60	3.60	
15	हुवानी विश्लेषणको लागि					
	ट्रकको मोल	१० मे. टन	3276000.00	3276000.00	3276000.00	
	ट्र्याक्टरको मोल	३ मे. टन	1310400.00	1310400.00	1310400.00	
16	भरीया २० के.जी देखि ४० के.जी सम्म	कोष	60.06	60.06	60.06	
17	तारजाली लोड	गोटा	8.74	8.74	8.74	
18	तारजाली अनलोड	गोटा	9.28	9.28	9.28	
19	GI WIRE लोड	बण्डल	6.55	6.55	6.55	
20	GI WIRE अनलोड	बण्डल	7.32	7.32	7.32	
21	जीप कार तेल बाहेक दैनिक भाडा	प्र.दिन	3900.00	4290.00	4290.00	
22	टक टिपर (ईन्धन समेत)	प्र.दिन	12012.00	12012.00	12012.00	
23	डेना गाडा	प्र.कि.मि.	60.06	60.06	60.06	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

24	पम्पींग सेट ४" इन्चन समेत	घण्टा	409.50	409.50	409.50
25	सिमेन्टको बिजुलीको खम्बा दुवानी (क) ५ कि.मी.सम्म	प्र.खम्बा	1201.20	1201.20	1201.20
	(ख) ५ कि.मी.भन्दा माथि	"	1856.40	1856.40	1856.40
26	काठको पाल (विजुलीको) हकमा सिमेन्ट पालको ७५ प्रतिशतले दुवानी गराउने				
27	ट्रान्सफर्मर दुवानी (क) १५ के.भी. ए देखि २५ के.भी.ए सम्मको	गोटा			
	० देखि ५ कि.मी.सम्मको	"	1092.00	1092.00	1092.00
	५ देखि १० कि.मी.सम्मको	"	1310.40	1310.40	1310.40
	१० देखि १५ कि.मी.सम्मको	"	1556.10	1556.10	1556.10
	१५ देखि २० कि.मी.सम्मको	गोटा	1801.80	1801.80	1801.80
	२० देखि २५ कि.मी.सम्मको	"	1911.00	1911.00	1911.00
	२५ देखि ३० कि.मी.सम्मको	"	2020.20	2020.20	2020.20
	(ख) ५० के.भी. ए देखि २०० के.भी.ए सम्मको				
	० देखि ५ कि.मी.सम्म	गोटा	1351.35	1351.35	1351.35
	५ देखि १० कि.मी.सम्म	"	1471.47	1471.47	1471.47
	१० देखि १५ कि.मी.सम्म	"	1951.95	1951.95	1951.95
	१५ देखि २० कि.मी.सम्म	"	2522.52	2522.52	2522.52
	२० देखि २५ कि.मी.सम्म	"	2642.64	2642.64	2642.64
	२५ देखि ३० कि.मी.सम्म	"	2762.76	2762.76	2762.76
28	भेपर लाइट जडान गर्ने कार्य,सहयोगी	प्र.सेट	180.18	180.18	180.18
29	पोल लोड	गोटा	660.66	660.66	660.66
30	पोल अनलोड	गोटा	600.60	600.60	600.60
31	खाली बोरा लोड (१०० बोरा बण्डल)		6.01	6.01	6.01
32	खाली बोरा अनलोड (१०० बोरा बण्डल)		6.60	6.60	6.60
33	माटो काटने एक्सकाभेटर (JCB)	प्र.घण्टा			
	0.63 cu.m. capacity		3276.00	3276.00	3276.00
	0.80 cu.m. capacity		4040.40	4040.40	4040.40
	1.32 cu.m. capacity		6333.60	6333.60	6333.60
34	एक्सकाभेटरले site cutting गरि सडकमा माटो पुर्ने तथा लेभलर लगाई सडकमा माटो सम्प्याउने कार्य (इन्धन र चालक सहित)	प्र.घ.मी.	157.50	157.50	157.50
1	इंटा चिम्नी भद्राको	प्र.हजार			
	(क) प्रथम श्रेणी	"	14800.00	14800.00	14800.00
	(ख) द्वितीय श्रेणी	"	11000.00	11000.00	11000.00
	(ग) राठईंटा (ओभर वर्नट)	"	10000.00	10000.00	10000.00
2	इंटाको टुक्रा १ नं.	प्र.घ.मी.	4368.00	4368.00	4368.00
3	इंटाको टुक्रा २ नं.	प्र.घ.मी.	2730.00	2730.00	2730.00
4	इंटाको राबिस	प्र.घ.मी.	1201.20	1201.20	1201.20
5	मैसिन मेट इंटा	प्र.हजार	13104.00	13104.00	13104.00
6	माटो	प्र.घ.मी.	400.00	400.00	400.00
7	सिमेन्ट				
क	OPC	प्र.व्याग (५० के.जी.)	884.00	800.00	800.00
ख	PPC	प्र.व्याग (५० के.जी.)	832.00	700.00	700.00
ग	सिलिका सिमेन्ट	प्र.व्याग (२० के.जी.)	1664.00	1664.00	1664.00
8	बालुवा वास	प्र.घ.मी.	709.80	780.78	858.85
9	शामेल	प्र.घ.मी.	550.00	600.00	600.00
10	पानी	लिट्र	0.52	0.52	0.52
11	0.20 - 0.28 cu.m. capacity mixture (with oil & Operator)	घण्टा	577.50	577.50	577.50
12	Vibrator (with oil & Operator)	घण्टा	288.75	288.75	288.75
13	हुंगा				
	(क) ब्लक स्टोन	घ.मी.	750.75	825.83	908.41
	(ख) बोल्टर हुंगा	"	1000.00	1100.00	1210.00
	(ग) फोरुवा हुंगा	"	1087.80	1196.58	1316.23

हाम्रो
मन्त्री
Faulst
Page 3 of 39
G. Prasad



वर्दिवास नगरपालिका
नगर कार्यपालिकाको कार्यालय
वर्दिवास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

	(घ) कुदेको ढुंगा	"			1416.23
14	ढुंगाको गिट्टी (फोडेको)				
	क) ५ मी.मी. देखि १० मी.मी. सम्म	घ.मी.	1092.00	1201.20	1321.32
	ख) ११ " " २० " "	"	1419.60	1561.56	1717.71
	ग) २१ " " ४० " "	"	1255.80	1381.38	1519.51
	घ) ४१ " " ७० " "	"	1037.40	1141.14	1255.25
	ड) ७१ " " १०० " "	"	928.20	1021.02	1123.12
15	बालुवा खोलाको	"	560.00	600.00	660.00
16	ढुंगाको गिट्टी (राउंड) (रिभर वेड)				
	क) ३ मि.मि. देखि १० मि.मि.	घ.मी.	765.00	841.50	925.65
	ख) ११ " " २० " "	"	874.00	961.40	1057.54
	ग) २१ " " ४० " "	"	1092.00	1201.20	1321.32
	घ) ४१ " " ७० " "	"	874.00	961.40	1057.54
	ड.) ७१ मी.मी.देखि १०० मी.मी. सम्म	"	710.00	781.00	859.10
17	क्रसर स्टोन डस्ट			1310.40	1310.40
18	इटाको रोडा ०.५" देखि १" सम्म	"	1965.60	1965.60	1965.60
19	इटाको टुक्रा ६" देखि ९" सम्म	"	2020.20	2020.20	2020.20
20	सुकी	"	2020.20	2020.20	2020.20
21	खर	बन्डल	109.20	109.20	109.20
22	खरही	"	92.82	92.82	92.82
23	बाबियो	"	174.72	174.72	174.72
24	छडी	"	174.72	174.72	174.72
25	बास ६" देखि ८" मोटो	गोटा	327.60	327.60	327.60
26	बास ६" भन्दा पातलो	गोटा	273.00	273.00	273.00
27	बारबेड वायर फेन्सींग पोस्ट	गोटा	382.20	382.20	382.20
1	सिमेन्ट टाइल्स	थान	29.48	29.48	29.48
2	सिमेन्ट टाइल्स धुरी	गोटा	29.48	29.48	29.48
3	माटो टाइल्स	गोटा	18.56	18.56	18.56
4	माटो टाइल्स धुरी	गोटा	18.56	18.56	18.56
5	माटोको खपडा	हजार	3276.00	3276.00	3276.00
6	बाबियो खरको डोरी	किलो	76.44	76.44	76.44
7	परालको चटाइ	व.मी.	218.40	218.40	218.40
8	बासको मान्दो	व.मी.	136.50	136.50	136.50
9	भूस	किलो	12.01	12.01	12.01
10	गोबर	किलो	8.74	8.74	8.74
11	तयारी सिमेन्टको जाली	व.मी.	300.30	300.30	300.30
12	नरिवलको डोरी	किलो	174.72	174.72	174.72
13	नाइलनको डोरी	किलो	218.40	218.40	218.40
14	एसवेसट्स सिमेन्ट सीट	व.मी.	655.20	655.20	655.20
15	एसवेसट्स सिमेन्ट धुरी	व.मी.	382.20	382.20	382.20
16	मार्बल चिप्स (मोजायक)				
	(क) ३ मी.मी.	के.जी	38.22	38.22	38.22
	(ख) १५ मी.मी.	"	38.22	38.22	38.22
17	तेराजो टाइल २० मि.मि.	व.मी.	928.20	928.20	928.20
18	मार्बल				
	(क) प्लेन मार्बल १५ मी.मी.	व.मी.	4127.76	4127.76	4127.76
	(ख) मार्बल २५ मी.मी.	व.मी.	4245.70	4245.70	4245.70
	(ग) ग्रेनाइट ढुंगा २० मी.मी.	व.मी.	4586.40	4586.40	4586.40
19	टायल (फ्लोर र भित्तामा छाप्ने)				
	(क) पोर्सलीन ग्लेज्ड (वाल टायल)	प्र.व.मी.	1310.40	1310.40	1310.40
	(क) पोर्सलीन ननग्लेज्ड	"	1201.20	1201.20	1201.20
20	Double charge Floor Tile 800mm *800mm	"		1710.84	1710.84
21	Double charge Floor Tile 600mm *600mm	"		1366.52	1366.52
22	मोजायकको अन्य सामग्री				
	(क) काबोरेन्डम ढुंगा	प्र.गोटा	327.60	327.60	327.60

Handwritten signatures and stamps at the bottom of the page.



23	नन स्किड टाईल	प्र.व.मी.	1092.00	1092.00	1092.00
	सीमेन्ट फ्लोर टाईल - १०"x१०"	"	928.20	928.20	928.20
	पि.सि.सि. टाईल्स - १०"x१०"	"	682.50	682.50	682.50
	चेकर " १०"x१०"	"	791.70	791.70	791.70
	मोजाइक " - १०"x१०"	"	982.80	982.80	982.80
	भेन्स " - १०"x१०"	"	1146.60	1146.60	1146.60
	कार्पेट " - १०"x१०"	"	1146.60	1146.60	1146.60
	बार्ट " - १०"x१०"	"	1921.92	1921.92	1921.92
24	Parking Tile 12"x12"	प्र.व.मी.		1140.56	1140.56
25	Pastic Tripal 500 gauge	प्र.व.मी.		43.00	43.00
26	Ivory colour Flat Wall Pannel (0.4*1040)- 50mm	प्र.व.मी.		2324.16	2324.16
27	Ivory colour Flat Wall Pannel (0.4*1040)- 75mm	प्र.व.मी.		2711.52	2711.52
1	फलामे डण्डी				
	(क) टोर स्टील/टी.एम.टी.विभिन्न साईज	के.जी.	98.00	98.00	98.00
	(ख) माईल्ड स्टील	"	87.36	87.36	87.36
2	जी.आई. डण्डी बाण्डे तार २० नं. (स्पेशल)	के.जी.	131.04	131.04	131.04
3	जी.आई. डण्डी बाण्डे तार २२ नं. (स्पेशल)	"	141.96	141.96	141.96
4	फलामे गेट				
	(क) फलामे गेट (फेबरीकेसन सहित)	के.जी.	141.75	141.75	141.75
	(ख) तयारी कोलाप्सिबल गेट	व.मी.	5460.00	5460.00	5460.00
	(ग) तयारी रोलिङ सटर	"	4914.00	4465.40	4465.40
5	तयारी टयूबवर ट्रस	के.जी.	174.72	174.72	174.72
6	फलामे ग्रील ३*२० मी.मी.(प्रति व.मी. १६.१४ के.जी.)	व.मी.	2893.80	2893.80	2893.80
7	फलामे ग्रील ४.५*२० मी.मी.(प्रति व.मी. २१.५ के.जी.)	"	3822.00	3822.00	3822.00
8	फलामे ग्रील सबै किसिमका	किलो	163.80	163.80	163.80
9	जी.आई.तार जाली मस्क्वीटो पुफ १८ मेस	व.मी.	196.56	196.56	196.56
10	कुखुरा जाली (चिकेन मेस) राम्रो	"	92.82	92.82	92.82
11	एक्सपेन्डेड मेटल जाली	"	169.26	169.26	169.26
12	बेल्डिङ चार्ज	के.जी.	49.14	49.14	49.14
13	फ्लाइ पुफ नेट १८ मेस	व.मी.	196.56	196.56	196.56
14	बालुवा चाले जाली	"	273.00	273.00	273.00
15	काडेतार				
	(क) १२ गेजको	र.मी.	43.68	43.68	43.68
	(ख) १४ गेजको	"	38.22	38.22	38.22
16	किला, काटी, नट बोल्ट				
	(क) होल्ड फास्ट २५० मी.मी.	गोटा	49.14	49.14	49.14
	(ख) किला काटी विभिन्न साईजको	प्र.के.जी.	147.42	147.42	147.42
	(ग) प्रयागी किला	"	109.20	109.20	109.20
	(घ) फलामे बासर	गोटा	4.37	4.37	4.37
	(ङ) विट्रुमीन बासर	"	1.64	1.64	1.64
17	कब्जा (स्टीलको)				
	७५ मी.मी.	गोटा	38.22	48.22	48.22
	१०० मी.मी.	गोटा	43.68	53.68	53.68
	१५० मी.मी.	गोटा	54.60	64.60	64.60
	२०० मी.मी.	गोटा	६०.०६	७०.०६	७०.०६
	२५० मी.मी.	गोटा	६५.५२	७५.०२	७५.०२
	३०० मी.मी.	गोटा	८१.९०	९१.०२	९१.०२
18	छेस्किनी				
	१०० मी.मी.	गोटा	६५.५२	७५.५२	७५.५२
	१५० मी.मी.	गोटा	८७.३६	९६.१०	९६.१०
	२०० मी.मी.	गोटा	१०९.२०	१२०.१२	१२०.१२
	२५० मी.मी.	गोटा	१३१.०४	१४४.१४	१४४.१४
	३०० मी.मी.	गोटा	१५२.८८	१६८.१७	१६८.१७
19	क्रस हुक	गोटा	२१.८४	२१.८४	२१.८४
20	नटबोल्ट	गोटा	१६.३८	१६.३८	१६.३८
21	नटबोल्ट	किलो	१९१.१०	१९१.१०	१९१.१०
22	लकडि सेट	गोटा	३६०.३६	३६०.३६	३६०.३६

Handwritten signatures and notes at the bottom of the page, including a signature that appears to be 'G. Prasad' and other illegible marks.

23	हतकल ठूलो	गोटा	78.62	78.62	78.62
24	हेण्डल ठूलो	गोटा	327.60	327.60	327.60
25	हेण्डल सानो	गोटा	207.48	207.48	207.48
26	मोर्टिस लक	गोटा	709.80	709.80	709.80
27	डोर स्प्रिङ	गोटा	524.16	524.16	524.16
28	हाइड्रोलिक डोर स्प्रिङ	"	2730.00	2730.00	2730.00
29	छेस्कनी (एल्युमिनियम)				
	(क) १०० मी.मी. लामो ४"	गोटा	70.98	70.98	70.98
	(ख) १५० मी.मी. लामो ६"	"	81.90	81.90	81.90
	(ग) २५० मी.मी. लामो १०"	"	92.82	92.82	92.82
	(घ) २५० मी.मी. लामो १२"	"	109.20	109.20	109.20
	(ड) ३०० मी.मी. लामो १२"	"	131.04	131.04	131.04
30	लकिङ सेट				
	अल्युमिनियमको ठूलो	गोटा	360.36	360.36	360.36
	ब्रासको	गोटा	819.00	819.00	819.00
31	हेण्डल				
	अल्युमिनियमको				
	(क) ठूलो	गोटा	420.42	420.42	420.42
	(ख) सानो	"	240.24	240.24	240.24
32	ब्रासको				
	(क) ठूलो	गोटा	709.80	709.80	709.80
	(ख) सानो	"	535.08	535.08	535.08
33	हतकल				
	अल्युमिनियमको				
	(क) ठूलो	गोटा	120.12	120.12	120.12
	(ख) सानो	"	87.36	87.36	87.36
	ब्रासको				
	(क) ठूलो	गोटा	414.96	414.96	414.96
	(ख) सानो	"	174.72	174.72	174.72
34	हेण्डल मेडियम क्वालिटी र साइज		191.10	191.10	191.10
35	मोर्टिस लक				
	सिटलको	प्र.सेट	873.60	873.60	873.60
	ब्रासको	"	1201.20	1201.20	1201.20
36	डोर स्प्रिङ हाइड्रोलिक ब्रास	"	2020.20	2020.20	2020.20
37	स्कु किला				
	स्कु १/२"	गोटा	1.37	1.37	1.37
	स्कु ३/४"	गोटा	1.64	1.64	1.64
	स्कु १"	गोटा	1.91	1.91	1.91
	स्कु १ १/२"	गोटा	2.73	2.73	2.73
	स्कु २"	गोटा	3.28	3.28	3.28
	स्कु २ १/२"	गोटा	3.82	3.82	3.82
	स्कु ३"	गोटा	4.37	4.37	4.37
38	फलाम एगल (आयरन) Steel sections (angle, channel etc) including	के.जी.	136.50	136.50	136.50
39	पर्दाको तार	र.मी.	51.32	51.32	51.32
40	एल किला	गोटा	27.30	27.30	27.30
41	जि.आई.ग्यावियन वायर hand made				
	Heavy coated 7/10 S.W.G.	किलो	150.00	150.00	150.00
	Heavy coated 12 S.W.G.	किलो	140.00	140.00	140.00
	Medium coated 7/10 S.W.G.	किलो	130.00	130.00	130.00
	Medium coated 12 S.W.G.	किलो	135.00	135.00	135.00
	Light coated 7/10 S.W.G.	किलो	110.00	110.00	110.00
	Light coated 12 S.W.G.	किलो	115.00	115.00	115.00
	Commercial 8/10 gauge	किलो	115.00	115.00	115.00
	१० गेज जि.आई तारको सेसिन मेड जाली	ब.मी	273.00	273.00	273.00

बर्दिबास नगरपालिका
कार्यपालिकाको कार्यालय
बर्दिबास, धौलागिरी नगरपालिका
मधेश प्रदेश, नेपाल
२०७३

Handwritten signatures and notes at the bottom of the page, including names like 'Hank', 'Kanku', and 'Gronu'.



बिर्गोज नगरपालिका
कार्यपालिकाको कार्यालय
बिर्गोज, महोदय,
मधेश प्रदेश, नेपाल
२०७३

	सेसिन बाट बुनिएको हेबी जिंक कोटेड ग्याविन वाइर मेन नेट	व.मी	290.00	290.00	290.00
	Concentrina wire 14 gauge with zinc Coating	मिटर		275.00	275.00
42	सिट पायल जेड पायल IS Code 2314-1963	किलो	205.00	205.00	205.00
43	होर्डिङ बोर्ड				
	जस्तामा लेखेको (३ फिट ४ फिट)	संख्या	3150.00	3150.00	3150.00
	फ्लेक्स प्रिन्ट (३ फिट ४फिट)	संख्या	2100.00	2100.00	2100.00
	फ्लेक्स प्रिन्ट गर्ने कार्य				
	Backlid paper	व.मी.		100.00	100.00
	Glossing paper	व.मी.		80.00	80.00
	Star paper	व.मी.		60.00	60.00
	Normal Paper	व.मी.		50.00	50.00
	Flex Hanger	व.मी.		35.00	35.00
44	स्टेनलेस स्टिल पाईप				
	३/४" व्यास भएको १६ गेज मोटाई भएको	मिटर	203.70	203.70	203.70
	१" व्यास भएको १६ गेज मोटाई भएको	"	255.15	255.15	255.15
	१ १/४" व्यास भएको १६ गेज मोटाई भएको	"	325.50	325.50	325.50
	१ १/२" व्यास भएको १६ गेज मोटाई भएको	"	394.80	394.80	394.80
	२" व्यास भएको १६ गेज मोटाई भएको	"	533.40	533.40	533.40
	३" व्यास भएको १६ गेज मोटाई भएको	"	858.90	858.90	858.90
45	स्टेनलेस स्टिल रेलिङको कार्य २" पाईपको ठाडो पोष्ट २" हेन्डरेल तथा १" व्यासको तिन तह तेस्रो पाईप राखी तयार गरि जडान गर्ने कार्य (उचाई ९० से. मी.)	र.फि.	1260.00	1260.00	1260.00
46	स्टेनलेस स्टिल रेलिङको कार्य २" पाईपको ठाडो पोष्ट २" हेन्डरेल तथा १" व्यासको दुई तह तेस्रो पाईप राखी तयार गरि जडान गर्ने कार्य	र.फि.	1102.50	1102.50	1102.50
47	स्टेनलेस स्टिल रेलिङको कार्य १.५" पाईपको ठाडो पोष्ट २" हेन्डरेल तथा १" व्यासको तिन तह तेस्रो पाईप राखी तयार गरि जडान गर्ने कार्य	र.फि.	997.50	997.50	997.50
48	1) Aluminium fixed panel window with Ventilation but without fly mesh shutter from section (88x38.1x1.3)mm and 5mm glass	व.मी.	6770.40	6770.40	6770.40
49	2) Aluminium fixed panel window with Ventilation but with fly mesh shutter from section (88x38.1x1.3)mm and 5mm glass	व.मी.	7207.20	7207.20	7207.20
50	3) Aluminium sliding window without Ventilator from section (101x45x1.50)mm and 5mm glass	व.मी.	7098.00	7098.00	7098.00
51	4) Aluminium sliding window with Ventilator from section (101x45x1.50)mm and 5mm glass	व.मी.	7644.00	7644.00	7644.00
52	5) Aluminium sliding door section (101x45x1.50)mm with sash 40x45x1.5mm and 5mm glass	व.मी.	8080.80	8080.80	8080.80
53	6) Casement double panel aluminium windows with Ventilation section of (54x33x1.5)mm with sash 38x34x1.5mm and 5mm glass	व.मी.	7644.00	7644.00	7644.00
54	7) Aluminium casement door section (101x45x1.1)mm sash 40x45x1.5mm & 5mm glass	व.मी.	13104.00	13104.00	13104.00
55	8) Aluminium swing door section of (101x45x1.1)mm & 5mm glass	व.मी.	8353.80	8353.80	8353.80
56	9) Aluminium sliding window 2 track section of (88x38x1.5)mm & 5mm glass	व.मी.	6552.00	6552.00	6552.00
57	10) Aluminium fixed window and partition with fixed ventilator from 9mm board and section (101x45x1.5)	व.मी.	6552.00	6552.00	6552.00
58	11) Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (101x45x1.1)	व.मी.	6552.00	6552.00	6552.00
59	12) Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (64x38x1.1)	व.मी.	6115.20	6115.20	6115.20
60	Alluminium fixed panel window with ventilation but without fly mesh shutter from section (78mmx38.1mmx1.1mm) & glass 4.75-5mm	व.मी.	4236.75	4236.75	4236.75
61	Alluminium fixed panel window with ventilation but without fly mesh shutter from section (88mmx38.1mmx1.3mm) & glass 4.75-5mm	व.मी.	6213.90	6213.90	6213.90

[Handwritten signatures]

[Handwritten signatures and notes]



वेदिवास नगरपालिका
नगर कार्यपालिकाको कार्यालय
वेदिवास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

62	Alluminium fixed panel window with ventilation with fly mesh shutter from section (88mmx38.1mmx1.3mm) & glass 4.75-5mm	व. मी.	7626.15	7626.15	7626.15
63	Alluminium framed sliding window without ventilator (Aluminium:- Natural anodised 101mmx45mmx1.5mm) & Glass 4.75-5mm clear	व. मी.	7626.15	7626.15	7626.15
64	भरपाइको रेलीङ तथा चाईलीमा कुदिएको स्थानीय सीसो काठको हुक्का (२'६" x ३" x ३")	गोटा		1080.00	1080.00
65	भरपाइको रेलीङ तथा चाईलीमा कुदिएको स्थानीय सीसो काठको हेण्डरेल (३" x ४")	र. फि.		724.00	724.00
66	भरपाइको रेलीङको घुम्ने टाउमा कुदिएको सीसो काठको गोलो हेण्डरेल (३" x ४")	गोटा		2362.00	2362.00
67	सातको काठको ओखि झ्याल तयार	व. फि.		1620.00	1620.00
68	Sisam wood Parquetting 150 mm * 30 mm * 8 mm	व. फि.		220.00	220.00
69	Wall Panneling with wood frame sisam wood (75 mm * 16 mm)	व. फि.		599.00	599.00
70	Expansion joint works				
a)	Providing, chipping and plaster with mixing Perma Bond SBR modified mortar upto 40mm wide on levelling all complete. Providing and laying thernacol in the hole, providing masking tape on thernacol and covering with alluminium V shape member all complete	व. मी.	7278.60	7278.60	7278.60
b)	24 gauge alluminium sheet	व. मी.	900.90	900.90	900.90
71	Land scaping works				
71.1	60mm interlocking cement concrete block M-20 grade	व. मी.	617.40	617.40	617.40
71.2	70mm interlocking cement concrete block M-20 grade	व. मी.	709.80	709.80	709.80
71.3	50 mm interlocking cement concrete block M-20 grade	व. मी.		575.00	575.00
71.4	80 mm interlocking cement concrete block M-20 grade	व. मी.		750.00	750.00
71.5	Curve stone M-30 grade (45x38x15cm/piece)	मिटर	1190.70	1190.70	1190.70
71.6	Kerb stone 300 mm * 300 mm * 100 mm M-20	गोटा		125.00	125.00
71.7	Kerb stone 300 mm * 300 mm * 150 mm M-20	गोटा		200.00	200.00
71.8	Kerb stone 300 mm * 300 mm * 100 mm M-25	गोटा		150.00	150.00
71.9	Kerb stone 300 mm * 300 mm * 150 mm M-25	गोटा		250.00	250.00
72	Metalized polyester board (MPL) false ceiling plain	व. मी.	1108.80	1108.80	1108.80
73	50mm dia. Stainless steel maindrain with 50mm dia. Post in 2m interval with 25mm 3 nos. stainless steel	मिटर	4466.70	4466.70	4466.70
74	Aluminium Composite Panel (ACP)				
74.1	Providing and fixing ACP cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF core)	Sq. ft	349.65	349.65	349.65
74.2	Providing and fixing ACP cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF core)	Sq. ft	469.35	469.35	469.35
1	काठ चिरान सहित	घ.मी.	218400.00	218400.00	218400.00
	क) साल	घ.मी.	185640.00	185640.00	185640.00
	ख) सिसे र टिक	घ.मी.	65520.00	65520.00	65520.00
	ग) कु काठ	घ.मी.	147420.00	147420.00	147420.00
2	गोलिया साल	घ.मी.	131040.00	131040.00	131040.00
3	गोलिया सीसे र टिक	घ.मी.	70980.00	70980.00	70980.00
4	गोलिया स्थानीय	घ.मी.			
5	चिरान सहितको १ इन्च मोटो फ्ल्याक				
	क) साल	व.मी.	5678.40	5678.40	5678.40
	ख) सिसे	व.मी.	4914.00	4914.00	4914.00
	ग) कु काठ	व.मी.	1638.00	1638.00	1638.00
6	प्लाई उड				
	क) कर्मसियल				
	३ मी.मी.	प्र.व.मी.	177.45	177.45	177.45
	४ मी.मी.	प्र.व.मी.	343.98	343.98	343.98
	ख) वाटर प्रूफ प्लाईउड				
	६ मी.मी.	प्र.व.मी.	630.63	630.63	630.63
	१२ मी.मी.	प्र.व.मी.	1261.26	1261.26	1261.26

Handwritten signatures and notes at the bottom of the page, including a signature that appears to be 'Prasanna'.

	१९ मी.मी.	प्र.व.मी.	1651.10	1651.10	1651.10	
	गा) टिक प्लाईउड					
	३ मी.मी.	प्र.व.मी.	600.60	600.60	600.60	
	४ मी.मी.	प्र.व.मी.	627.90	627.90	627.90	
	घ) हाईबोर्ड					
	४ मी.मी.	प्र.व.मी.	283.92	283.92	283.92	
	१२ मी.मी.	प्र.व.मी.	600.60	600.60	600.60	
7	दाउरा	प्र.के.जी.	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	
8	सिसा प्लेन					
	क) ३ मी.मी. मोटो	प्र.व.मी.	655.20	655.20	655.20	
	ख) ४ मी.मी. मोटो	प्र.व.मी.	873.60	873.60	873.60	
	ग) ५ मी.मी. मोटो	प्र.व.मी.	928.20	928.20	928.20	
	घ) ६ मी.मी. माटो	प्र.व.मी.	1119.30	1119.30	1119.30	
9	सिसा रंगीन					
	क) ३ मी.मी. मोटो	प्र.व.मी.	656.12	666.12	666.12	
	ख) ४ मी.मी. मोटो	प्र.व.मी.	808.08	808.08	808.08	
	ग) ५ मी.मी. मोटो	प्र.व.मी.	911.82	911.82	911.82	
	घ) ६ मी.मी. मोटो	प्र.व.मी.	1146.60	1146.60	1146.60	
10	सादा सेतो सिसा					
	८ मि.मि.	ब.फी.	157.50	157.50	157.50	
	१० मि.मि.	ब.फी.	199.50	199.50	199.50	
	१२ मि.मि.	ब.फी.	231.00	231.00	231.00	
11	बुटेदार सिसा					
	३ मि.मि.	ब.फी.	50.83	50.83	50.83	
	४ मि.मि.	ब.फी.	59.48	59.48	59.48	
12	पोलि फाईबर ग्लास					
	६ मि.मि.	ब.फी.	162.23	162.23	162.23	
13	कालो रङ्गको सिसा					
	३ मि.मि.	ब.फी.	100.80	100.80	100.80	
	४ मि.मि.	ब.फी.	108.15	108.15	108.15	
	५ मि.मि.	ब.फी.	126.00	126.00	126.00	
	६ मि.मि.	ब.फी.	189.00	189.00	189.00	
	८ मि.मि.	ब.फी.	262.50	262.50	262.50	
	१० मि.मि.	ब.फी.	367.50	367.50	367.50	
	१२ मि.मि.	ब.फी.	420.00	420.00	420.00	
14	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	५ मि.मि. बाक्लो	ब.फी.	121.80	121.80	121.80	
1	सिमेन्टको जाली (ब्लक र पोस्ट)					
	1'6"x1'	प्र.गोटा	49.14	49.14	49.14	
	2'x1'6"	"	43.68	43.68	43.68	
	2'x2'	"	65.52	65.52	65.52	
2	RCC precast railing post	गोटा				
	2'6" long	"	109.20	109.20	109.20	
	2'	"	87.36	87.36	87.36	
	1'6"	"	70.98	70.98	70.98	
	1'	"	49.14	49.14	49.14	
3	जूट	प्र.के.जी.	98.28	98.28	98.28	
	जूटको पुरानो बोरा	प्र.गोटा	49.14	49.14	49.14	
	जूटको नया बोरा (100 केजी साइज)	"	65.52	65.52	65.52	
	सिमेन्टको नया बोरा	"	17.47	17.47	17.47	
	सिमेन्टको पुरानो बोरा	"	16.38	16.38	16.38	
	पोलिट्रब 3"*7"	प्र.के.जी.	349.44	349.44	349.44	
	पोलिट्रब 4"*7"	प्र.के.जी.	382.20	382.20	382.20	
	पोलिट्रब 5"*8"	प्र.के.जी.	385.20	385.20	385.20	
4	हथौडा (विट समेत)	"	136.50	141.50	141.50	



विकास नगरपालिका
कार्यपालिका कार्यालय
बर्दिबास, कैलाली
मध्या प्रदेश, नेपाल
२०७३

Handwritten signatures and stamps at the bottom of the page.



बर्दिबास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बर्दिबास, कैलाली
मध्य प्रदेश
नेपाल
२०७३

5	कोदाली	"	229.32	229.32	229.32	
6	पिक एक्स	"	240.24	240.24	240.24	
7	हेक्सो फ्रेम	"	60.06	60.06	60.06	
8	हेक्सो बलेड	"	5.46	5.46	5.46	
9	तार ब्रस	"	27.30	27.30	27.30	
10	रंग लगाउने ब्रस	"	43.68	43.68	43.68	
11	खर (१५ सेमी ३० सेमीका)	प्र.भण्डस	16.38	16.38	16.38	
12	थुन्से डोको	प्र.गोटा	109.20	109.20	109.20	
13	बासको टोकरा	"	54.60	54.60	54.60	
14	कुचो/भारु	प्र.गोटा				
	क) अमरिसोको कुचो	"	27.30	27.30	27.30	
	ख) वावियोको कुचो	"	25.12	25.12	25.12	
	ग) नरीवलको कुचो	"	27.30	27.30	27.30	
15	काठे कोहला २० केजी	प्र.व्याग	327.60	327.60	327.60	
16	खाने नून	प्र.के.जी.	17.47	23.89	23.89	
17	कालो पाइप (टसको लागि)	प्र.के.जी.				
	लाइट क्लास	"	89.54	89.54	89.54	
	हेभी क्लास	"	98.28	98.28	98.28	
18	लिनोनियम साधारण	व.सी.	191.10	191.10	191.10	
	लिनोनियम कार्पेट	व.सी.	207.48	207.48	207.48	
19	फारमाइका कार्पेट	"	840.84	840.84	840.84	
20	पोलिथिन सिट ५०० गेज	"	19.66	19.66	19.66	
21	टारफ्लेट	"	120.12	120.12	120.12	
22	डि.पी.सी.ग्रेड टाइफ्लेट	"	114.66	114.66	114.66	
23	सनमाइका	"	753.48	753.48	753.48	
24	रबर सील २३० मी.मी.	र.सी.	546.00	687.96	687.96	
	१५० एम.एम.	"	436.80	436.80	436.80	
	१५० मेम्ब्रेन	"	273.00	273.00	273.00	
25	वाटर प्रूफ कमपाउन्ड पाउडर	किलो	49.14	49.14	49.14	
26	तेलिया ईटा	व.सी.	655.20	655.20	655.20	
27	डेकरा बैण्ड वा मेटरा बैण्ड रुफ सिट	"	1528.80	1528.80	1528.80	
28	विटमिन अलकत्रा	के.जी.	109.20	109.20	109.20	
1	सेतो सिमेन्ट	के.जी.	54.60	54.60	54.60	
2	अर्गनालिक एसिड	लिट्र	360.36	360.36	360.36	
3	मैन पोलिस	लिट्र	447.72	447.72	447.72	
4	आइरन	के.जी.	316.68	316.68	316.68	
5	खाक्सी काठको लागि	प्र.गोटा	16.38	16.38	16.38	
6	खाक्सी फलामको लागि	प्र.गोटा	15.29	15.29	15.29	
7	चुना (कल्ली चुना)	प्र.के.जी.	30.58	30.58	30.58	
8	वाटरप्रूफ सिमेन्ट पेन्ट (सोसियम) राम्रो	प्र.के.जी.	136.50	136.50	136.50	
9	डिस्टेम्पर पेन्ट (वासेवल डिस्टेम्पर) राम्रो	प्र.के.जी.	371.28	371.28	371.28	
10	ड्राइ डिस्टेम्पर	प्र.के.जी.	65.52	65.52	65.52	
11	रेडिमेड इनामेल पेन्ट राम्रो	प्र.लि.	453.18	453.18	453.18	
12	एल्मिनियम पेन्ट	प्र.लि.	447.72	447.72	447.72	
13	प्लास्टिक इमल्सन पेन्ट	प्र.लि.	720.72	720.72	720.72	
14	Interior wall primer (weather coat)	प्र.लि.	180.60	180.60	180.60	
15	Exterior wall primer (weather coat)	प्र.लि.	327.60	327.60	327.60	
16	वार्निश पेन्ट	प्र.लि.	180.18	180.18	180.18	
17	एज्फाल्ट (अलकत्रा) पेन्ट	प्र.लि.	180.18	180.18	180.18	
18	रेड अक्साइड पेन्ट	प्र.लि.	207.48	207.48	207.48	
19	Plaster of paris paint	के.जी.	32.76	32.76	32.76	
20	Birla or JK putti paint	के.जी.	76.44	76.44	76.44	
21	वेदरकोट पेन्ट (एपेक्स)	लिट्र	764.40	764.40	764.40	
22	उड प्राइमर (अस्तर) पेन्ट	प्र.लि.	327.60	327.60	327.60	

Handwritten signatures and marks at the bottom of the page.



बर्दियास नगरपालिका
नगर कार्यपालिकाका कार्यालय
बर्दियास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

23	लिन्सिड आयल	प्र.लि	136.50	136.50	136.50
24	रामरस माटो	प्र.के.जी.	21.84	21.84	21.84
25	रामरस	लिटर	38.22	38.22	38.22
26	गेरु रंग (टेरा कोटा)	लिटर	300.30	300.30	300.30
27	हरी रंग २ मी., ३ मी.	लिटर	300.30	300.30	300.30
28	गुद (गम)	लिटर	169.26	169.26	169.26
29	पुटिंग पाउडर	लिटर	109.20	109.20	109.20
30	रवली (चक)	लिटर	17.47	17.47	17.47
31	चप्रा	के.जी.	611.52	611.52	611.52
32	स्पीट	लिटर	191.10	191.10	191.10
33	अलकत्रा पेन्ट विद्मीनब्लैक पेन्ट	लिटर	229.32	229.32	229.32
34	वाटर पुर्फिंग कमपाउन्ड	प्र.के.जी.	131.04	131.04	131.04
35	उड प्रिजरभेटिभ पेन्ट	लिटर	251.16	251.16	251.16
36	नीर (निल)	के.जी.	131.04	131.04	131.04
37	काठ, प्लाड उड टाले गम फेवीकल	के.जी.	245.70	245.70	245.70
38	रुफ मेटल पुटिंग	के.जी.	191.10	191.10	191.10
39	टारपन्टाइन तेल	लिटर	136.50	136.50	136.50
40	Exterior wall primer	लिटर	249.90	249.90	249.90
41	Emulsion paint/Distemper(Ktm's rate)				
42	Interior wall primer	लिटर	180.60	180.60	180.60
43	Wall putty normal	Kg		35.00	35.00
44	Wall putty water proof	Kg		60.00	60.00
45	सनमाइका (4" * 8")	Sqft.		18.00	18.00
46	फोर्माइका	Sqft.		80.00	80.00
47	Providing and fixing ACP Cladding on wall Exterior 5 mm thick ACP (0.25 mm aluminium PVDF Core) on	Sqft.		355.00	355.00
48	Providing and fixing ACP Cladding on wall Exterior 4 mm thick ACP (0.25 mm aluminium PVDF Core) on 25 mm * 38 mm aluminium tube frame	Sqft.		476.00	476.00
49	Headworks, Head regulator, Gear system gate	Kg		400.00	400.00
1	सी.जी.आई.सीट (ककट पाता)	प्र.व.मी.	Plain / Coloured	Plain / Coloured	Plain / Coloured
	क) २२ गेजको	प्र.व.मी.	858 988	858 988	858 988
	ख) २४ गेजको	प्र.व.मी.	832 884	832 884	832 884
	ग) २६ गेजको	प्र.व.मी.	780 884	780 884	780 884
	घ) २८ गेजको	प्र.व.मी.	676 832	676 832	676 832
	ड) ३० गेजको	प्र.व.मी.	650 702	650 702	650 702
2	जी.आई. प्लेन सीट	प्र.व.मी.			
	क) २२ गेजको	प्र.व.मी.	709.80	709.80	709.80
	ख) २४ गेजको	प्र.व.मी.	655.20	655.20	655.20
	ग) २६ गेजको	प्र.व.मी.	573.30	573.30	573.30
	घ) २८ गेजको	प्र.व.मी.	502.32	502.32	502.32
	ड) ३० गेजको	प्र.व.मी.	491.40	491.40	491.40
	च) ३२ गेजको	प्र.व.मी.	343.98	343.98	343.98
3	जे.हक यू हक	गोटा	43.68	43.68	43.68
4	C.G.I. Sheet Commercial coated	प्र.व.मी.			
	26 guage	प्र.व.मी.	409.50	409.50	409.50
	28 guage	प्र.व.मी.	382.20	382.20	382.20
5	C.G.I. Sheet medium coated	प्र.व.मी.			
	24 guage	प्र.व.मी.	518.70	518.70	518.70
	26 guage	प्र.व.मी.	485.94	485.94	485.94
	28 guage	प्र.व.मी.	414.96	414.96	414.96
6	छापने ढुंगा	व.मी.			
	४० मी.मी. बाक्लो	व.मी.	1092.00	1092.00	1092.00
	३७ मी.मी. बाक्लो	व.मी.	1037.40	1037.40	1037.40
	२५ मी.मी. बाक्लो	व.मी.	982.80	982.80	982.80
	काठको लिप्टी	र.मी.	14.20	14.20	14.20
7	छानामा टाइलको बुझा काटने र पानी पट्टी कार्य				
8	१:४ भागको मिश्रणको सिमेन्ट भरला तयार गरि खट राखी				
9	१" बाक्लो प्लास्टरमा रुफिंग टाइलको बुझा काटने सामान सहित	व.मि.	654.15	654.15	654.15

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



10	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखी वर्षादको पानी पट्टी बनाउने काम	र.मि.	78.75	78.75	78.75
11	१:४ भागको मसलाको प्लास्टरमा डिजाइन अनुसार परम्परागत तरिकाले बुट्टा काट्ने सामान सहित	प्र. व. मि.		3332.65	3332.65
12	Ready made Teak wood Doors (Seasoned and Poisoned treated) (Excluding the cost of fitting, transportation, Painting)				
a)	Ready Made Shutter Recon, Ordinary (1 side teak)	व.फी.	182.70	182.70	182.70
b)	Ready made door shutter Recon, Special (1 side teak)	व.फी.	248.85	248.85	248.85
13	One side water proof Ply fitting				
a)	Ready made door shutter recon, ordinary (1 side teak)	व.फी.	208.95	208.95	208.95
b)	Ready made door shutter Recon,Special (1 side teak)	व.फी.	281.40	281.40	281.40
1	डब्लु सी प्यान (पोर्सलीन क्ले टवाइलेट प्यान, साइफन, फूट रेस्ट, टयाप समेत)				
	क) १८ इन्च साइज (राश्रो)	सेट	1638.00	1638.00	1638.00
	ख) २० इन्च साइज राश्रो	सेट	1856.40	1856.40	1856.40
	ग) २२ इन्च साइज राश्रो	सेट	1998.36	1998.36	1998.36
2	उडिसा पेन २१ इन्च	सेट	2866.50	2866.50	2866.50
3	स्थानीय पेन साइफन समेत	सेट	873.60	873.60	873.60
4	कमोड (पोर्सलीन क्ले टवाइलेट कमोड कम्पलिट सेट प्लेन)	सेट	3057.60	3057.60	3057.60
5	कमोड (पोर्सलीन क्ले टवाइलेट कमोड कम्पलिट सेट रंगिन)	सेट	3822.00	3822.00	3822.00
6	कमोड कभर	सेट	764.40	764.40	764.40
7	क) सिस्टर्न (पोर्सलीन क्ले) फलसिंग सिस्टर्न				
	ब) लो लेभल	सेट	3822.00	3822.00	3822.00
	आ) हाइ लेभल	सेट	3057.60	3057.60	3057.60
8	ख) वास वेसिन पोर्सलीन ग्लेज्ड				
	क) १८" * १६" साइज	सेट	2293.20	2293.20	2293.20
	ख) २०" * १६" साइज	सेट	2839.20	2839.20	2839.20
	ग) २२" * १६" साइज	सेट	2402.40	2402.40	2402.40
9	वास वेसिन पोर्सलीन ग्लेज्ड रंगिन २२" * १६"	सेट	3494.40	3494.40	3494.40
10	सिक पोर्सलीन ग्लेज्ड	सेट	4149.60	4149.60	4149.60
	क) स्टील सिक ३७" * १८"	सेट	3385.20	3385.20	3385.20
	ख) स्टील सिक सिंगल	सेट	2730.00	2730.00	2730.00
11	युरिनल पोर्सलीन ग्लेज्ड कम्पलीट सेट जेन्टस	सेट	1965.60	1965.60	1965.60
12	युरिनल पोर्सलीन ग्लेज्ड कम्पलीट सेट लेडिज	सेट	2402.40	2402.40	2402.40
13	टाबेल रड स्टीलको				
	क) १८" लामो	गोटा	382.20	382.20	382.20
	ख) ९" लामो	गोटा	240.24	240.24	240.24
14	Floor trap grating 4"	गोटा			
	Brass	गोटा	76.44	76.44	76.44
	steel	गोटा	65.52	65.52	65.52
	PVC	गोटा	21.84	21.84	21.84
15	Floor trap grating 3"	गोटा			
	Brass	गोटा	54.60	54.60	54.60
	steel	गोटा	43.68	43.68	43.68
	PVC	गोटा	16.38	16.38	16.38
16	Floor trap grating 2"	गोटा			
	Brass	गोटा	43.68	43.68	43.68
	steel	गोटा	32.76	32.76	32.76
	PVC	गोटा	15.29	15.29	15.29
17	सोप डिस	गोटा			
	क) स्टील	गोटा	223.86	223.86	223.86
	ख) पोरसिलिन ग्लेज्ड	गोटा	414.96	414.96	414.96
	ग) प्लास्टिक	गोटा	54.60	54.60	54.60
18	ग्लास सेल्फ	गोटा	1201.20	1201.20	1201.20

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature


Handwritten signature



बौद्धास नगरपालिका
नगर कार्यपालिका
बौद्धास, महालक्ष्मी
सुदूरपश्चिम प्रदेश
नेपाल
२०७३

19	लुकिंग मिरर बाइकेट समेत	गोटा			
	क) २२" * १६" साइज	गोटा	709.80	709.80	709.80
	ख) १८" * १४" साइज	गोटा	600.60	600.60	600.60
	ग) १८" * १२" साइज	गोटा	491.40	491.40	491.40
20	टवाइलेट पेपर होल्डर	गोटा	273.00	273.00	273.00
21	सावर रोज फेन्सी टाइप	गोटा	819.00	819.00	819.00
22	सावर रोज साधारण	गोटा	436.80	436.80	436.80
23	पुस भल्भ सिस्टर्न (गन मेटल)	गोटा	1310.40	1310.40	1310.40
24	वेस्ट पाइप ५ इनच... १ इनच सम्म	गोटा	245.70	245.70	245.70
25	बेस्ट कपलिंग (वास वेसिनको)	गोटा	382.20	382.20	382.20
26	लिड पाइप (वास वेसिनका)	गोटा	218.40	218.40	218.40
27	पोलिथिन प्लास्टिक वाटर टैक	प्र.लि.	13.10	13.10	13.10
28	जि.आइ पानी टयांकी २० गेज				
	४०० गेलन	गोटा	13104.00	13104.00	13104.00
	३०० गेलन	गोटा	10374.00	10374.00	10374.00
	२०० गेलन	गोटा	9282.00	9282.00	9282.00
	१०० गेलन	गोटा	8190.00	8190.00	8190.00
29	बोकिंग मिनिम इनडविंग ब्राकेट				
	18 "	गोटा	573.30	573.30	573.30
	20 "	गोटा	627.90	627.90	627.90
	20 "	गोटा	627.90	627.90	627.90
	22 "	गोटा	737.10	737.10	737.10
30	A.C. Pipe				
	2 "	गोटा	76.44	76.44	76.44
	3 "	गोटा	81.90	81.90	81.90
	4 "	गोटा	114.66	114.66	114.66
	6 "	गोटा	158.34	158.34	158.34
31	A.C. Tee				
	2 "	गोटा	54.60	54.60	54.60
	3 "	गोटा	60.06	60.06	60.06
	4 "	गोटा	76.44	76.44	76.44
	6 "	गोटा	87.36	87.36	87.36
32	A.C. Band				
	2 "	गोटा	41.50	41.50	41.50
	3 "	गोटा	45.86	45.86	45.86
	4 "	गोटा	56.78	56.78	56.78
	6 "	गोटा	68.80	68.80	68.80
33	Stoneware pipe				
	4 "	गोटा	873.60	873.60	873.60
	6 "	गोटा	1201.20	1201.20	1201.20
34	Uroguard water filter RO of 1 liter/minute capacity				
35	2000 liter stainless steel water tank 304 grade steel with inlet, outlet, overflow, cleanout hole etc.	गोटा	34788.60	34788.60	34788.60
36	CPVC pipe and fittings				
	15mm (1/2") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	162.75	162.75	162.75
	20mm (3/4") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	225.75	225.75	225.75
	25mm (1") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	296.10	296.10	296.10
	32mm (1.25") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	369.60	369.60	369.60
	40mm (1.5") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	515.55	515.55	515.55
	50mm (2") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	788.55	788.55	788.55
	15mm CVPC ball valve, CTS sockets	मिटर	515.55	515.55	515.55
	20mm CVPC ball valve, CTS sockets	मिटर	685.65	685.65	685.65
	25mm CVPC ball valve, CTS sockets	मिटर	828.45	828.45	828.45
	32mm CVPC ball valve, CTS sockets	मिटर	1935.15	1935.15	1935.15
	40mm CVPC ball valve, CTS sockets	मिटर	2317.35	2317.35	2317.35

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



	40mm CVPC ball valve, CTS sockets	मिटर	2986.20	2986.20	2986.20
	Jointing materials (flow guard adhesive sojn)	मिटर	163.80	163.80	163.80
37	सि. पी. पी. आर. पाईप १०/SDR				
	सि. पी. पी. आर. पाईप ०.५"	मीटर	84.00	84.00	84.00
	सि. पी. पी. आर. पाईप ०.७५"	मीटर	131.25	131.25	131.25
	सि. पी. पी. आर. पाईप १"	मीटर	218.40	218.40	218.40
	सि. पी. पी. आर. पाईप १.५"	मीटर	321.30	321.30	321.30
	सि. पी. पी. आर. पाईप २"	मीटर	775.95	775.95	775.95
	सि. पी. पी. आर. पाईप २.५"	मीटर	1100.40	1100.40	1100.40
	सि. पी. पी. आर. पाईप ३"	मीटर	1798.65	1798.65	1798.65
	सि. पी. पी. आर. पाईप ४"	मीटर	2667.00	2667.00	2667.00
38	PVC Pipe and Fittings				
	"LEAD FREE" PVC PIPES as per				
	1/2" dia. (42.19 kg/Sq.cm)	र. मि.	119.70	119.70	119.70
	3/4" dia. (33.75 kg/Sq.cm)	र. मि.	154.35	154.35	154.35
	1" dia. (31.64 kg/Sq.cm)	र. मि.	237.30	237.30	237.30
	1-1/4" dia. (26.01 kg/Sq.cm)	र. मि.	292.95	292.95	292.95
	1-1/2" dia. (23.20 kg/Sq.cm)	र. मि.	359.10	359.10	359.10
	2" dia. (19.69 kg/Sq.cm)	र. मि.	509.25	509.25	509.25
	2-1/2" dia. (21.09 kg/Sq.cm)	र. मि.	711.90	711.90	711.90
	3" dia. (18.28 kg/Sq.cm)	र. मि.	898.80	898.80	898.80
	4" dia. (15.47 kg/Sq.cm)	र. मि.	1318.80	1318.80	1318.80
	6" dia. (12.66 kg/Sq.cm)	र. मि.	2746.80	2746.80	2746.80
39	PVC Fittings				
	PVC Tee - Soc				
	1/2"	गोटा	33.60	33.60	33.60
	3/4"	गोटा	46.20	46.20	46.20
	1"	गोटा	72.45	72.45	72.45
	1-1/4"	गोटा	114.45	114.45	114.45
	1-1/2"	गोटा	150.15	150.15	150.15
	2"	गोटा	232.05	232.05	232.05
	2-1/2"	गोटा	664.65	664.65	664.65
	3"	गोटा	872.55	872.55	872.55
	4"	गोटा	1578.15	1578.15	1578.15
	6"	गोटा	8752.80	8752.80	8752.80
40	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	66.15	66.15	66.15
	1 x 1/2	गोटा	101.85	101.85	101.85
	1 x 3/4	गोटा	101.85	101.85	101.85
	1-1/2 x 1/2	गोटा	345.45	345.45	345.45
	1-1/2 x 3/4	गोटा	345.45	345.45	345.45
	1-1/2 x 1	गोटा	345.45	345.45	345.45
	1-1/2 x 1-1/4	गोटा	345.45	345.45	345.45
	2 x 1/2	गोटा	426.30	426.30	426.30
	2 x 3/4	गोटा	426.30	426.30	426.30
	2 x 1	गोटा	426.30	426.30	426.30
	2 x 1-1/4	गोटा	426.30	426.30	426.30
	2 x 1-1/2	गोटा	426.30	426.30	426.30

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



बिड़वास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बिड़वास, सुदूरपश्चिम प्रदेश, नेपाल
२०७३

	2-1/2 x 1/2	गोटा	1095.15	1095.15	1095.15
	2-1/2 x 3/4	गोटा	1095.15	1095.15	1095.15
	2-1/2 x 1	गोटा	1095.15	1095.15	1095.15
	2-1/2- x 1-1/4	गोटा	1095.15	1095.15	1095.15
	2-1/2- x 1-1/2	गोटा	1095.15	1095.15	1095.15
	2-1/2 x 2	गोटा	1095.15	1095.15	1095.15
41	Cemented floor Tile 10"x10"				
	Plain	No.	21.84	21.84	21.84
	Coloured	No.	26.43	26.43	26.43
42	Fencing pole 6' long	No.	300.30	600.00	600.00
43	Fencing pole 7' long	No.	360.36	700.00	700.00
44	Safe Crete	lit.	264.26	264.26	264.26
45	Safe Mite	lit.	348.35	348.35	348.35
46	Geotextiles (2000 Terem)	Sqm	191.10	191.10	191.10
47	Geotextiles (1000 Terem)	Sqm	163.80	163.80	163.80
48	Gunny bag	गोटा	76.44	76.44	76.44
49	जियो बैग (1.00x0.60)m.	गोटा	410.05	410.05	410.05
50	नाईलन क्रेट	गोटा	1747.20	1747.20	1747.20
51	Joint filler	Kg.	1201.20	1201.20	1201.20
52	Joint sealer	Kg.	191.10	191.10	191.10
53	Epoxy binding agent	No.	491.40	491.40	491.40
54	Concrete (1.1.45:2.65) with microseal superpl.	Cum.	16816.80	16816.80	16816.80
55	Expansion joint cilent	Rm	1190.28	1190.28	1190.28
56	Carbon fiber UPVC roofing sheet including cost of materials and labour fitting all complete.				
	3mm	Sqm	1801.80	1801.80	1801.80
	2mm	Sqm	1365.00	1365.00	1365.00
57	3coat Dr.fixit"New coat" over primer	Sqm	851.76	851.76	851.76
58	2mm th.Dr.fixit" Touchshield" over primer	Sqm	769.86	769.86	769.86
59	2coat Dr.fixit" pidifin 2k'	Sqm	471.74	471.74	471.74
60	2coat dr. fixit" super create"	Sqm	539.68	589.68	589.68
61	2coat Dr.fixit" bioshield" over primer	Sqm	262.08	262.08	262.08
62	2coat Dr.fixit "Hygiene coat" over primer	Sqm	218.40	218.40	218.40
63	2coat Dr.fixit" birla putty"	Sqm	144.14	144.14	144.14
64	2coat Epoxy coating over primer	Sqm	1528.80	1528.80	1528.80
65	UPVC roofing sheet	Sqm	As Factory Rate	As Factory Rate	As Factory Rate
66	Pioneer cable	Rm	As Factory Rate	As Factory Rate	As Factory Rate
67	Expansion joint works				
	Providing, chiping and plaster with mixing Perma Bond SBR modified mortar upto 40mm wide on levelling all complete. Providing and laying thermacol in the hole, providing masking tape on thermacol and covering with alluminium V shape member all complete	व. मी.	7278.60	7278.60	7278.60
	24 gauge alluminium sheet	व. मी.	900.90	900.90	900.90
68	Land scaping works				
	60mm interlocking cement concrete block M-20 grade	व. मी.	617.40	617.40	617.40
	70mm interlocking cement concrete block M-20 grade	व. मी.	709.80	709.80	709.80
	Curve stone M-30 grade (45x38x15cm/piece)	मिटर	1190.70	1190.70	1190.70
69	Aerolite AAC block(550 kg/m3), 3N/mm2 strength				
	600*200*100	गोटा	150.00	150.00	150.00
	600*200*150	गोटा	230.00	230.00	230.00
	600*200*200	गोटा	300.00	300.00	300.00
70	Double Wall Corrugated (SN8) pipes for Sewage and Rain water				
	100 mm (4 inch)	मिटर	503.75	503.75	503.75
	150 mm (6 inch)	मिटर	1046.25	1046.25	1046.25
	200 mm (8 inch)	मिटर	1550.00	1550.00	1550.00
	250 mm (10 inch)	मिटर	2015.00	2015.00	2015.00
	300 mm (12 inch)	मिटर	2828.75	2828.75	2828.75
	400 mm (16 inch)	मिटर	3952.50	3952.50	3952.50
	500 mm (20 inch)	मिटर	5425.00	5425.00	5425.00
	600 mm (24 inch)	मिटर	8525.00	8525.00	8525.00

[Handwritten signatures]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



बिर्वास नगरपालिका
कायस्थान
नैदिवास, महेलती
मधेश प्रदेश, नेपाल
२०७३

			12400.00	12400.00	12400.00
	800 mm (32 inch)	मिटर	12400.00	12400.00	12400.00
	1000 mm (40 inch)	मिटर	18135.00	18135.00	18135.00
71	Class 500 PVC-O Pipes for Pressurized water supply		PN12.5 PN16 PN25	PN12.5 PN16 PN25	PN12.5 PN16 PN25
	90 mm	मिटर	365.75 662.47 1317.50	365.75 662.47 1317.50	365.75 662.47 1317.50
	110 mm	मिटर	891.25 976.50 1937.50	891.25 976.50 1937.50	891.25 976.50 1937.50
	125 mm	मिटर	123.75 1201.25 2092.50	1123.75 1201.25 2092.50	1123.75 1201.25 2092.50
	140 mm	मिटर	336.25 1511.25 2402.50	1356.25 1511.25 2402.50	1356.25 1511.25 2402.50
	160 mm	मिटर	705.00 2015.00 1943.00	1705.00 2015.00 1943.00	1705.00 2015.00 1943.00
	200 mm	मिटर	712.50 3100.00 4262.50	2712.50 3100.00 4262.50	2712.50 3100.00 4262.50
	225 mm	मिटर	410.00 3836.25 5192.50	3410.00 3836.25 5192.50	3410.00 3836.25 5192.50
	250 mm	मिटर	030.00 4882.50 6587.50	4030.00 4882.50 6587.50	4030.00 4882.50 6587.50
	315 mm	मिटर	587.50 7440.00 10075.00	6587.50 7440.00 10075.00	6587.50 7440.00 10075.00
	355 mm	मिटर	970.00 9842.50 12400.00	8370.00 9842.50 12400.00	8370.00 9842.50 12400.00
	400 mm	मिटर	950.00 12400.00 15887.50	10850.00 12400.00 15887.50	10850.00 12400.00 15887.50
	450 mm	मिटर	725.00 17437.50 23250.00	14725.00 17437.50 23250.00	14725.00 17437.50 23250.00
	500 mm	मिटर	92.50 21312.50 29450.00	17592.50 21312.50 29450.00	17592.50 21312.50 29450.00
	630 mm	मिटर	00.00 36037.50 44175.00	27900.00 36037.50 44175.00	27900.00 36037.50 44175.00
	800 mm	मिटर	44950.00 58125.00	44950.00 58125.00	44950.00 58125.00
	1000 mm	मिटर	85250.00 93000.00	85250.00 93000.00	85250.00 93000.00
	1200 mm	मिटर	116250.00 135625.00	116250.00 135625.00	116250.00 135625.00
72	FITTO PVC -O Fittings-PN16				
A)	Elbow 11.25° Degree				
	Elbow 11.25°-size 110	प्रति गोटा	5716.10	5716.10	5716.10
	Elbow 11.25° -size 160	प्रति गोटा	12417.26	12417.26	12417.26
	Elbow 11.25° -size 200	प्रति गोटा	22807.26	22807.26	22807.26
	Elbow 11.25° - size 250	प्रति गोटा	34728.58	34728.58	34728.58
	Elbow 11.25° - size 315	प्रति गोटा	66568.76	66568.76	66568.76
	Elbow 11.25°-size 400	प्रति गोटा	124258.13	124258.13	124258.13
B)	Elbow 22.5° Degree				
	Elbow 22.5° - Size 110	प्रति गोटा	5944.74	5944.74	5944.74
	Elbow 22.5° - Size 160	प्रति गोटा	13107.39	13107.39	13107.39
	Elbow 22.5° - size 200	प्रति गोटा	23719.55	23719.55	23719.55
	Elbow 22.5°-size 250	प्रति गोटा	36117.72	36117.72	36117.72
	Elbow 22.5° -size 315	प्रति गोटा	69231.52	69231.52	69231.52
	Elbow 22.5° -size 400	प्रति गोटा	129228.46	129228.46	129228.46
C)	Elbow 45° Degree				
	Elbow 45° size 110	प्रति गोटा	6575.98	6575.98	6575.98
	Elbow 45° - Size 160	प्रति गोटा	14392.13	14392.13	14392.13
	Elbow 45° - Size 200	प्रति गोटा	26084.82	26084.82	26084.82
	Elbow 45° -size 250	प्रति गोटा	42782.82	42782.82	42782.82
	Elbow 45°-size 315	प्रति गोटा	75911.47	75911.47	75911.47
	Elbow 45° size 400	प्रति गोटा	147051.54	147051.54	147051.54
D)	Elbow 90° Degree				
	Elbow 90° -size 110	प्रति गोटा	9338.55	9338.55	9338.55
	Elbow 90° -size 160	प्रति गोटा	18710.52	18710.52	18710.52
	Elbow 90° size 200	प्रति गोटा	33648.49	33648.49	33648.49
	Elbow 90° size 250	प्रति गोटा	56046.16	56046.16	56046.16
	Elbow 90° size 315	प्रति गोटा	87295.95	87295.95	87295.95
	Elbow 90° -size 400	प्रति गोटा	174992.92	174992.92	174992.92
E)	Coupler				
	Coupler -size 110	प्रति गोटा	5703.38	5703.38	5703.38
	Coupler -size 160	प्रति गोटा	10170.29	10170.29	10170.29
	Coupler -size 200	प्रति गोटा	14700.32	14700.32	14700.32
	Coupler- size 250	प्रति गोटा	27514.38	27514.38	27514.38
	Coupler -size 315	प्रति गोटा	52154.78	52154.78	52154.78
	Coupler -size 400	प्रति गोटा	115597.45	115597.45	115597.45
	Sliding Coupler -size 110	प्रति गोटा	5703.38	5703.38	5703.38
	Sliding Coupler -size 160	प्रति गोटा	10170.29	10170.29	10170.29
	Sliding Coupler-size 200	प्रति गोटा	14700.32	14700.32	14700.32
	Sliding Coupler-size 250	प्रति गोटा	27514.38	27514.38	27514.38
	Sliding Coupler size 315	प्रति गोटा	52154.78	52154.78	52154.78

Handwritten signatures and marks at the bottom of the page.



बाँदाबास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बाँदाबास महानगर
सुदूरपश्चिम प्रदेश, नेपाल
२०७३

F)	Sliding Coupler-size 400	प्रति गोटा	115597.45	115597.45	115597.45
	Reducing Coupler				
	Reducing Coupler - size 110 to 90	प्रति गोटा	7125.53	7125.53	7125.53
	Reducing Coupler - size 160 to 110	प्रति गोटा	11696.39	11696.39	11696.39
	Reducing Coupler - size 200 to 160	प्रति गोटा	11729.81	11729.81	11729.81
	Reducing Coupler -size 250 to 200	प्रति गोटा	20232.90	20232.90	20232.90
	Reducing Coupler - size 315 to 250	प्रति गोटा	45192.64	45192.64	45192.64
	Reducing Coupler - size 400 to 315	प्रति गोटा	93808.81	93808.81	93808.81
73	Metalized polyester board (MPL) false ceiling plain	व. मी.	1108.80	1108.80	1108.80
74	50mm dia. Stainless steel handrail with 50mm dia. Post in 2m, interval with 25mm 3 nos. stainless steel pipe in horizontal with 3' height all complete.	मिटर	4466.70	4466.70	4466.70
75	Gypsum board ceiling 12.5mm th. With providing, fitting, fixing under GI frame (600*600mm) finishing of joints with compound and tape all complete work	Sqm	955.50	955.50	955.50
76	Aluminium casement window double, panel with 4mm, thick glass with ventilator size 54*38*1.5 mm all complete work	Sqm	7316.40	7316.40	7316.40
77	Aluminium casement door with material agrano or equivalent in section 101*45*1.5 in naturally anodised colour with 5mm glass all complete work	Sqm	11466.00	11466.00	11466.00
78	UPVC Roofing sheet (3mm thick)				
	PMMA coating and mesh (Regular)	Sq.m	1581.30	1581.30	1581.30
	Stone coated (18 inch X 4 feet)	Sq.m	1260.00	1260.00	1260.00
	Ridge cover regular profile 1.10 R.m	Rm	2021.25	2021.25	2021.25
	Ridge cover Regular profile 1.05 R.m	Rm	2021.25	2021.25	2021.25
	UPVC clip	No.	27.30	27.30	27.30
	Self taping screw 3"	No.	51.50	31.50	31.50
	Self taping screw 2.2"	No.	21.00	21.00	21.00
	Self taping screw 2"	No.	11.55	11.55	11.55
	Self taping screw 1.5"	No.	8.93	8.93	8.93
79	Eco-UPVC Roofing Scheet (Ultra Modern Technology)				
	Corugated scheet (2mm)	Sq.ft.	69.69	69.69	69.69
	Corugated ridge (2mm) (3' X 1.4')	No.	782.39	782.39	782.39
	Corugated ridge Side (2mm) (3' X 1.4')	No.	470.18	470.18	470.18
	Spanish tile without fiber mesh (3mm)	Sq.ft.	106.86	106.86	106.86
	Spanish tile with fiber mesh (3mm)	Sq.ft.	116.15	116.15	116.15
	Spanish ridge (3mm) (3'X1.4')	No.	1410.53	1410.53	1410.53
	Spanish ridge side (3mm) (3'X1.4')	No.	782.39	782.39	782.39
	Spanish tile tripod (3mm)	No.	1046.28	1046.28	1046.28
	Clip Set	No.	9.29	9.29	9.29
80	Supply and erection of different mm th. Cement base prebabricated everst solid wall panel (RAPION) Non asbestors including 1.1 mm thick GI hennel (50X25X20) mm with necessary assessoris and fitting charge in partation wall all complete.				
	75 mm thick	Sq.ft.	317.10	317.10	317.10
	50 mm thick	Sq.ft.	250.95	250.95	250.95
81	False Ceiling/Partition clading (सम्मन्थित उत्पावक पट्टको गुणस्तर चिन्ह प्राप्त)				
	Supplying,making,fixing of false ceiling with everest fiber designer board in E-grid	Sq.ft.	97.65	97.65	97.65
	Supplying,making,fixing of 70 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	292.95	292.95	292.95
	Supplying,making,fixing of 66 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	256.20	256.20	256.20
	Supplying,making,fixing of 91 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	326.55	326.55	326.55
	Supplying,making,fixing of exernal cladding with 9, mm HD/7.5 mm sliding board.	Sq.ft.	287.70	287.70	287.70
	Supplying,making,fixing of 50 mm thick full height of partation with RAPICON wall panels.	Sq.ft.	227.85	227.85	227.85
	Supplying,making,fixing of 75 mm thick full height of partation with RAPICON wall panels.	Sq.ft.	302.40	302.40	302.40
	6 mm thick Flex-O board (Water proof cement board) 6mm thick for false ceiling.	Sq.ft.	36.75	36.75	36.75
82	Iron grill welding charge only	Kg.	38.22	38.22	38.22
83	शुल्म शाँचालयको रिंग 3" Dia कभर पेन सहित				
	1.5" PCC ,3 feet dia and 1.5 feet height	No.	700.00	700.00	700.00
	2" RCC ,3 feet dia and 1.5 feet height	No.	1000.00	1000.00	1000.00

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



बर्दिबास नगरपालिका
काका कावाले
बर्दिबास, महालारी
मधेश प्रदेश, नेपाल
२०७३

क्र.सं.	विवरण	इकाई	४९१.४०	४९१.४०	४९१.४०
84	Mirror	रोटा	491.40	491.40	491.40
	3mm thick.	Sq.m	627.90	627.90	627.90
	4mm thick.	Sq.m	715.26	715.26	715.26
	5mm. thick.	Sq.m	819.00	819.00	819.00
	6mm. thick.	Sq.m	1146.60	1146.60	1146.60
1	Lead Pipe Jointing	Kg.	262.08	262.08	262.08
2	C.I. pipe	R.m.			
	2"	"			
	3"	"	As Per Factory Rate	As Per Factory Rate	As Per Factory Rate
	4"	"			
	6"	"			
3	C.I. elbow	No.			
	2"	"	229.32	229.32	229.32
	3"	"	425.88	425.88	425.88
	4"	"	485.94	485.94	485.94
	6"	"	600.60	600.60	600.60
4	C.I. Tee	No.			
	2"	"	311.22	311.22	311.22
	3"	"	371.28	371.28	371.28
	4"	"	627.90	627.90	627.90
	6"	"	857.22	857.22	857.22
5	C.I. socket band	No.			
	2"	"	141.96	141.96	141.96
	3"	"	169.26	169.26	169.26
	4"	"	229.32	229.32	229.32
	6"	"	458.64	458.64	458.64
6	C.I. case	No.			
	2"	"	343.98	343.98	343.98
	3"	"	398.58	398.58	398.58
	4"	"	458.64	458.64	458.64
	6"	"	1031.94	1031.94	1031.94
7	C.I. cobel	No.			
	2"	"	169.26	169.26	169.26
	3"	"	398.58	398.58	398.58
	4"	"	513.24	513.24	513.24
	6"	"	687.96	687.96	687.96
8	Water Pump Chinese	No.			
	0.5 HP	"	1890.00	1890.00	1890.00
	1 HP	"	3097.50	3097.50	3097.50
	1.5 HP	"	3885.00	3885.00	3885.00
	2 HP	"	5565.00	5565.00	5565.00
9	Water Pump Indian	No.			
	0.5 HP	"	4200.00	4200.00	4200.00
	1 HP	"	6090.00	6090.00	6090.00
	1.5 HP	"	11130.00	11130.00	11130.00
	2 HP	"	15540.00	15540.00	15540.00
10	Faucet 0.5" Brass	No.	343.98	343.98	343.98
11	Steel	"	283.92	283.92	283.92
12	Plastic	"	54.60	54.60	54.60
13	Bib Cock Steel	No.	229.32	229.32	229.32
14	Brass tape 3/4"	"	398.58	398.58	398.58
15	Steel Tape Fancy 1/2"	"	513.24	513.24	513.24
16	Pillar Cock 1/2"	"	485.94	485.94	485.94
17	Lore Tape	"	87.36	87.36	87.36
18	Hand Pipe Head 4 NO.	No.	3822.00	3822.00	3822.00
19	Hand Pipe Head 6 No. HLC (Unicef Model) 30 kgs weight	No.	8736.00	8736.00	8736.00
20	Hand Pipe Head 6 No. HLC (Original) 22.5kgs weight	"	6006.00	6006.00	6006.00
21	Brass Pipe Filter 1/2" 2P	No.	1545.18	1545.18	1545.18
22	PVC filter 1/2" 2P	"	687.96	687.96	687.96
23	PVC filter belt and lead pipe	"	114.66	114.66	114.66
24	fancy steel angle valve	"	573.30	573.30	573.30
25	C.P. steelstove valve (cork)	"	513.24	513.24	513.24
26	Polythine Pipe (HDPE) different size & series nepal standard	Kg.	283.92	283.92	283.92
27	G.I. pipe	R.m			
	G.I. pipe 1/2" medium	"	229.32	252.25	252.25
	G.I. pipe 3/4" medium	"	291.56	320.72	320.72

Handwritten signatures and notes at the bottom of the page, including a signature that appears to be 'S. Prasad' and another that says 'Page 18 of 39'.



बिवास नगरपालिका
कार्यालय
बिवास, महेश्वरी
मधेश प्रदेश, नेपाल
२०७३

28	G.I. pipe 1" medium	"	446.63	491.29	491.29
	G.I. pipe 1.5" medium	"	661.75	727.93	727.93
	G.I. pipe 2" medium	"	924.92	1017.42	1017.42
	G.I. pipe 2.5" medium	"	1201.20	1321.32	1321.32
	G.I. pipe 3" medium	"	1528.80	1681.68	1681.68
	G.I. pipe 4" medium	"	2293.20	2522.52	2522.52
	Gate Valve				
	15mm dia.	No.	851.76	851.76	851.76
	20mm dia.	"	1190.28	1190.28	1190.28
	25mm dia.	"	1747.20	1747.20	1747.20
	40mm dia.	"	3658.20	3658.20	3658.20
	50mm dia.	"	5678.40	5678.40	5678.40
29	3" G.I. Fittings	No.			
	Tee	"	1146.60	1146.60	1146.60
	Elbow	"	928.20	928.20	928.20
	Socket	"	602.78	602.78	602.78
	Gate Valve (80 mm)	"	17788.68	17788.68	17788.68
	Nipple 6" long	"	645.37	645.37	645.37
30	3/4" G.I. fittings	No.			
	Tee	"	112.48	112.48	112.48
	Elbow	"	72.07	72.07	72.07
	Cross	"	145.24	145.24	145.24
	Gate Valve (25 mm)	"	1670.76	1670.76	1670.76
	Nipple 6" long	"	127.76	127.76	127.76
31	1" G.I. Fittings	No.			
	Tee	"	151.79	151.79	151.79
	Elbow	"	114.66	114.66	114.66
	Cross	"	231.50	231.50	231.50
	Gate Valve (32 mm)	"	2677.58	2677.58	2677.58
	Nipple 6" long	"	185.64	185.64	185.64
32	1.5" G.I. fittings	No.			
	Tee	"	291.56	291.56	291.56
	Elbow	"	240.24	240.24	240.24
	Cross	"	519.79	519.79	519.79
	Gate Valve (32 mm)	"	5612.88	5612.88	5612.88
	Nipple 6" long	"	292.66	292.66	292.66
33	2" G.I. Fittings	No.			
	Tee	"	456.46	456.46	456.46
	Elbow	"	365.82	365.82	365.82
	Cross	"	778.60	778.60	778.60
	Gate Valve (65 mm)	"	11686.58	11686.58	11686.58
	Nipple 6" long	"	405.13	405.13	405.13
34	Pipe Uprooting Work 1.5"	R.m.	54.60	54.60	54.60
35	G.I. Chek Nut 1/2"	No.	38.22	38.22	38.22
36	3/4"	"	43.68	43.68	43.68
37	1"	"	49.14	49.14	49.14
38	Stop Cock Brass 1/2"	No.	764.40	764.40	764.40
39	3/4"	"	873.60	873.60	873.60
40	Ferule 1/2"	"	191.10	191.10	191.10
41	Ferule 3/4"	"	218.40	218.40	218.40
42	Ferule Concealed Brass 1/2"	No.	764.40	764.40	764.40
43	3/4"	"	819.00	819.00	819.00
44	Gun Metal Check valve 1/2"	No.	928.20	928.20	928.20
45	3/4"	"	1474.20	1474.20	1474.20
46	1"	"	1801.80	1801.80	1801.80
47	1.5"	"	3576.30	3576.30	3576.30
48	Check Valves 1/2"	No.	469.56	469.56	469.56
49	3/4"	"	819.00	819.00	819.00
50	1"	"	1610.70	1610.70	1610.70
51	1.25"	"	2642.64	2642.64	2642.64
52	1.5"	"	3838.38	3838.38	3838.38
53	2"	"	4477.20	4477.20	4477.20
54	3"	"	14469.00	14469.00	14469.00
55	4"	"	23368.80	23368.80	23368.80
56	Angle Valve Concealed	No.	900.90	900.90	900.90
57	Thread Tape	No.	16.38	16.38	16.38
58	Hand Pipe Washer 1.5"	No.	70.98	70.98	70.98
59	Hand Pipe Jibiya 1.5"	No.	49.14	49.14	49.14
60	Hand Pipe Plunger 1.5"	No.	262.08	262.08	262.08
61	Hand Pipe Filter 1.5"	No.	GI PVC	GI PVC	GI PVC
62	3' Long	"	655 364	655 364	655 364
63	6' Long	"	988 624	988 624	988 624

Handwritten signatures and notes at the bottom of the page, including the name 'Gross' and other illegible signatures.



बर्दिबास नगरपालिका
कायदाको कार्यालय
बर्दिबास, मधेशपुरी
मधेश प्रदेश, नेपाल
२०७३

क्र. सं.	विवरण	प्र. मि.	५४.६०	५४.६०	५४.६०
64	हेन्ड पाईपको फिल्टरमा लगाउने प्लास्टिकको जाली				
	Hume pipe				
65	NP2 class				
	150 mm dia.	Per 2.5 Rm	1490.58	1490.58	1490.58
	200 mm dia.	Per 2.5 Rm	2167.62	2167.62	2167.62
	225 mm dia.	Per 2.5 Rm	2293.20	2293.20	2293.20
	250mm dia.	Per 2.5 Rm	2402.40	2402.40	2402.40
	300 mm dia.	Per 2.5 Rm	3570.84	3570.84	3570.84
	350 mm dia.	Per 2.5 Rm	4095.00	4095.00	4095.00
	400mm dia.	Per 2.5 Rm	4695.60	4695.60	4695.60
	450 mm dia.	Per 2.5 Rm	5034.12	5034.12	5034.12
	500 mm dia.	Per 2.5 Rm	5296.20	5296.20	5296.20
	600mm dia.	Per 2.5 Rm	7545.72	7545.72	7545.72
	750 mm dia.	Per 2.5 Rm	9282.00	9282.00	9282.00
	800 mm dia.	Per 2.5 Rm	9828.00	9828.00	9828.00
	900 mm dia.	Per 2.5 Rm	14261.52	14261.52	14261.52
	1000 mm dia.	Per 2.5 Rm	15943.20	15943.20	15943.20
	1200 mm dia.	Per 2.5 Rm	17253.60	17253.60	17253.60
	1500 mm dia.	Per 2.5 Rm	27300.00	27300.00	27300.00
66	NP3 class				
	150 mm dia.	Per 2.5 Rm	3112.20	3112.20	3112.20
	200 mm dia.	Per 2.5 Rm	4204.20	4204.20	4204.20
	250mm dia.	Per 2.5 Rm	5007.20	5007.20	5007.20
	300 mm dia.	Per 2.5 Rm	7556.64	7556.64	7556.64
	350 mm dia.	Per 2.5 Rm	7098.00	7098.00	7098.00
	400mm dia.	Per 2.5 Rm	7474.74	7474.74	7474.74
	450 mm dia.	Per 2.5 Rm	11313.12	11313.12	11313.12
	500 mm dia.	Per 2.5 Rm	12612.60	12612.60	12612.60
	600mm dia.	Per 2.5 Rm	14916.72	14916.72	14916.72
	750 mm dia.	Per 2.5 Rm	20982.78	20982.78	20982.78
	800 mm dia.	Per 2.5 Rm	21840.00	21840.00	21840.00
	900 mm dia.	Per 2.5 Rm	26754.00	26754.00	26754.00
	1000 mm dia.	Per 2.5 Rm	29593.20	29593.20	29593.20
	1200 mm dia.	Per 2.5 Rm	35490.00	35490.00	35490.00
	1500 mm dia.	Per 2.5 Rm	56019.60	56019.60	56019.60
	Transportation Charge to Bardibas				
	Below 900 mm dia.	Per 2.5 Rm	2402.40	2402.40	2402.40
	Above 900mm dia.	Per 2.5 Rm	3494.40	3494.40	3494.40
1	MS pipe 6 mm thick, 200 mm dia.	Rm		5940.00	5940.00
2	MS pipe 7 mm thick, 200 mm dia.	Rm		7500.00	7500.00
3	MS pipe 6.3 mm thick, 200 mm dia.	Rm		7000.00	7000.00
4	MS pipe 6 mm thick, 250 mm dia.	Rm		7150.00	7150.00
5	MS pipe 6.3 mm thick, 250 mm dia.	Rm		8500.00	8500.00
6	MS pipe 7 mm thick, 250 mm dia.	Rm		9000.00	9000.00
7	MS pipe 250 mm dia.	Rm		9450.00	9450.00
8	MS pipe 150 mm dia.	Rm		4725.00	4725.00
9	MS pipe 5 mm thick, 150 mm dia.	Rm		3500.00	3500.00
10	MS pipe 5.4 mm thick, 150 mm dia.	Rm		4000.00	4000.00
11	150 mm stainless steel screen	Rm		15225.00	15225.00
12	200 mm stainless steel screen	Rm		19800.00	19800.00
13	150 mm LCG	Rm		10890.00	10890.00
14	200 mm LCG	Rm		13310.00	13310.00
15	MS Flange 10"	No.		12100.00	12100.00
16	MS Flange 8"	No.		4085.00	4085.00
17	MS Flange 6"	No.		6562.00	6562.00
18	MS Flange 4"	No.		3520.00	3520.00
19	MS Flange 3"	No.		3000.00	3000.00
20	MS Top Plate (well cover) 10"	No.		7150.00	7150.00
21	MS Top Plate (well cover) 8"	No.		6050.00	6050.00
22	MS Top Plate (well cover) 6"	No.		5500.00	5500.00
23	MS Reducer 10" *6"	No.		6300.00	6300.00
24	MS Reducer 8" *6"	No.		6500.00	6500.00
25	MS Reducer 10" *8"	No.		7500.00	7500.00
26	MS Reducer 6" *4"	No.		4180.00	4180.00
27	Alfa Alfa Valve	No.		6050.00	6050.00
28	UPVC Pipe				
	160 mm dia., UPVC Pipe 4kgf	Rm		1031.37	1031.37
	200 mm dia., UPVC Pipe 4kgf	Rm		1577.10	1577.10
29	UPVC Pipe Fitting				
	160 mm dia., UPVC socket	Pcs		570.00	570.00
	160 mm dia., UPVC Elbow 4 kgf	Pcs		690.00	690.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



बर्दियास नगरपालिका
को कार्यालय
बर्दियास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

B	Spare For Pump Head					
53	Hexagonal bolts M12x1.75x40mm long 8 nos.	No	518.70	518.70	518.70	
54	Hexagonal nuts M12x1.75 18 nos.	No	518.70	518.70	518.70	
55	Washer M12 10nos.	No	191.10	191.10	191.10	
56	High tensile bolt M10x1.5x40mm long 1 no.	No	431.34	431.34	431.34	
57	Nylon nut M10x1.5 2 nos.	No	447.72	447.72	447.72	
58	Angle axle (stainless steel) 1 nos.	No	1037.40	1037.40	1037.40	
59	Washer 4mm thick for handle axle 1no.	No	218.40	218.40	218.40	
60	Bearing 620 2nos.	No	2730.00	2730.00	2730.00	
61	Spacer 1no.	No	300.30	300.30	300.30	
62	Chain with courling 1no.	No	2948.40	2948.40	2948.40	
63	Bolt front cover M12x1.75x20mm long 2 nos.	No	409.50	409.50	409.50	
C	Spare For Cylinder					
64	Nitrile rubber cup washers (4nos.)	No	764.40	764.40	764.40	
65	Upper Valve rubber scating 2Nos	No	546.00	546.00	546.00	
66	Check valve rubber seating 2nos.	No	600.60	600.60	600.60	
67	Rubber 'O' ring 4 nos.	No	655.20	655.20	655.20	
68	Rubber mechanics tools	No	546.00	546.00	546.00	
69	Village Machanics tools complete set	No	81900.00	81900.00	81900.00	
70	For 2" Shallow tubewell drilling work to 5" dia bore hole in soft formation through pebbles and gravels	Rm	1365.00	1365.00	1365.00	
71	Installation of TW assembly 2" dia pipe and screen including lowering work into the bore pole	Rm	109.20	109.20	109.20	
72	Tubewall washing work	Rm	109.20	109.20	109.20	
73	For 1/1.5" Shallow tubewell drilling work for 5" dia bore hole in soft formation throught pebbles and gravel	Rm	1255.80	1255.80	1255.80	
74	Installation of TW assembly 2" dia pipe and screen including lowering work into the bore pole	Rm	109.20	109.20	109.20	
75	Tubewall washing work	Rm	109.20	109.20	109.20	
76	For 4" shallow tubewell drilling work for 8.5" dia bore hole in soft formation through pebbles and gravel	Rm	3166.80	3166.80	3166.80	
77	2" boring with lowering and washing all complete upto 60 m manually	Rm	300.00	300.00	300.00	
78	2" boring with lowering and washing all complete above 60 m with machine	Rm	1081.00	1081.00	1081.00	
D	Submersible Pump Materials					
79	7.5 HP Submersible pump with motor	No.	121275.00	121275.00	121275.00	
80	10 HP Submersible pump with motor	No.	179025.00	179025.00	179025.00	
81	15 HP Submersible pump with motor	No.	265650.00	265650.00	265650.00	
82	20 HP Submersible pump with motor	No.	282975.00	282975.00	282975.00	
83	25-30 HP Submersible pump with motor	No.	306075.00	306075.00	306075.00	
84	panel board suitable for 7.5 HP pump	No.	55125.00	55125.00	55125.00	
85	panel board suitable for 10 HP pump	No.	65625.00	65625.00	65625.00	
86	panel board suitable for 15 HP pump	No.	76125.00	76125.00	76125.00	
87	panel board suitable for 20 HP pump	No.	82425.00	82425.00	82425.00	
88	panel board suitable for 25-30 HP pump	No.	89775.00	89775.00	89775.00	
89	GI pipe 2.5" medium class	Mtr	1491.00	1491.00	1491.00	
90	GI pipe 3" medium class	Mtr	1764.00	1764.00	1764.00	
91	GI pipe 4" medium class	Mtr	2436.00	2436.00	2436.00	
92	GI pipe 5" medium class	Mtr	3087.00	3087.00	3087.00	
93	submersible copper flat cable 4 mm2	Mtr	739.20	739.20	739.20	
94	submersible copper flat cable 6 mm2	Mtr	843.15	843.15	843.15	
95	submersible copper flat cable 10 mm2	Mtr	1443.75	1443.75	1443.75	
96	Flange 2.5" MS	Set	1942.50	1942.50	1942.50	
97	Flange 3" MS	Set	2572.50	2572.50	2572.50	
98	Flange 4" MS	Set	3066.00	3066.00	3066.00	
99	Flange 5" MS	Set	4987.50	4987.50	4987.50	
100	Flange 6" MS	Set	6562.50	6562.50	6562.50	
E	MS Fitting Materials					
101	Gun metal Non return valve 6"	No.	41475.00	41475.00	41475.00	
102	Gun metal Non return valve 5"	No.	37143.75	37143.75	37143.75	
103	Gun metal Non return valve 4"	No.	29715.00	29715.00	29715.00	
104	Gun metal Gate valve 6"	No.	41475.00	41475.00	41475.00	
105	Gun metal Gate valve 4"	No.	30870.00	30870.00	30870.00	
106	Gun metal Gate valve 5"	No.	35175.00	35175.00	35175.00	
107	90 degree elbow 6" MS	No.	4725.00	4725.00	4725.00	
108	90 degree elbow 4" MS	No.	3255.00	3255.00	3255.00	
109	90 degree elbow 5" MS	No.	3832.50	3832.50	3832.50	
110	MS Tee 6"	No.	6720.00	6720.00	6720.00	
111	MS Tee 5"	No.	5754.00	5754.00	5754.00	

[Handwritten signatures]

[Handwritten signatures and notes]



बर्दिबास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बर्दिबास, महाकाली
मधेश प्रदेश, नेपाल
२०७४

No.	Description	Unit	Rate	Rate	Rate
112	MS Tee 4"	No.	5092.50	5092.50	5092.50
F	Deep Tubewell Materials				
113	250 mm (10") MS Casing Pipe	Mtr	9450.00	9450.00	9450.00
114	150 mm (6") MS Casing Pipe	Mtr	4725.00	4725.00	4725.00
115	150 mm (6") LCG Steel Strainer	Mtr	9450.00	9450.00	9450.00
116	150 mm (6") Stainless screen	Mtr	15225.00	15225.00	15225.00
117	Reducer 10/6 inch	Set	6300.00	6300.00	6300.00
118	Well cap with flange (10" Ø)	Set	8925.00	8925.00	8925.00
119	Well cap with flange (6" Ø)	Set	4725.00	4725.00	4725.00
120	4" MS pipe	Mtr	2205.00	2205.00	2205.00
121	Pvc pipe 6" (6 kg/cm ²)	Mtr	2148.30	2148.30	2148.30
122	Screen making charge on MS pipe	Mtr	892.50	892.50	892.50
123	Screen making charge on MS pipe	Mtr	2724.75	2724.75	2724.75
G	Electric Water Pump Motor for Agriculture purpose for Irrigation	No.			
124	2 HP Electric water pump motor with Monoblock centrifugal water pump 3" outlet.	No.			20000.00
125	1 HP Electric water pump motor with Monoblock centrifugal water pump 2" outlet.	No.			17000.00
126	पेट्रोल	लिट्र	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम
127	मद्यतेल	लिट्र	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम
128	डिजल	लिट्र	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम
1	Cable lock up 150	No.	294.84	294.84	294.84
2	Cable lock up 50	No.	117.94	117.94	117.94
3	Kitkat fuse 300A	No.	1769.04	1769.04	1769.04
4	Kitkat fuse 400A	No.	2122.85	2122.85	2122.85
5	Kitkat fuse 500A	No.	2358.72	2358.72	2358.72
6	9.0 m chemically treated wooden (Masala) pole	No.	7665.84	7665.84	7665.84
7	Transformer connector	No.	791.70	791.70	791.70
8	Binding wire	Kg	152.88	152.88	152.88
9	8 m chemically treated wooden (masala) pole	No.	6552.00	6552.00	6552.00
10	cable socket different size	No.	163.80	163.80	163.80
11	Electric plate and switch	No.			
	1 gauge 1/2 way	No.	70.98	70.98	70.98
	2 gauge 1/2 way	"	120.12	120.12	120.12
	3 gauge 1/2 way	"	152.88	152.88	152.88
	4 gauge 1/2 way	"	202.02	202.02	202.02
	6 gauge 1/2 way	"	251.16	251.16	251.16
12	6pin socket 15 amp.	"	251.16	251.16	251.16
13	Telephone socket	No.	87.36	87.36	87.36
14	Deemer	"	393.12	393.12	393.12
15	MCB- 6,10,15,20,25,32 amp.	"	191.10	191.10	191.10
16	MCCB-10,16,20,25,32,45 amp.	"	4968.60	4968.60	4968.60
17	CFL 5 watt	"	207.48	207.48	207.48
18	CFL 11 watt	"	245.70	245.70	245.70
19	CFL 14 watt	"	251.16	251.16	251.16
20	CFL 18 watt	"	327.60	327.60	327.60
21	CFL 25 watt	"	425.88	425.88	425.88
22	CFL 35 watt	"	611.52	611.52	611.52
23	CFL 45 watt	"	1283.10	1283.10	1283.10
24	CFL 65 watt	"	1501.50	1501.50	1501.50
25	CFL 85 watt	"	1692.60	1692.60	1692.60
26	CFL set with box 35 watt.	"	2784.60	2784.60	2784.60
27	CFL set with box 85 watt.	"	3903.90	3903.90	3903.90
	LED bulb (सम्बन्धित उत्पादक राष्ट्रक गुणस्तर चिन्ह प्राप्त)				
28	LED BULB (Wh,R,BI,Or,G,Y) 0.5W B22	गोटा	102.38	102.38	102.38
29	LED Bulb 3W B22/E27 2700/6500K	गोटा	175.00	175.00	175.00
30	LED Bulb 5W B22/E27 2700/6500K	गोटा	227.50	227.50	227.50
31	LED Bulb 8.3W B22/E27 2700/6500K	गोटा	315.00	315.00	315.00
32	LED Bulb 9W B22/E27 2700/6500K	गोटा	332.50	332.50	332.50
33	LED Bulb 11W B22/E27 2700/6500K	गोटा	406.88	406.88	406.88
34	LED Bulb 14/15 W B22/E27 2700/6500K	गोटा	437.50	437.50	437.50
35	High Power LED Bulb 20 W E27 2700/6500K	गोटा	945.00	945.00	945.00

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.



बिर्वास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बिर्वास, महोत्तरी
मधेश प्रदेश
नेपाल
२०७३

36	High Power LED Bulb 25 W E27 2700/6500K	गोटा	1050.00	1050.00	1050.00
37	High Power LED Bulb 28W E27 2700/6500K	गोटा	1155.00	1155.00	1155.00
38	High Power LED Bulb 35 W E27 2700/6500K	गोटा	1446.38	1446.38	1446.38
39	Squire type wall mounting LED 100 watt	गोटा	5250.00	5250.00	5250.00
40	Iron Circular Galvanized Pole 13Mtr Long as per NEA specification.	Mtr	52500.00	52500.00	52500.00
41	Supply delivery and installation of Circular ring of 1m diameter to hold 6 Nos of LED flood light	No.	10500.00	10500.00	10500.00
42	150 Watt LED outdoor Flood Light	No.	29925.00	29925.00	29925.00
43	Flood Light 500 W.	Pc.	26250.00	26250.00	26250.00
44	Flood Light 200 W.	Pc.	22050.00	22050.00	22050.00
45	Flood Light Color 50 W.	Pc.	8400.00	8400.00	8400.00
46	Flood Light 50 W.	Pc.	6825.00	6825.00	6825.00
47	Flood Light 30 W.	Pc.	4725.00	4725.00	4725.00
48	Spot Fox Light RGB (15-20w)	Pc.	2625.00	2625.00	2625.00
49	Spot Fox Light Yellow	Pc.	2520.00	2520.00	2520.00
50	Spot Fox Light Blue	Pc.	2520.00	2520.00	2520.00
51	Spot Fox Light Red	Pc.	2520.00	2520.00	2520.00
52	Spot Fox Light Green	Pc.	2520.00	2520.00	2520.00
53	MCB	No.	525.00	525.00	525.00
54	PVC Copper Wire (91.44 m in a quile)	Quile			
	1118	Quile	1260.00	1260.00	1260.00
	3122	Quile	1575.00	1575.00	1575.00
	3120	Quile	2100.00	2100.00	2100.00
	7122	Quile	2835.00	2835.00	2835.00
	7120	Quile	4725.00	4725.00	4725.00
	7118	Quile	6300.00	6300.00	6300.00
	7116	Quile	12600.00	12600.00	12600.00
55	40 Watt AC LED Light with auto sensor	Nos	9828.00	9828.00	9828.00
56	Stand clamp	Nos	1050.00	1050.00	1050.00
	Solar Power				
57	Solar PV Module	प्रति बाट	98.28	98.28	98.28
58	Solar Tubular Battery (200Ah@c20, 12v)	गोटा	35053.20	35053.20	35053.20
59	Solar Tubular Battery (150Ah@c20, 12v)	गोटा	26754.00	26754.00	26754.00
60	Solar Tubular Battery (100Ah@c20, 12v)	गोटा	18564.00	18564.00	18564.00
61	Solar Tubular Battery (80Ah@c20, 12v)	गोटा	18454.80	18454.80	18454.80
62	Solar Tubular Battery (60Ah@c20, 12v)	गोटा	13322.40	13322.40	13322.40
63	Solar Tubular Battery (40Ah@c20, 12v)	गोटा	8736.00	8736.00	8736.00
64	Solar Gel battery (200Ah@c20, 12v)	गोटा	72836.40	72836.40	72836.40
65	Solar Gel battery (150Ah@c20, 12v)	गोटा	54818.40	54818.40	54818.40
66	Solar Gel battery (100Ah@c20, 12v)	गोटा	39421.20	39421.20	39421.20
67	Solar Gel battery (80Ah@c20, 12v)	गोटा	33961.20	33961.20	33961.20
68	Solar Gel battery (75Ah@c20, 12v)	गोटा	30139.20	30139.20	30139.20
69	Solar Gel battery (40Ah@c20, 12v)	गोटा	17253.60	17253.60	17253.60
70	Solar Lithinium Ion Battery (100AH@c10, 12V)	गोटा	40076.40	40076.40	40076.40
71	Solar Lithinium Ion Battery (80AH@c10, 12V)	गोटा	35599.20	35599.20	35599.20
72	Solar Lithinium Ion Battery (50AH@c10, 12V)	गोटा	20420.40	20420.40	20420.40
73	Charge controller (60A/24-48V)	गोटा	35490.00	35490.00	35490.00
74	Charge controller (45A/12-24-48V)	गोटा	26098.80	26098.80	26098.80
75	Charge controller (30A/12-24-48V)	गोटा	21621.60	21621.60	21621.60
76	Charge controller (25A/12-24-48V)	गोटा	16161.60	16161.60	16161.60
77	Charge controller 20a/12-24 V	गोटा	6552.00	6552.00	6552.00
78	Charge controller 15a/12-24 V	गोटा	5350.80	5350.80	5350.80
79	Charge controller 10a/12-24 V	गोटा	2948.40	2948.40	2948.40
80	Charge controller 5a/12-24 V	गोटा	1747.20	1747.20	1747.20
81	Solar dusk to down controller 20A/12V with driver circuit	गोटा	4914.00	4914.00	4914.00
82	Solar street light 40W- 12V DC with autodimming system	गोटा	14851.20	14851.20	14851.20
83	Solar street light 30W- 12V DC with autodimming system	गोटा	26535.60	26535.60	26535.60

Handwritten signatures and marks at the bottom of the page.



84	Solar street light 20W- 12V DC with autodimming system	गोटा	16707.60	16707.60	16707.60
85	Solar street light 100W	गोटा	46191.60	46191.60	46191.60
86	Solar street light 80W	गोटा	39093.60	39093.60	39093.60
87	Solar street light 60W	गोटा	29265.60	29265.60	29265.60
88	Solar street light 40W	गोटा	16489.20	16489.20	16489.20
89	Solar street light 30W	गोटा	13104.00	13104.00	13104.00
90	Solar street light 20W	गोटा	9391.20	9391.20	9391.20
91	Solar street light 12W	गोटा	6115.20	6115.20	6115.20
92	MS pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	19000.80	19000.80	19000.80
93	MS pole 7 m high with rustproof enamel paint dimension 4" for buttom 4 m 5" for top 3 m	गोटा	20966.40	20966.40	20966.40
94	MS pole 8 m high with rustproof enamel paint dimension 4" for buttom 5 m 6" for top 3 m	गोटा	23368.80	23368.80	23368.80
95	MS pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	23696.40	23696.40	23696.40
96	7 m Hot Deep Galvanized pole with diameter of pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	23368.80	23368.80	23368.80
97	8 m Hot Deep Galvanized pole with diameter of pole section 5" for bottom 4.5 m, 4" Middle 1.75 m and 3" for top 1.75 m	गोटा	26972.40	26972.40	26972.40
98	9 m Hot Deep Galvanized pole with diameter of pole section 5" for bottom 5 m, 4" Middle 2 m and 3" for top 2 m	गोटा	29374.80	29374.80	29374.80
99	10 m Hot Deep Galvanized pole with diameter of pole section 5" for bottom 5.2 m, 4" Middle 2.4 m and 3" for top 2.4 m	गोटा	31777.20	31777.20	31777.20
100	Pure sine wave inverter 250 VA/12V	गोटा	7862.40	7862.40	7862.40
101	Pure sine wave inverter 400 VA/12V	गोटा	14742.00	14742.00	14742.00
102	Pure sine wave inverter 850 VA/12V	गोटा	18018.00	18018.00	18018.00
103	Pure sine wave inverter 1000 VA/12V	गोटा	25006.80	25006.80	25006.80
104	Pure sine wave inverter 1400 VA	गोटा	26535.60	26535.60	26535.60
105	Pure sine wave Solar Hybrid inverter 850VA with inbuilt charge	गोटा	22058.40	22058.40	22058.40
106	Pure sine wave Solar Hybrid inverter 1000VA with inbuilt charge	गोटा	26426.40	26426.40	26426.40
107	Pure sine wave Solar Hybrid inverter 3KVA with 50A inbuilt charge	गोटा	78078.00	78078.00	78078.00
108	Pure sine wave Solar Hybrid inverter 5KVA with 50A inbuilt charge	गोटा	156156.00	156156.00	156156.00
109	Hybrid UPS 3.5 KVA	गोटा	105000.00	105000.00	105000.00
110	Hybrid UPS 2 KVA	गोटा	52754.63	52754.63	52754.63
111	Hybrid UPS 1.7 KVA	गोटा	37020.11	37020.11	37020.11
112	Ms light Arms	सेट	2402.40	2402.40	2402.40
113	SPV mountaining frame	सेट	6333.60	6333.60	6333.60
114	Battery box	सेट	4914.00	4914.00	4914.00
115	Battery stand	सेट	4914.00	4914.00	4914.00
LED Tube Lights					
116	LED Tubelight 18w 6500k	गोटा	292.66	292.66	292.66
117	LED Tubelight with Holder 18w 6500k	गोटा	461.92	461.92	461.92
118	100 Wp Solar PV Pannel	Wp	15288.00	15288.00	15288.00
119	15 KVA Transformer	Nos	226000.32	226000.32	226000.32
120	25 KVA Transformer	Nos	296412.48	296412.48	296412.48
121	50 KVA Transformer	Nos	423949.34	423949.34	423949.34
122	75 KVA Transformer	Nos	546262.08	546262.08	546262.08
123	100 KVA Transformer	Nos	670732.61	670732.61	670732.61
124	125 KVA Transformer	Nos	794976.00	794976.00	794976.00
125	150 KVA Transformer	Nos	908544.00	908544.00	908544.00
126	200 KVA Transformer	Nos	1162822.75	1162822.75	1162822.75
127	250 KVA Transformer	Nos	1677705.12	1677705.12	1677705.12
128	300 KVA Transformer	Nos	1329767.71	1329767.71	1329767.71
129	8 mtrs Long PSC Poleas per NEA Specification	Nos	7875.00	8505.00	8505.00
130	9 mtrs Long PSC Pole as per NEA Specification	Nos	8925.00	9639.00	9639.00

Handwritten signatures and initials at the bottom of the page, including names like 'Hamm', 'Sanku', and 'S. Prasad'.



वर्दिवास नगरपालिका
 नगर कार्यपालिकाको कार्यालय
 वर्दिवास, महोदारी
 मधेश प्रदेश, नेपाल
 २०७३

131	0.03 SQ.Inch Conductor	Km	46200.00	50820.00	50820.00
132	0.05 SQ .inch Conductor	Km	63525.00	69877.50	69877.50
133	0.1 SQ. inch Conductor	Km	127050.00	139755.00	139755.00
134	11 KV DO Set	Set	21000.00	21000.00	21000.00
135	11kv LA set	Set	11025.00	11025.00	11025.00
136	Earthing rod	Nos	3675.00	3675.00	3675.00
137	Earthing copper wire	Nos	2625.00	2625.00	2625.00
138	11 mm LT bush connector	Nos	1785.00	1785.00	1785.00
139	Plus type channel	Nos	5250.00	5250.00	5250.00
140	1200 mm flat type channel	Nos	2520.00	2520.00	2520.00
141	300 mm flat type channel	Nos	630.00	630.00	630.00
142	Flat cross arm bracing	Nos	315.00	315.00	315.00
143	11 kv dics insuletor set	Set	2625.00	2625.00	2625.00
144	11 kv pin insuletor set	Set	315.00	315.00	315.00
145	pole clamp	Set	315.00	315.00	315.00
146	Stay set	Set	1785.00	1785.00	1785.00
147	Stay wire	Kg	220.50	220.50	220.50
148	Stay insuletor	Nos	252.00	252.00	252.00
149	Nut- bolt	Kg	367.50	367.50	367.50
150	D- Iron set	Set	231.00	231.00	231.00
151	120 sq mm 4 core ABC cable	Mtrs	1050.00	1050.00	1050.00
152	95 sq mm 4 core ABC Cable	Mtrs	866.25	866.25	866.25
153	50 sq mm 4 core ABC Cable	Mtrs	420.00	420.00	420.00
154	TRF mounting set	Set	25305.00	25305.00	25305.00
155	Earthing chemical	Kg	42.00	42.00	42.00
Note: All electrical items specification must have to meet as per NEA.					
156	Five pin plug	No.	54.60	54.60	54.60
157	3pin power plug	"	218.40	218.40	218.40
158	5pin power plug	"	229.32	229.32	229.32
159	Bulb holder	"	27.30	27.30	27.30
160	flux	"	27.30	27.30	27.30
161	MCH switch box	"	382.20	382.20	382.20
162	CFL set with box 85 watt.	"	3822.00	3822.00	3822.00
163	Providing and fixing concealed or bit wiring, point for light, fan, plug, fuse, indicator, ballbell etc with 5amp. One way switch pipe 5 pin socket broad fuse indicator, angle or straight holder ceiling rose PVC switch board using 7x20 angle core main wire 3x20 single core distribution wire with 1/8 earthing wire continuous including all necessary materials and labour as per direction	No.	775.32	775.32	775.32
164	Wooden Board				
	12**8"	No	43.68	43.68	43.68
	10**8"	No	38.22	38.22	38.22
	8**6"	"	27.30	27.30	27.30
	6**4"	"	21.84	21.84	21.84
	4**4"	"	15.29	15.29	15.29
	3**3"	"	15.29	15.29	15.29
165	Wooden Bit	R.m			
	1/2"	"	19.66	19.66	19.66
	3/4"	"	21.84	21.84	21.84
	1"	"	27.30	27.30	27.30
	1.5"	"	30.58	30.58	30.58
	2"	"	32.76	32.76	32.76
166	Fiber Plate	No			
	12**8"	"	54.60	54.60	54.60
	10**8"	"	49.14	49.14	49.14
	8**6"	"	49.14	49.14	49.14
	7**4"	"	36.75	36.75	36.75
	6**4"	"	38.22	38.22	38.22
	4**4"	"	27.30	27.30	27.30
	3**3"	"	21.84	21.84	21.84
167	Plastic Board	No			
	12**8"	"	87.36	87.36	87.36
	10**8"	"	76.44	76.44	76.44
	8**6"	"	49.14	49.14	49.14
	6**4"	"	43.68	43.68	43.68
	4**4"	"	41.50	41.50	41.50
	3**3"	"	27.30	27.30	27.30
168	Round Box 1 way. 20 mm.	Pc.	21.00	21.00	21.00
169	Round Box 2 way. 20 mm.	Pc.	21.00	21.00	21.00

Handwritten signatures and marks at the bottom of the page.



170	Round Box 3 way 20 mm.	Pc	21.00	21.00	21.00
171	Round Box 4way 20 mm.	Pc	21.00	21.00	21.00
172	PVC Box 3"x3"	Pc	21.00	21.00	21.00
173	PVC Box 3"x5"	Pc	52.50	52.50	52.50
174	PVC Box 3"x4"	Pc	73.50	73.50	73.50
175	PVC Box 5"x4"	Pc	68.25	68.25	68.25
176	PVC Box 4"x4"	Pc	47.25	47.25	47.25
177	PVC Box 7"x4"	Pc	21.00	21.00	21.00
178	PVC Box 8"x3"	Pc	31.50	31.50	31.50
179	PVC Box 8"x6"	Pc	204.75	204.75	204.75
180	Electrical Conduit (Marvell) 20 mm.	Pc	236.25	236.25	236.25
181	Pipe clip 20 mm.	Pc	225.75	225.75	225.75
182	Counduit Socket 20 mm.	Pc	8.40	8.40	8.40
183	Electrical Cable 4mm FRLS Janata Gold	Pack	18.90	18.90	18.90
184	Electrical Cable 2.5mm FRLS Janata Gold	Pack	6016.50	6016.50	6016.50
185	Electrical Cable 1.5mm FRLS Janata Gold	Pack	4095.00	4095.00	4095.00
186	Electrical Cable 4 Core Aluminium Janata 35 mm.	Pack	2640.75	2640.75	2640.75
187	Wall Fan	Rm.	472.50	472.50	472.50
188	Main Switch 45 A (Dyna DP)	Pc	4200.00	4200.00	4200.00
189	6 Mod Plate (Horizontal)	Pc	735.00	735.00	735.00
190	Mod Switch With Indicator 25 A	Pc	341.25	341.25	341.25
191	Mod 5 Pin 25 A	Pc	357.00	357.00	357.00
192	Board Fuse	Pc	451.50	451.50	451.50
193	Board indicator	Pc	63.00	63.00	63.00
194	Board 5 Pin	Pc	47.25	47.25	47.25
195	4 Gang Switch with 5 Pin&Indicator	Pc	63.00	63.00	63.00
196	6 Gang Switch with 5 Pin&Indicator	Pc	682.50	682.50	682.50
197	Swith 16 A. 2-1/2"x2-1/2"	Pc	840.00	840.00	840.00
198	DB 3 Phase 8 way. (For 24 MCB)	Pc	157.50	157.50	157.50
199	MCB TPN 60 A.	Pc	8925.00	8925.00	8925.00
200	MCB SP 10 A.	Pc	3675.00	3675.00	3675.00
201	MCB SP 16 A.	Pc	315.00	315.00	315.00
202	Cable Tie 200mm. 250mm. 3mm.	Pc	315.00	315.00	315.00
203	Paper Tape 1"	Pkt	472.50	472.50	472.50
204	Metal Greep Nut Boalt Set 8mm	Pc	210.00	210.00	210.00
205	TPN Change Over Switch 63 A. 440 V.	Pc	52.50	52.50	52.50
206	DP Change Over Switch 32 A. 415 V.	Pc	12600.00	12600.00	12600.00
207	Cilicon White	Pc	4200.00	4200.00	4200.00
208	UPS 1600 VA.	Pc	420.00	420.00	420.00
209	Battery 220AH.	Pc	16800.00	16800.00	16800.00
210	GI Black Pipe 1-1/2" or 2"	Pc	36750.00	36750.00	36750.00
211	Gumbaj Light Set (In Top)	Per/ft.	141.75	141.75	141.75
212	Kalla Tar	Set.	4200.00	4200.00	4200.00
213	Concrete Nail 1"	Kg.	189.00	189.00	189.00
214	Concrete Nail 1-1/2"	Kg.	262.50	262.50	262.50
215	Steel Waser 6.5 mm. hole.	Kg.	262.50	262.50	262.50
216	PVC Greep 6.5mm. White	Pcs	10.50	10.50	10.50
217	PVC Greep 8mm. White	Pkt	157.50	157.50	157.50
218	Steel Star Screw 2-1/2"	Pkt	262.50	262.50	262.50
219	Garden Pole Light 12" LED Set	Pc	525.00	525.00	525.00
220	Round Plate	Pc	1680.00	1680.00	1680.00
221	Grinder Blade Concrete 4"	Pc	15.75	15.75	15.75
222	Grinder Blade Concrete 7"	Pc	315.00	315.00	315.00
223	Grinder Metal Blade Concrete 4"	Pc	1050.00	1050.00	1050.00
224	Drill Bti 6.5mm	Pc	52.50	52.50	52.50
225	Drill Bti 8mm	Pc	210.00	210.00	210.00
226	Drill Bti 10.5mm	Pc	315.00	315.00	315.00
227	Drill Bti 18mm	Pc	420.00	420.00	420.00
228	Small Garden + Pound Lighting Controll Pannel With All Electrical Materials (Rain Proof)	Set.	630.00	630.00	630.00
229	Big Garden Lighting Controll Pannel With All Electrical Materials (Rain Proof)	Set.	36750.00	36750.00	36750.00
230	AC 2T	Set.	42000.00	42000.00	42000.00
231	3Phase Meter को सबै सामानको COST.	Set.	42000.00	42000.00	42000.00
232	Speaker-300w	Pcs	6300.00	6300.00	6300.00
233	Speaker cable	Roll	3990.00	3990.00	3990.00
234	Amplifier set with mic & cordless mic set-2500w with all accessories.	Set	120750.00	120750.00	120750.00
235	Wiring Clip	No			
	150 no. size	"	19.66	19.66	19.66
	200 no. size	"	21.84	21.84	21.84
	250 no. size	"	24.02	24.02	24.02

Handwritten signatures and notes at the bottom of the page, including 'Page 27 of 39'.

236	Wooden Guli	No	6.55	6.55	6.55
237	Plastic grip	"	5.46	5.46	5.46
238	Main line wire(service wire)	R.m	38.22	38.22	38.22
239	Bulb (40 Watt to 100 Watt)	No	32.76	32.76	32.76
240	Mercury	No	218.40	218.40	218.40
241	Ceiling fan (Standard Company)				
	36" size				
	42" size	No	3276.00	3276.00	3276.00
	48" size	"	3494.40	3494.40	3494.40
242	Ceiling fan (General)	"	3822.00	3822.00	3822.00
	36" size				
	42" size	No	1638.00	1638.00	1638.00
	48" size	"	1474.20	1474.20	1474.20
	48" size	"	1337.70	1337.70	1337.70
243	Table fan Standard Company	"	3439.80	3439.80	3439.80
244	Stand fan	"	5460.00	5460.00	5460.00
245	Exhaust fan 1-0"	"	2730.00	2730.00	2730.00
246	" " 0'-9"	"	2293.20	2293.20	2293.20
247	Tube light bracket set	No	1092.00	1092.00	1092.00
248	Domelight bracket set	no	655.20	655.20	655.20
249	PVC listy	R.m			
	0.5"	No	54.60	54.60	54.60
	0.75"	No	60.06	60.06	60.06
	1"	No	65.52	65.52	65.52
	1.5"	No	70.98	70.98	70.98
	2"	No	76.44	76.44	76.44
250	Steel screw	Packet			
	1/2 size (100 no in a pack)	"	245.70	245.70	245.70
	3/4" "	"	294.84	294.84	294.84
	1" "	"	327.60	327.60	327.60
	1.5" "	"	382.20	382.20	382.20
	2" "	"	436.80	436.80	436.80
251	Copper plate 1"x1"	No	1638.00	1638.00	1638.00
252	Kitkat flux 10 amp.	No	32.76	32.76	32.76
253	Main switch 30 amp.	No	1638.00	1638.00	1638.00
254	Sub main switch	No	218.40	218.40	218.40
255	Main switch kitkat heavy connection	No	2730.00	2730.00	2730.00
256	On/off switch flush types	No	32.76	32.76	32.76
257	Sub main switch 32 amp.	No	191.10	191.10	191.10
258	Main switch 32 amp. Double faze	No	873.60	873.60	873.60
259	Switch flush type 5 amp.	No	24.02	24.02	24.02
260	Power plug 15 amp.	No	163.80	163.80	163.80
261	Two pin plug	No	32.76	32.76	32.76
262	Kitkat 15 Amp	No	39.31	39.31	39.31
263	" 22 Amp	No	70.98	70.98	70.98
264	" 63 Amp	No	196.56	196.56	196.56
265	Main switch 63 Amp.	"	2839.20	2839.20	2839.20
266	Main switch kitkat connection 63 Amps	"	349.44	349.44	349.44
267	Bulb holder angle	"	32.76	32.76	32.76
268	Ceiling rose	"	29.48	29.48	29.48
269	Cooler standard company	No	8954.40	8954.40	8954.40
270	Cooler local	"	5460.00	5460.00	5460.00
271	Electric line fitting	Point			
	Channel	"	38.22	38.22	38.22
	Bit	"	43.68	43.68	43.68
	Pipe	"	27.30	27.30	27.30
	Underground	"	49.14	49.14	49.14
272	Main switch fitting	No	196.56	196.56	196.56
273	Copper wire earthing fitting	R.m	16.38	16.38	16.38
274	5 pin socket 5 amp.	No	43.68	43.68	43.68
275	2 pin socket	"	30.58	30.58	30.58
276	3 pin socket	"	43.68	43.68	43.68
277	3 pin top	"	49.14	49.14	49.14
278	Call bell (With tuning)	"	393.12	393.12	393.12
279	Call bell simple	"	218.40	218.40	218.40
280	Fuse	"	54.60	54.60	54.60
281	Water tight bracket	"	327.60	327.60	327.60
282	Vapour light standard company	"			
	125 watt	"	5460.00	5460.00	5460.00
	250 watt	"	9282.00	9282.00	9282.00
	450 watt	"	13650.00	13650.00	13650.00
283	Insulation tape	No	27.30	27.30	27.30
284	Connector 15 Amp.	"	54.60	54.60	54.60

बिर्वास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बिर्वास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

Handwritten signatures and marks at the bottom of the page.

285	PVC Pipe 3/4" for electricity			27.30	27.30	27.30
286	" " 1" "	R.m		38.22	38.22	38.22
287	" sandle 3/4" "			6.55	6.55	6.55
288	" " 1" "	No		7.64	7.64	7.64
289	PVC junction boxes 3/4"			16.38	16.38	16.38
290	" " 1"	No		16.38	16.38	16.38
291	PVC Tee 3/4"			6.55	6.55	6.55
292	" " 1"	No		10.92	10.92	10.92
293	PVC elbow 3/4"			7.64	7.64	7.64
294	" " 1"	No		10.92	10.92	10.92
295	PVC band 3/4"			10.92	10.92	10.92
296	" " 1"	No		16.38	16.38	16.38
297	Painted Holder			32.76	32.76	32.76
298	Mercury Chock	No		174.72	174.72	174.72
299	" (electroincis)	No		294.84	294.84	294.84
300	Bracket light	No		273.00	273.00	273.00
301	Mercury tubes	No		109.20	109.20	109.20
302	Starter	No		21.84	21.84	21.84
303	D.B. switch single	No		218.40	218.40	218.40
304	PVC fittings (Electric)					
	" 1/2"	No		4.37	4.37	4.37
	" 3/4"	"		7.64	7.64	7.64
	" 1"	"		10.92	10.92	10.92
	" 1.25"	"		13.10	13.10	13.10
	" 2"	"		16.38	16.38	16.38
305	Metal box 3"x3"	No		32.76	32.76	32.76
306	" 5"x3"	"		43.68	43.68	43.68
307	D.B. box					
	" " two way			70.98	70.98	70.98
	" " four way			294.84	294.84	294.84
	" " six way			393.12	393.12	393.12
	" " eight way			567.84	567.84	567.84
	" " ten way			567.84	567.84	567.84
	" " twelve way			791.70	791.70	791.70
	" " fourteen way			906.36	906.36	906.36
308	MCB switch box			491.40	491.40	491.40
309	Sub - meter			677.04	677.04	677.04
310	HDP pipe (electric)					
	" 1/2"	Rm		16.38	16.38	16.38
	" 3/4"	Rm		21.84	21.84	21.84
	" 1"	Rm		32.76	32.76	32.76
311	150 AMCCB	Nos.		8408.40	8408.40	8408.40
312	250 AMCCB	Nos.		15288.00	15288.00	15288.00
313	Bulb Holder Standar company	No		36.75	36.75	36.75
314	Bulb cap fiber	No		47.25	47.25	47.25
315	12" exhusht fan USA/ Bajaj/ baltra or eivalet etc. all compleate work.	No.		4725.00	4725.00	4725.00
316	Vacum cleaner 1600 Watt Himstar or eqivalet	No.		12600.00	12600.00	12600.00
317	Sound System 11"	Set		15750.00	15750.00	15750.00
318	Kent/Euro guard/Aquwa guard filter or equivalent 1liter/minute all compleate work.	Set		23100.00	23100.00	23100.00
319	Stainless Steel 3 seated chair	set		14700.00	14700.00	14700.00
320	Wall Fan 22"	Nos.		8400.00	8400.00	8400.00
	CCTV Camera Accessories					
	NVR & IP CAMERA					
321	H.265 5.0 Mega-Pixel Ip Outdoor camera night color	Pcs		68250.00	68250.00	68250.00
322	PTZ Camera with 360° 5.MP Star light	pcs		110250.00	110250.00	110250.00
323	Camera IP	Pcs		15750.00	15750.00	15750.00
324	64CH 4K/5MP/1080P 9HDD NVR	Pcs		212625.00	212625.00	212625.00
325	NVR16 Chanel	Pcs		131250.00	131250.00	131250.00
326	Display Monitor 65inch tv	Pcs		99750.00	99750.00	99750.00
327	TV 52" Ultra UHD	Pcs		84000.00	84000.00	84000.00
328	Monitor 19"	Pcs		15750.00	15750.00	15750.00
329	Survilance Hard Disk 8 TB	Pcs		73500.00	73500.00	73500.00
330	Hard disk 2TB	Pcs		15750.00	15750.00	15750.00
	CCTV Accessories					
331	Gepon OLT With Pon SFP	Pcs		212100.00	212100.00	212100.00
332	ONU	Pcs		8400.00	8400.00	8400.00
333	POE Swtich 8 port	Pcs		12600.00	12600.00	12600.00
334	POE Swtich 4 port	Pcs		8400.00	8400.00	8400.00
335	UTB Cable	Roll		3675.00	3675.00	3675.00

बर्दिबास नगरपालिका
कायपालिका कार्यालय
बर्दिबास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

Handwritten signatures and notes at the bottom of the page, including a signature that appears to be 'S. Prasad' and other illegible marks.



बुद्धिवास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बुद्धिवास, महोत्तरी
मध्यम प्रदेश, नेपाल
२०७३

336	Joint Box (Tiffin Box)	Pcs	1575.00	1575.00	1575.00
337	Patch cord	Pcs	525.00	525.00	525.00
338	Out Door Water Proof Pole Box with fitting	Pcs	26250.00	26250.00	26250.00
339	Splicing Charge	Per Pcs	170.63	170.63	170.63
340	Cat 6 with Arial Laying bare Pure Copper	Rool	18375.00	18375.00	18375.00
341	Power Ext. Cord	Pcs	735.00	735.00	735.00
342	Accessories Per camera	Point	8400.00	8400.00	8400.00
343	Power adaptor 3amp	Pcs	2100.00	2100.00	2100.00
344	Fiber 6 core with instlation	Km	44677.50	44677.50	44677.50
345	Power cable outdoor/ Indoor	Km	58800.00	58800.00	58800.00
346	Camera Instlation	Per pcs	1050.00	1050.00	1050.00
347	Bamboo	Pcs	4200.00	4200.00	4200.00
348	Fiber Speilter	Set	4200.00	4200.00	4200.00
349	AC 2 tones Standard Company (2 tone)	Pc.	93450.00	93450.00	93450.00
Air Conditioning System					
	Single Split (1.1) Wall mounted/ceiling Cassette/Floor standing type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent Control, Filter cleaning Indicator, PMV Control and Power saving features included wireless remote controller, installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be included with in the cost. (Brand LG, Daikin, Panasonic or equivalent.)				
350	Wall mounted Inverter type Split Units with Wireless remote Controller				
	0.75 Ton	set			81000.00
	1.0 Ton	set			79548.67
	1.5 Ton	set			120345.12
	2.0 Ton	set			143442.47
351	Ceiling Cassette Inverter type Split Units with Wireless remote Controller				
	1.0 Ton	set			118800.00
	1.5 Ton	set			145800.00
	2.0 Ton	set			162000.00
	3.0 Ton	set			261950.00
	4.0 Ton (3ph)	set			265500.00
352	Wall mounted Non-Inverter type Split type AC with Wireless display remote Controller				
	0.75 Ton	set			52200.00
	1.0 Ton	set			51550.44
	1.5 Ton	set			68050.44
	2.0 Ton	set			84250.44
353	Ceiling Cassette Non-Inverter type Split type AC with Wireless display remote Controller				
	1.0 Ton	set			86600.00
	1.5 Ton	set			99300.00
	2.0 Ton	set			128600.00
	3.0 Ton	set			176000.00
354	Binding wire (fiber)	Roll	3675.00	3675.00	3675.00
355	Binding wire (Clipping)	Rool	367.50	367.50	367.50
356	Media converter	Pcs	12600.00	12600.00	12600.00
1	गोलिया काठ कटान मुख्यन तर्फ				
	रुख छपान प्रति रुख	गोटा	16.38	16.38	16.38
	रुख गोलिया कटान, मुख्यन	घन फिट	38.22	38.22	38.22
	बोका ताखने, रिङ्ग काटने	घन फिट	16.38	16.38	16.38
	शेडिङ्ग र याडिङ्ग	घन फिट	38.22	38.22	38.22
	लोड	घन फिट	32.76	32.76	32.76
	अनलोड	घन फिट	16.38	16.38	16.38
	पायलिङ्ग	घन फिट	27.30	27.30	27.30
2	बुबानी				
	२ कि.मि. सम्म	कि.मि.	32.76	32.76	32.76
	२.५ कि.मि. सम्म	कि.मि.	43.68	43.68	43.68
	५ देखि १० कि.मि. सम्म	कि.मि.	54.60	54.60	54.60
3	चाईनिज दुभो	वर्ग फिट	84.00	84.00	84.00
4	दाजरा कटान मुख्यन				
	दाजरा कटान	चट्टा	4914.00	4914.00	4914.00

Handwritten signatures and notes at the bottom of the page.

	चट्टा निर्माण	चट्टा	2730.00	2730.00	2730.00
	लोडिङ्ग ढुवानीको लागि	चट्टा	1856.40	1856.40	1856.40
	अनलोडिङ्ग ढुवानीको लागि	चट्टा	1201.20	1201.20	1201.20
5	बिरुवा ढुवानी लोड अनलोड सहित				
	० देखि १० कि.मि. सम्म	गोटा	1.91	1.91	1.91
	१० देखि २० कि.मि. सम्म	गोटा	2.18	2.18	2.18
	२० देखि ३० कि.मि. सम्म	गोटा	2.73	2.73	2.73
	३० देखि ४० कि.मि. सम्म	गोटा	3.28	3.28	3.28
	४० देखि ५० कि.मि. सम्म	गोटा	3.82	3.82	3.82
6	बोट बिरुवाको मूल्य				
i)	आँपको बिरुवा, माल्दह/बम्बई- १ वर्ष	गोटा	145.00	145.00	145.00
	- २ वर्ष	गोटा	70.00	70.00	70.00
	- ३ वर्ष	गोटा	273.00	273.00	273.00
ii)	आँपको बिरुवा, दसहरी/आम्रपाली/मलिका/जर्दा- १ वर्ष	गोटा	163.80	163.80	163.80
	- २ वर्ष	गोटा	273.00	273.00	273.00
	- ३ वर्ष	गोटा	436.80	436.80	436.80
7	जडीबुटी				
	करिलो	गोटा	7.64	7.64	7.64
	सर्पगन्धा	गोटा	32.76	32.76	32.76
	घृतकुमारी	गोटा	109.20	109.20	109.20
	बेल	गोटा	38.22	38.22	38.22
	लेमनग्रास/नेपियर	सेट	3.82	3.82	3.82
	अम्रिसो	सेट	5.46	5.46	5.46
8	वन बिरुवा, विभिन्न प्रजातीको	गोटा	8.74	8.74	8.74
9	डॉले घाँस, विभिन्न प्रजातीको	गोटा	16.38	16.38	16.38
10	बाँसको बेर्ना, सक्कर/राईजोम १ वर्ष	गोटा	185.64	185.64	185.64
11	बाँसको बेर्ना, सक्कर/राईजोम २ वर्ष	गोटा	273.00	273.00	273.00
12	बाँसको बेर्ना, बिउ बाँस	गोटा	32.76	32.76	32.76
13	पोली बैग, २२ गेज	के.जी.	382.20	382.20	382.20
14	तेजपात	गोटा	43.68	43.68	43.68
15	लिची- १ वर्ष	गोटा	109.20	109.20	109.20
	- २ वर्ष	गोटा	191.10	191.10	191.10
16	कागती	गोटा	54.60	54.60	54.60
17	कटहर	गोटा	75.00	75.00	75.00
18	अनार जेनेरल	गोटा	109.20	109.20	109.20
19	अनार मिडियम	गोटा	163.80	163.80	163.80
20	अनार स्पेशल	गोटा	218.40	218.40	218.40
21	आँप (५ फिट अथवा ३ वर्ष सम्मको बिरुवा)	गोटा	145.00	145.00	145.00
22	आँप (५ फिट अथवा १ वर्ष सम्मको बिरुवा)	गोटा	70.00	70.00	70.00
23	केरा	गोटा	35.00	35.00	35.00
24	अम्बा	गोटा	65.00	65.00	65.00
25	कागती	गोटा	45.00	45.00	45.00
26	मेवा	गोटा	65.00	65.00	65.00
27	ड्रागन	गोटा	135.00	135.00	135.00
28	रुद्राक्ष/श्रीखण्ड	गोटा	273.00	273.00	273.00
29	अशोक	गोटा	65.52	65.52	65.52
30	धूपी	गोटा	87.36	87.36	87.36
31	अदुवा	के.जी.	273.00	273.00	273.00
32	बेसार	के.जी.	87.36	87.36	87.36
33	मुँगफली	के.जी.	327.60	327.60	327.60
34	बीउ विजन				
	सिसौ/खैर	के.जी.	1638.00	1638.00	1638.00
	मसला	के.जी.	3276.00	3276.00	3276.00
	बाँस	के.जी.	4368.00	4368.00	4368.00
	कदम	के.जी.	3276.00	3276.00	3276.00
	स्टाईलो घाँस	के.जी.	1638.00	1638.00	1638.00
	सतावरी	के.जी.	4914.00	4914.00	4914.00
35	बासको कटिग बिरुवा	गोटा	218.40	218.40	218.40
36	बेल बासको बिरुवा	गोटा	54.60	54.60	54.60

वर्दिबास नगरपालिका
कार्यालय
वर्दिबास, कैलाली
मधेश प्रदेश, नेपाल
२०७३

Handwritten signatures and marks at the bottom of the page.



बर्दिबास नगरपालिका
केन्द्र कार्यालयको कार्यालय
बर्दिबास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

37	टीकको विरुवा		27.30	27.30	27.30	
38	बिटमीन (अलकतरा)					
39	VG-10(New M.S.) drum Packed)		116.00	116.00	116.00	
40	VG-30(New M.S.) drum Packed)		117.60	117.60	117.60	
41	Cationic Bitumen Emulsion (Himalson)		HDP Dr.m Packed MS Drum Packed	HDP Drum Packed MS Drum Packed	HDP Drum Packed MS Drum Packed	
42	Rapid Setting(R/S 60%)		104.12	100.51	104.12	100.51
43	Rapid Setting(R/S 65%)		110.58	106.97	110.58	106.97
44	Rapid Setting(R/S 70%)		116.94	113.33	116.94	113.33
45	Medium Setting(M/S 60%)		104.97	101.36	104.97	101.36
46	Medium Setting(M/S 65%)		106.305	112.20	106.305	112.20
47	Slow Setting(S/S 60%)		109.44	108.10	109.44	108.10
48	Slurry Seal(S/Seal 60%)		109.44	111.40	109.44	111.40
49	Cut Back(MC 30)		172.90	178.20	172.90	178.20
50	Cut Back (MC 70)		159.31	155.70	159.31	155.70
51	Cut Back (MC800)		154.85	151.24	154.85	151.24
For Ready Mix Concrete (Including Delivery Upto 15 km)						
52	M10 (Grade of Concrete)	घ.मी.	12172.57	12172.57	11122.57	
53	M15 (Grade of Concrete)	घ.मी.	12172.57	12172.57	12172.57	
54	M20 (Grade of Concrete)	घ.मी.	13222.57	13222.57	13222.57	
55	M25 (Grade of Concrete)	घ.मी.	13752.21	13752.21	13752.21	
56	M30 (Grade of Concrete)	घ.मी.	14700.00	14700.00	14700.00	
57	Concrete Block					
58	40*15*20	गोटा		35.00	35.00	
59	40*10*20	गोटा		30.00	30.00	
Precast Interlocking Brick						
60	Bricks Grey colour with Compressive strength M10 or above. (Specification: Thickness: 70 mm, Dimension: (230*110*70)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा		20.36	20.36	
61	Bricks Single colour with Compressive strength M10 or above. (Specification: Thickness: 70 mm, Dimension: (230*110*70)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा		22.09	22.09	
62	Bricks Grey colour with Compressive strength M10 or above. (Specification: Thickness: 55 mm, Dimension: (230*110*55)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा		18.62	18.62	
63	Bricks Single colour with Compressive strength M10 or above. (Specification: Thickness: 55 mm, Dimension: (230*110*55)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा		19.49	19.49	
64	Hollocon Grey colour with Compressive strength M7 or above. (Specification: Thickness: 200 mm, Dimension: (390*200*190), Tolerance/others: Machine made)	प्रति गोटा		134.27	134.27	
65	Hollocon Single colour with Compressive strength M7 or above. (Specification: Thickness: 200 mm, Dimension: (390*200*190), Tolerance/others: Machine made)	प्रति गोटा		151.59	151.59	
66	Hollocon Grey colour with Compressive strength M7 or above. (Specification: Thickness: 150 mm, Dimension: (390*150*190), Tolerance/others: Machine made)	प्रति गोटा		112.61	112.61	
67	Hollocon Single colour with Compressive strength M7 or above. (Specification: Thickness: 150 mm, Dimension: (390*150*190), Tolerance/others: Machine made)	प्रति गोटा		123.01	123.01	
68	Hollocon Grey colour with Compressive strength M7 or above. (Specification: Thickness: 100 mm, Dimension: (390*100*190), Tolerance/others: Machine made)	प्रति गोटा		93.56	93.56	
69	Hollocon Single colour with Compressive strength M7 or above. (Specification: Thickness: 100 mm, Dimension: (390*100*190), Tolerance/others: Machine made)	प्रति गोटा		104.82	104.82	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



वर्दिवास नगरपालिका
नगर कार्यपालिकाको कार्यालय
वर्दिवास, महोत्तरी
मधेश प्रदेश नेपाल
२०७३

70	Hexagon Interlock Pavers Grey colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 226*200*50, (NS Standard)	प्रति गोटा	37.25	37.25
71	Hexagon Interlock Pavers Single colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 226*200*50, (NS Standard)	प्रति गोटा	43.31	43.31
72	Hexagon Interlock Pavers Blended colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 226*200*50, (NS Standard)	प्रति गोटा	47.64	47.64
73	Hexagon Interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 226*200*60, (NS Standard)	प्रति गोटा	44.18	44.18
74	Hexagon Interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 226*200*60, (NS Standard)	प्रति गोटा	50.24	50.24
75	Hexagon Interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 226*200*60, (NS Standard)	प्रति गोटा	52.84	52.84
76	Hexagon Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 226*200*70, (NS Standard)	प्रति गोटा	54.57	54.57
77	Hexagon Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 226*200*70, (NS Standard)	प्रति गोटा	58.91	58.91
78	Hexagon Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 226*200*70, (NS Standard)	प्रति गोटा	62.24	62.24
79	Hexagon Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 226*200*80, (NS Standard)	प्रति गोटा	62.37	62.37
80	Hexagon Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 226*200*80, (NS Standard)	प्रति गोटा	68.43	68.43
81	Hexagon Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 226*200*80, (NS Standard)	प्रति गोटा	71.03	71.03
82	Rectangular Interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*100*60, (NS Standard)	प्रति गोटा	36.38	36.38
83	Rectangular Interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*100*60, (NS Standard)	प्रति गोटा	41.58	41.58
84	Rectangular Interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*100*60, (NS Standard)	प्रति गोटा	43.31	43.31
85	Rectangular Interlock Pavers Grey colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 200*100*100, (NS Standard)	प्रति गोटा	74.50	74.50
86	Rectangular Interlock Pavers Single colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 200*100*100, (NS Standard)	प्रति गोटा	81.43	81.43
87	Rectangular Interlock Pavers Blended colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 200*100*100, (NS Standard)	प्रति गोटा	84.03	84.03
88	Behaton interlock I Pavers Grey colour with Compressive strength M35 or above. Thickness: 50 mm, Dimension: 200*165*50, (NS Standard)	प्रति गोटा	38.98	38.98
89	Behaton interlock I Pavers Single colour with Compressive strength M35 or above. Thickness: 50 mm, Dimension: 200*165*50, (NS Standard)	प्रति गोटा	45.05	45.05
90	Behaton interlock I Pavers Blended colour with Compressive strength M35 or above. Thickness: 50 mm, Dimension: 200*165*50, (NS Standard)	प्रति गोटा	47.64	47.64
91	Behaton interlock I Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*165*80, (NS Standard)	प्रति गोटा	61.50	61.50
92	Behaton interlock I Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*165*80, (NS Standard)	प्रति गोटा	68.43	68.43
93	Behaton interlock I Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*165*80, (NS Standard)	प्रति गोटा	71.03	71.03

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature



94	Uni interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 240*120*60, (NS Standard)	प्रति गोटा		44.61	44.61
95	Uni interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 240*120*60, (NS Standard)	प्रति गोटा		51.54	51.54
96	Uni interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 240*120*60, (NS Standard)	प्रति गोटा		54.14	54.14
97	ZigZag interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 225*112.5*80, (NS Standard)	प्रति गोटा		60.64	60.64
98	ZigZag interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 225*112.5*80, (NS Standard)	प्रति गोटा		66.70	66.70
99	ZigZag interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 225*112.5*80, (NS Standard)	प्रति गोटा		69.30	69.30
100	ZigZag interlock Pavers Grey colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 225*112.5*100, (NS Standard)	प्रति गोटा		99.62	99.62
101	ZigZag interlock Pavers Single colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 225*112.5*100, (NS Standard)	प्रति गोटा		112.61	112.61
102	ZigZag interlock Pavers Blended colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 225*112.5*100, (NS Standard)	प्रति गोटा		116.94	116.94
103	ZigZag interlock Pavers Grey colour with Compressive strength M55 or above. Thickness: 120 mm, Dimension: 225*112.5*120, (NS Standard)	प्रति गोटा		112.61	112.61
104	ZigZag interlock Pavers Single colour with Compressive strength M55 or above. Thickness: 120 mm, Dimension: 225*112.5*120, (NS Standard)	प्रति गोटा		121.28	121.28
105	ZigZag interlock Pavers Blended colour with Compressive strength M55 or above. Thickness: 120 mm, Dimension: 225*112.5*120, (NS Standard)	प्रति गोटा		125.61	125.61
106	Romba 3D interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*173*60, (NS Standard)	प्रति गोटा		58.04	58.04
107	Romba 3D interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*173*60, (NS Standard)	प्रति गोटा		64.97	64.97
108	Romba 3D interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*173*60, (NS Standard)	प्रति गोटा		67.57	67.57
109	Square interlock Pavers Grey colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 200*200*50, (NS Standard)	प्रति गोटा		57.17	57.17
110	Square interlock Pavers Single colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 200*200*50, (NS Standard)	प्रति गोटा		70.17	70.17
111	Square interlock Pavers Blended colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 200*200*50, (NS Standard)	प्रति गोटा		74.50	74.50
112	Square interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		71.03	71.03
113	Square interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		84.03	84.03

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



बुद्धिवास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बुद्धिवास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

114	Square interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		88.36	88.36
115	Cobble interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 100*100*60, (NS Standard)	प्रति गोटा		17.33	17.33
116	Cobble interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 100*100*60, (NS Standard)	प्रति गोटा		19.92	19.92
117	Cobble interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 100*100*60, (NS Standard)	प्रति गोटा		24.26	24.26
118	Interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		71.03	71.03
119	Interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		79.70	79.70
120	Interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		84.03	84.03
121	Interlock with Cobble Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		76.23	76.23
122	Interlock with Cobble Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		84.89	84.89
123	Interlock with Cobble Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा		93.56	93.56
124	Matrix Slab/tiles Grey color with Compressive strength M35 or above. (Specification:Thickness: 40 mm, Dimension: 400*400*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		242.55	242.55
125	Matrix Slab/tiles Single color with Compressive strength M35 or above. (Specification:Thickness: 40 mm, Dimension: 400*400*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		268.54	268.54
126	Matrix Slab/tiles Blended color with Compressive strength M35 or above. (Specification:Thickness: 40 mm, Dimension: 400*400*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		294.53	294.53
127	Matrix Slab/tiles Grey color with Compressive strength M35 or above. (Specification:Thickness: 60 mm, Dimension: 400*400*60, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		355.16	355.16
128	Matrix Slab/tiles Single color with Compressive strength M35 or above. (Specification:Thickness: 60 mm, Dimension: 400*400*60, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		398.48	398.48
129	Matrix Slab/tiles Blended color with Compressive strength M35 or above. (Specification:Thickness: 60 mm, Dimension: 400*400*60, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		441.79	441.79
130	Mixed Fusion Slab/tiles Grey color with Compressive strength M35 or above. (Specification:Thickness: 40 mm, Dimension: 1200*800*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		1645.88	1645.88
131	Mixed Fusion Slab/tiles Single color with Compressive strength M35 or above. (Specification:Thickness: 40 mm, Dimension: 1200*800*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		1862.44	1862.44

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]




132	Mixed Fusion Slab/tiles Blended color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 1200*800*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा		2079.00	2079.00	
133	Nostalgic Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 1440*960*60/Pallet, (NS Standard)	प्रति गोटा		2728.69	2728.69	
134	Nostalgic Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 1440*960*60/Pallet, (NS Standard)	प्रति गोटा		2988.56	2988.56	
135	Nostalgic Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 1440*960*60/Pallet, (NS Standard)	प्रति गोटा		3118.50	3118.50	
136	Grass Interlock Pavers Grey color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 400*600*80, (NS Standard)	प्रति गोटा		420.13	420.13	
137	Half batterd Kerbstone Grey Color with Compressive strength M20. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा		368.16	368.16	
138	Half batterd Kerbstone Grey Color with Compressive strength M25. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा		389.81	389.81	
139	Half batterd Kerbstone Grey Color with Compressive strength M20. Thickness: 165 mm, Dimension: 300*165*325 (L*B*H), (NS Standard)	प्रति गोटा		307.52	307.52	
140	Half batterd Kerbstone Grey Color with Compressive strength M25. Thickness: 165 mm, Dimension: 300*165*325 (L*B*H), (NS Standard)	प्रति गोटा		324.84	324.84	
141	Half batterd Kerbstone Grey Color with Compressive strength M20. Thickness: 200 mm, Dimension: 250*200*380 (L*B*H), (NS Standard)	प्रति गोटा		359.49	359.49	
142	Half batterd Kerbstone Grey Color with Compressive strength M25. Thickness: 200 mm, Dimension: 250*200*380 (L*B*H), (NS Standard)	प्रति गोटा		376.82	376.82	
143	Bullnose Kerbstone Grey Color with Compressive strength M20. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा		407.14	407.14	
144	Bullnose Kerbstone Grey Color with Compressive strength M25. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा		428.79	428.79	
145	V-Shape Drain Male & Female set with Compressive strength M35. Thickness: 70 mm, Dimension: 300*75*499.5 (L*B*H)	प्रति गोटा		563.06	563.06	
146	Cobble Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 100*100*80, (NS Standard)	प्रति गोटा		23.52	23.52	
147	Cobble Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 100*100*80, (NS Standard)	प्रति गोटा		26.40	26.40	
148	Cobble Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 100*100*80, (NS Standard)	प्रति गोटा		29.63	29.63	
149	Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा		83.45	83.45	
150	Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा		96.24	96.24	
151	Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा		105.61	105.61	
152	Interlock with Cobble Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा		99.90	99.90	
153	Interlock with Cobble Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा		111.35	111.35	
154	Interlock with Cobble Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा		119.90	119.90	

Handwritten signatures and notes at the bottom of the page, including the text 'Page 36 of 39'.



155	Grass Interlock Pavers Grey color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 400*600*100, (NS Standard)	प्रति गोटा		576.99	576.99
156	Rectangular Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 200*100*70, (NS Standard)	प्रति गोटा		45.34	45.34
157	Rectangular Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 200*100*70, (NS Standard)	प्रति गोटा		52.43	52.43
158	Rectangular Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 200*100*70, (NS Standard)	प्रति गोटा		57.34	57.34
159	Rectangular Interlock Pavers Grey color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*100*80, (NS Standard)	प्रति गोटा		49.77	49.77
160	Rectangular Interlock Pavers Single color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*100*80, (NS Standard)	प्रति गोटा		57.59	57.59
161	Rectangular Interlock Pavers Blended color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*100*80, (NS Standard)	प्रति गोटा		62.68	62.68
162	Permeable Interlock Pavers Grey color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 228*158*60, (NS Standard)	प्रति गोटा		75.69	75.69
163	Permeable Interlock Pavers Single color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 228*158*60, (NS Standard)	प्रति गोटा		90.89	90.89
164	Permeable Interlock Pavers Blended color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 228*158*60, (NS Standard)	प्रति गोटा		101.95	101.95
165	Permeable Interlock Pavers Grey color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 228*158*80, (NS Standard)	प्रति गोटा		91.64	91.64
166	Permeable Interlock Pavers Single color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 228*158*80, (NS Standard)	प्रति गोटा		109.39	109.39
167	Permeable Interlock Pavers Blended color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 228*158*80, (NS Standard)	प्रति गोटा		122.72	122.72
168	Permeable Interlock Pavers Grey color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 228*158*100, (NS Standard)	प्रति गोटा		126.30	126.30
169	Permeable Interlock Pavers Single color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 228*158*100, (NS Standard)	प्रति गोटा		149.12	149.12
170	Permeable Interlock Pavers Blended color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 228*158*100, (NS Standard)	प्रति गोटा		167.27	167.27
171	Porus Permeable Matrix Tiles Grey color with Compressive strength M35 or above. Thickness: 40 mm, Dimension: 400*400*40.	प्रति गोटा		301.88	301.88
172	Porus Permeable Matrix Tiles Single color with Compressive strength M35 or above. Thickness: 40 mm, Dimension: 400*400*40.	प्रति गोटा		362.97	362.97
173	Porus Permeable Interlock Matrix Grey color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 400*400*60.	प्रति गोटा		376.55	376.55
174	Porus Permeable Interlock Matrix Single color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 400*400*60.	प्रति गोटा		472.02	472.02
175	Parking Tiles (25mm)	ब.मि.		42.00	42.00
176	Pre-cast Structure				
	2" Pre-stress Pre-cast Concrete Toilet wall & ceiling panel			548.63	548.63
	Pre-stress Pre-cast Concrete Benches			7980.00	7980.00
	Pre-stress Pre-cast Concrete Compound wall			299.25	299.25
	Pre-stress Pre-cast Concrete Fencing Pole (4**4")			139.65	139.65
	Pre-stress Pre-cast Concrete Fencing Pole (5**5")			159.60	159.60
177	EPS Sanwich Panel Work (Metal Sheet based) including Fittings				

Handwritten signatures and notes at the bottom of the page, including a large signature on the right and several smaller ones on the left.



	Providing and fittings EPS Sandwich Panel, FR 3 rated, Exterior & interior Skin of 0.3-0.4 mm PPGI with flame retardant EPS core insulation, Base metal 1105 mm and effective width 1000 mm, length 2m-13m with specified color and thickness with its accessories such as (U bar, joint bar, Corner bar, Screw, Screw cap, color piece, projection gable, sealing materials)				
A)	Ivory color/white color Flat partition and Exterior Wall				
	Thickness				
	50 mm	Sq.ft.	318.74	318.74	
	75 mm	Sq.ft.	367.53	367.53	
	100 mm	Sq.ft.	416.12	416.12	
	125 mm	Sq.ft.	467.08	467.08	
	150 mm	Sq.ft.	514.87	514.87	
B)	Gray color RP wall panel				
	Thickness				
	50 mm	Sq.ft.	351.59	351.59	
	75 mm	Sq.ft.	399.38	399.38	
	100 mm	Sq.ft.	486.00	486.00	
	125 mm	Sq.ft.	467.54	467.54	
	150 mm	Sq.ft.	549.72	549.72	
C)	Wooden color Siding wall panel				
	Thickness				
	75 mm	Sq.ft.	444.19	444.19	
	100 mm	Sq.ft.	494.96	494.96	
	125 mm	Sq.ft.	551.71	551.71	
	150 mm	Sq.ft.	592.52	592.52	
D)	Blue and Orange Roof Panel				
	Thickness				
	50 mm	Sq.ft.	386.52	386.52	
	75 mm	Sq.ft.	417.30	417.30	
	100 mm	Sq.ft.	506.91	506.91	
	125 mm	Sq.ft.	514.87	514.87	
E)	Zinc Panel (Combat and Black color)				
	Thickness				
	50 mm	Sq.ft.	458.13	458.13	
	75 mm	Sq.ft.	490.98	490.98	
	100 mm	Sq.ft.	581.57	581.57	
	125 mm	Sq.ft.	600.49	600.49	
	150 mm	Sq.ft.	631.35	631.35	
178	Sanwich PUFF Panel Work (Metal Sheet based) including Fittings				
	Providing and fittings PUFF Sandwich Ivory color/white color wall Panel, Exterior & interior Skin of 0.4-0.5 mm PPGI with PUF core insulation os Density 45-50 kg/m ³ , Base metal 1105 mm and effective width 1000 mm, length 2m- 13m with specified color and thickness with its accessories such as (U bar, joint bar, Corner bar, Screw, Screw cap, color piece, projection gable, sealing materials)				
A)	Ivory color/white color Flat puff Wall				
	Thickness				
	40 mm	Sq.ft.	362.70	362.70	
	50 mm	Sq.ft.	385.20	385.20	
	75 mm	Sq.ft.	445.50	445.50	
	100 mm	Sq.ft.	510.30	510.30	
B)	PUFF Panel Roof (Orange/Blue)				
	Thickness				
	30 mm	Sq.ft.	345.60	345.60	
	40 mm	Sq.ft.	367.20	367.20	
	50 mm	Sq.ft.	396.00	396.00	
	75 mm	Sq.ft.	464.40	464.40	
	100 mm	Sq.ft.	532.80	532.80	
179	Steel Door				
	Providing and Fittings 30 minute Fire-resistant Steel Door with all complete set of frame 1.6 mm EGI Steel, Leaf 0.8-0.5 mm EGI Steel, core insulation Hony comb, 50 mm thickness of steel Door	Sq.ft.	990.00	990.00	
180	Panel Door				



	Providing and Fittings Steel Panel Door with all complete set of frame 0.4 mm Aluminium, Leaf Nonburn EPS Panel framed by 0.4 mm Aluminium	Sq.ft.		648.00	648.00
181	UPVC Window				
	Providing and Fittings 115 mm multi chamber frame thick UPVC Window all complete set along with frame having wall thickness of 0.2 mm-0.3 mm and 1.5(+0.2) mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	Sq.ft.		799.20	799.20
182	Sheet Pile Z Pile			389.38	389.38
183	Sheet Pile (3 mm- 10 mm) with driving up to 2 m depth			250.00	250.00
184	Sheet Pile (12 mm- 30 mm) with driving up to 2 m depth			250.00	250.00
185	PVC Plastic Heavy Duty Manhole Cover				
	24"*24"			3827.03	3827.03
	18"*24"			4022.00	4022.00
	18"*18"			2218.00	2218.00
186	Pre-Cast RCC Drain M25 Per meter				
	90 mm * 90 mm * 125 mm	Per meter		12678.50	12678.50
	75 mm * 75 mm * 125 mm	Per meter		10769.63	10769.63
	60 mm * 60 mm * 125 mm	Per meter		8804.26	8804.26
	45 mm * 45 mm * 125 mm	Per meter		6990.04	6990.04
	30 mm * 40 mm * 125 mm	Per meter		6148.47	6148.47
187	Pre-Cast Drain Cover M25				
	90 cm	Per meter		3671.36	3671.36
	75 cm	Per meter		3057.44	3057.44
	60 cm	Per meter		2356.76	2356.76
	45 cm	Per meter		1602.89	1602.89
	30 cm	Per meter		1603.01	1603.01
188	Pre-cast Drain Joint Work (All size)	Per meter			1000.00
189	Square Frame Heavy Duty				
	27" * 27" (45 kg)	Set		8104.00	8104.00
	22" * 22" (22 kg)	Set		5665.00	5665.00
190	Square Frame Medium Duty				
	27" * 27" (31 kg)	Set		5187.00	5187.00
	22" * 22" (20 kg)	Set		3353.00	3353.00
191	Drilling work for 6" dia bore hole in soft formation through Pebbles, gravel and installation of 6" MS Casing pipe (all complete work including drilling assembling and lowering of casing pipe)	Mtr.	7000.00	7300.00	7500.00
192	Drilling work for 4" dia bore hole in soft formation through Pebbles, gravel and installation of 4" PVC Casing pipe (all complete work including drilling assembling and lowering of casing pipe)	Mtr.			4500.00

टिप्पणी :

- निर्माण सामग्रीको दररेट व न.पा. भित्रको लागि कायम गरिएको छ तथा अन्य निर्माण सामग्रीहरूको दर निर्धारण गर्दा सामग्री उपलब्ध हुने स्थानको दरमा दूरी अनुसारको सामान बुबानी भाडा थप गरी कायम हुनेछ ।
- उल्लेख नभएका निर्माण सामग्रीको हकमा बजार भाउको आधारमा दरभाउ कायम गर्न सकिन्छ तथा अन्य स्थानीय बजारमा नपाईने निर्माण सामग्रीको हकमा अन्य जिल्लाको दरमा बुबानी थप गरी दररेट कायम हुनेछ ।
- निर्धारण गरिएका दररेटमा मूल्य अभिवृद्धि कर समावेश गरिएको छैन ।

Handwritten signatures and initials of various officials, including the Municipal Engineer and other staff members, are present at the bottom of the page.