



बर्दिबास नगरपालिका

बर्दिबास नगरकार्यपालिकाको कार्यालय

बर्दिबास, महोत्तरी
मधेश प्रदेश, नेपाल

बर्दिबास नगरपालिकाको आ. व. २०८३/०८४ को स्वीकृत दररेट

आ. व. २०८३/०८४
श्रावण ०१, २०८३

आज मिति २०८३/०४/०१ गते शुक्रबारको दिन बिहान ८:०० बजे बर्दिबास नगरपालिकाको नगर दररेट निर्धारण समितिका संयोजक नगर प्रमुख श्री प्रहलाद कुमार क्षेत्री ज्यूको अध्यक्षतामा निम्न सदस्यहरुको उपस्थितिमा बैठक बसी तपशिल बमोजिमका निर्णय गरियो ।

उपस्थिति

श्री प्रहलाद कुमार क्षेत्री नगर प्रमुख, व.न.पा.
श्री राममणि अधिकारी प्रमुख प्रशासकीय अधिकृत, व.न.पा.
श्री दीपक कार्की अध्यक्ष, उ.वा. सं., व.न.पा., महोत्तरी
श्री सन्तोष पौडेल प्रतिनिधि, नि. व्य. सं., महोत्तरी
श्री र्मिला कुमारी तामाङ लेखा अधिकृत, व.न.पा.
श्री मोनिका कार्की इन्जिनियर, व.न.पा.

अध्यक्ष
सदस्य
सदस्य
सदस्य
सदस्य
सदस्य सचिव

आमन्त्रित

श्री दीपक राज पौडेल योजना शाखा प्रमुख, व.न.पा.
श्री कमलेश महतो इन्जिनियर, व.न.पा.
श्री तिलक बहादुर कटुवाल सब-इन्जिनियर, व.न.पा.
श्री संजय कुमार मण्डल अ. सब-इन्जिनियर, व.न.पा.

आ.व. २०८३/०८४ का लागि बर्दिबास नगरपालिका भरी लागु हुने गरी तपसिलमा उल्लेख भए बमोजिमका कामदारहरुको दैनिक ज्याला दररेट कायम गर्ने निर्णय गरियो ।

कामदारको ज्याला दररेट					
क्र. नं.	कामदारको विवरण	इकाइ	दररेट	दररेट	दररेट
			२०८१-०८२	२०८२-०८३	२०८३-०८४
१	अर्ध सिपालु कामदार (सिकर्मी, डकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, पलम्बर, इलेक्ट्रिसियन, मेकानिक, प्लास्टर, बेल्डर)	प्र. ज.	९६५.००	९६५.००	१०००.००
२	सिपालु कामदार (सिकर्मी, डकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, पलम्बर, इलेक्ट्रिसियन, मेकानिक, प्लास्टर, बेल्डर)	प्र. ज.	१२२५.००	१२२५.००	१३००.००
३	ज्यामी	प्र. ज.	८००.००	८००.००	८४०.००
४	भरिया	प्र. ज.	८००.००	८००.००	८४०.००
५	हेभी सवारी चालक	प्र. ज.	१०००.००	१०००.००	नेपाल सरकारले तोकेको सुरु तलब स्केल बमोजिम
६	लाईट सवारी चालक	प्र. ज.	८००.००	८००.००	नेपाल सरकारले तोकेको सुरु तलब स्केल बमोजिम
७	हेल्पर	प्र. ज.	७७५.००	७७५.००	८००.००
८	सर्भे हेल्पर, क्याम्प वर्कर, विद्युत हेल्पर	प्र. ज.	७७५.००	७७५.००	८००.००
९	मेस्तर	प्र. ज.	५५०.००	७७५.००	८००.००
१०	औषधि छर्ने, लोडिग आदि गर्ने ज्यामी	प्र. ज.	७७५.००	७७५.००	८००.००
११	लेन्य मेन तथा रोड वर्कर	प्र. ज.	७७५.००	७७५.००	८००.००
१२	इलेक्ट्रिकल फोरम्यान तेश्रो तह	प्र. ज.	८००.००	८००.००	८४०.००
१३	कम्प्युटर अपरेटर (एस. एल. सि.)	प्र. ज.	८००.००	८००.००	८४०.००
१४	कृषि श्रमिक	प्र. ज.	७७५.००	७७५.००	८००.००
१५	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२५.००	२५.००	२६.२५
१६	सिमेन्ट प्लास्टर बुट्टा काट्ने मिस्री	प्र. ज.	२५००.००	२५००.००	२६२५.००
१७	निर्माण कार्यमा खटिने सार्दट सुपरभाईजर	प्र. ज.		७७५.००	८००.००
१८	अन्य		नेपाल सरकारले तोकेको सुरु तलब स्केल बमोजिम		

निर्णय नं. १

१) आ.व. २०८३/८४ का लागि बर्दिबास नगरपालिका दररेट निर्धारण समितिलेबाट स्वीकृत भएको दररेट अनुसार बर्दिबास नगरपालिकाको लागि दररेट कायम गर्ने निर्णय गरियो ।

२) यस बाहेक अन्य पदहरुमा भना गरी ज्यालादारांमा काम लगाउदा जुन पदमा काम गराउन हा, सा पदमा नेपाल सरकारले निर्धारण गरको सुरु तलब स्केललाई २६

ले भाग गर्दा आउने रकमलाई दैनिक ज्याला कायम गर्ने ।

३) कामदारको काम गर्ने समय दिनको ८ घण्टा हुनेछ ।

४) भरियाले १ दिनमा ४० के. जी. सम्म भारी बोकी ४ कोषको दुरी तय गर्नु पर्नेछ । (यातायतको साधन उपलब्ध नभएको, सडक सुविधा नभएको)



निर्णय नं.३

निर्धारण गरिएका दररेटमा मूल्य अभिवृद्धि कर र भाडा कर समावेश गरिएको छैन ।

निर्णय नं.३

यसमा उल्लेख नभएका निर्माण सामग्रीको दररेटको हकमा स्थानीय बजारबाट कम्तीमा ३ बटा फर्म व्यवसायीसँग बजारभाउ दररेट लिई दररेट कायम गर्ने तथा स्थानीय बजारमा उपलब्ध हुन नसक्ने सामग्रीको दररेट अन्य जिल्लाको दररेटमा ढुवानी भाडा समावेश गरी दररेट कायम गर्ने निर्णय गरियो ।

निर्णय नं.४

मेसिन, औजार तथा उपकरण भाडा दर सम्बन्धि मेसिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।

निर्णय नं.५

बर्दिबास नगरपालिका भित्र लागु हुने गरी तपशिलमा उल्लेख भए बमोजिम तथा आ.व. २०८३/८४ का लागि बर्दिबास नगरपालिका दररेट निर्धारण समितिबाट पारित भएको दर रेटमा नपरेका निर्माण सामग्री, मालसमान ढुवानी र मेसिन उपकरणको भाडा दर रेट, गत आ.व. मा निर्धारण गरिएको दर रेट, निर्माण व्यवसायी संघ, विभिन्न निर्माण कम्पनी र अधिकृत बिक्रेता र स्प्लायर्स, विभिन्न सरकारी संस्था र कार्यालय बाट प्राप्त दर रेट तथा राय सुझावलाई समेत दृष्टिगत गरि आ.व. २०८३/८४ का लागि निम्न बमोजिम निर्णय गरियो ।

बर्दिबास नगरपालिकाको आ.व. २०८३/८४ को ढुवानी भाडा तथा मेसिनरी सम्बन्धि दररेट						
सि. नं.	विवरण	ईकाइ	दररेट			कैफियत
			२०८१-०८२	२०८२-०८३	२०८३-०८४	
1	लेभल मेसिन	प्र. दिन	1092.00	1092.00	1092.00	
2	पेडोलाईट	प्र. दिन	1638.00	1638.00	1638.00	
3	टोटल स्टेशन	प्र. दिन	2184.00	2184.00	2184.00	
4	टायर गाडा	प्र. दिन	982.80	982.80	982.80	
5	बयल गाडा	प्र. दिन	764.40	764.40	764.40	
6	टिप्पर (इन्धन बाहेक) ६ चक्का	प्र. दिन	5460.00	5460.00	5460.00	
7	टिप्पर (इन्धन बाहेक) १० चक्का	प्र. दिन	7400.00	7400.00	7400.00	
8	ट्रक टिप्पर (इन्धन समेत)	प्र. क्विंटल, प्र. कि. मी.				
	क) पक्की बाटो	"	3.30	3.30	3.30	
	ख) ग्राभेल बाटो	"	4.40	4.40	4.40	
	ग) कच्ची बाटो	"	5.00	5.00	5.00	
9	टयाक्टर (इन्धन बाहेक)	प्र. दिन	2730.00	2730.00	2730.00	
10	टयाक्टर (इन्धन समेत)	"	3822.00	3822.00	3822.00	
11	टयाक्टर (इन्धन समेत)	प्र. क्विंटल, प्र. कि. मी.				
	क) पक्की बाटो	प्र. क्विंटल, प्र. कि. मी.	3.60	3.60	3.60	
	ख) ग्राभेल बाटो	प्र. क्विंटल, प्र. कि. मी.	4.20	4.20	4.20	
	ग) कच्ची बाटो	प्र. क्विंटल, प्र. कि. मी.	4.81	4.81	4.81	
12	टयाक्टरमा लेभलर लगाई माटो काट्ने, ढुवानी गर्ने, लेभलर लगाई माटो सम्पाउने कामको लागि	प्र. क्विंटल, प्र. कि. मी.	114.66	114.66	114.66	
13	हल्का सवारी साधन (इन्धन बाहेक)	प्र. दिन	3500.00	3500.00	3500.00	
14	सामान ढुवानी					
	क) पक्की बाटो	प्र. क्विंटल, प्र. कि. मी.	2.40	2.40	2.40	
	ख) ग्राभेल बाटो	प्र. क्विंटल, प्र. कि. मी.	3.24	3.24	3.24	
	ग) कच्ची बाटो	प्र. क्विंटल, प्र. कि. मी.	3.60	3.60	3.60	
15	ढुवानी विक्षेपणको लागि					
	ट्रकको मोल	१० मे. टन	3276000.00	3276000.00	3276000.00	
	टयाक्टरको मोल	३ मे. टन	1310400.00	1310400.00	1310400.00	

[Signature]

[Signature]

[Signature]


[Signature]

[Signature]




16	भरिया २० के. जी. देखि ४० के. जी. सम्म	कोष	60.06	60.06	60.06
17	तारजाली लोड	गोटा	8.74	8.74	8.74
18	तारजाली अनलोड	गोटा	9.28	9.28	9.28
19	GI WIRE लोड	बण्डल	6.55	6.55	6.55
20	GI WIRE अनलोड	बण्डल	7.32	7.32	7.32
21	जीप कार तेल बाहेक दैनिक भाडा	प्र. दिन	4290.00	4290.00	4290.00
22	ट्रक टिप्पर (ईन्धन समेत)	प्र. दिन	12012.00	12012.00	12012.00
23	ठेला गाडा	प्र. कविटल, प्र. कि. मी.	60.06	60.06	60.06
24	पम्पिंग सेट ४" ईन्धन समेत	घण्टा	409.50	409.50	409.50
25	सिमेन्टको बिजुलीको खम्बा डुबानी				
	क) ५ कि.मि. सम्म	प्र. खम्बा	1201.20	1201.20	1201.20
	ख) ५ कि.मि. भन्दा माथि	प्र. खम्बा	1856.40	1856.40	1856.40
26	काठको पोल (बिजुलीको) हकमा सिमेन्ट पोलको ७५ प्रतिशतले डुबानी गराउने				
27	ट्रान्सफर्मर डुबानी				
	क) १५ के. मी. देखि २५ के. मी. सम्मको				
	० देखि ५ कि.मि. सम्मको	गोटा	1092.00	1092.00	1092.00
	५ देखि १० कि.मि. सम्मको	गोटा	1310.40	1310.40	1310.40
	१० देखि १५ कि.मि. सम्मको	गोटा	1556.10	1556.10	1556.10
	१५ देखि २० कि.मि. सम्मको	गोटा	1801.80	1801.80	1801.80
	२० देखि २५ कि.मि. सम्मको	गोटा	1911.00	1911.00	1911.00
	२५ देखि ३० कि.मि. सम्मको	गोटा	2020.20	2020.20	2020.20
	ख) ५० के. मी. ए. देखि २०० के. मी. ए सम्मको				
	० देखि ५ कि.मि. सम्मको	गोटा	1351.35	1351.35	1351.35
	५ देखि १० कि.मि. सम्मको	गोटा	1471.47	1471.47	1471.47
	१० देखि १५ कि.मि. सम्मको	गोटा	1951.95	1951.95	1951.95
	१५ देखि २० कि.मि. सम्मको	गोटा	2522.52	2522.52	2522.52
	२० देखि २५ कि.मि. सम्मको	गोटा	2642.64	2642.64	2642.64
	२५ देखि ३० कि.मि. सम्मको	गोटा	2762.76	2762.76	2762.76
28	भेपर लाइट जडान गर्ने कार्य, सहयोगी	प्र. सेट	180.18	180.18	180.18
29	पोल लोड	गोटा	660.66	660.66	660.66
30	पोल अनलोड	गोटा	600.60	600.60	600.60
31	खाली बोरा लोड (१०० बोरा बण्डल)	बण्डल	6.01	6.01	6.01
32	खाली बोरा अनलोड (१०० बोरा बण्डल)	बण्डल	6.60	6.60	6.60
33	माटो काट्ने एक्साकभेटर (JCB)	प्र. घण्टा			
	0.63 cu.m. capacity	प्र. घण्टा	3276.00	3276.00	3276.00
	0.80 cu.m. capacity	प्र. घण्टा	4040.40	4040.40	4040.40
	1.32 cu.m. capacity	प्र. घण्टा	6333.60	6333.60	6333.60
34	एक्साभेटरले site cutting गरेर सडकमा माटो पुर्ने तथा लेभलर लगाई सडकमा माटो सम्प्याउने कार्य (ईन्धन र चालक सहित)	प्र. घ.मी.	157.50	157.50	157.50
निर्माण सामग्रीहरू					
1	ईट चिन्नी श्रृङ्खलाको				
	क) प्रथम श्रेणी	प्र. हजार	14800.00	14800.00	14800.00
	ख) द्वितीय श्रेणी	प्र. हजार	11000.00	11000.00	11000.00
	ग) राउईट (ओभर वर्क)	प्र. हजार	10000.00	10000.00	10000.00
2	ईटको टुक्रा १ नं.	प्र. घ. मि.	4368.00	4368.00	4368.00
3	ईटको टुक्रा २ नं.	प्र. घ. मि.	2730.00	2730.00	2730.00
4	ईटको रुबिस	प्र. घ. मि.	1201.20	1201.20	1201.20
5	मेसिन मेड ईट	प्र. हजार	13104.00	13104.00	13104.00
6	माटो	प्र. घ. मि.	400.00	400.00	400.00
7	सिमेन्ट				

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several smaller ones on the right.



	क) OPC	प्र. व्याग (५० के.जी.)	800.00	800.00	800.00
	ख) PPC	प्र. व्याग (५० के.जी.)	700.00	700.00	700.00
	ग) सिलिका सिमेन्ट	प्र. व्याग (२० के.जी.)	1664.00	1664.00	1664.00
8	बालुवा बास	प्र. घ. मि.	780.78	858.85	940.00
9	ग्राभेल	प्र. घ. मि.	600.00	600.00	650.00
10	पानी	लिट्र	0.52	0.52	0.52
11	0.20 - 0.28 cu.m. capacity mixture (with oil & Operator)	घण्टा	577.50	577.50	577.50
12	Vibrator (with oil & Operator)	घण्टा	288.75	288.75	288.75
13	ढुंगा				
	क) ब्लक स्टोन	घ.मी.	825.83	908.41	995.00
	ख) बोल्टर ढुंगा	घ.मी.	1100.00	1210.00	1210.00
	ग) फोस्वा ढुंगा	घ.मी.	1196.58	1316.23	1380.00
	घ) कुदेको ढुंगा	घ.मी.		1416.23	1485.00
14	ढुंगाको गिट्टी (फोडेको)				
	क) ५ मि. मि. देखि १० मि. मि. सम्म	घ.मी.	1201.20	1321.32	1453.45
	ख) ११ मि. मि. देखि २० मि. मि. सम्म	घ.मी.	1561.56	1717.71	1803.02
	ग) २१ मि. मि. देखि ४० मि. मि. सम्म	घ.मी.	1381.38	1519.51	1595.48
	घ) ४१ मि. मि. देखि ७० मि. मि. सम्म	घ.मी.	1141.14	1255.25	1380.77
	ङ) ७१ मि. मि. देखि १०० मि. मि. सम्म	घ.मी.	1021.02	1123.12	1235.43
15	बालुवा खोलाको	घ.मी.	600.00	660.00	690.00
16	ढुंगाको गिट्टी (राउण्ड) (रिभर वेड)				
	क) ३ मि. मि. देखि १० मि. मि. सम्म	घ.मी.	841.50	925.65	1018.21
	ख) ११ मि. मि. देखि २० मि. मि. सम्म	घ.मी.	961.40	1057.54	1163.29
	ग) २१ मि. मि. देखि ४० मि. मि. सम्म	घ.मी.	1201.20	1321.32	1387.38
	घ) ४१ मि. मि. देखि ७० मि. मि. सम्म	घ.मी.	961.40	1057.54	1110.41
	ङ) ७१ मि. मि. देखि १०० मि. मि. सम्म	घ.मी.	781.00	859.10	945.01
17	क्रसर स्टोन डस्ट	घ.मी.	1310.40	1310.40	1310.40
18	ईटको रोडा ०.५" देखि १" सम्म	घ.मी.	1965.60	1965.60	1965.60
19	ईटको टुक्रा ६" देखि ९" सम्म	घ.मी.	2020.20	2020.20	2020.20
20	सुर्की	घ.मी.	2020.20	2020.20	2020.20
21	खर	बन्डल	109.20	109.20	109.20
22	खरही	बन्डल	92.82	92.82	92.82
23	बाबियो	बन्डल	174.72	174.72	174.72
24	राठी	बन्डल	174.72	174.72	174.72
25	बास ६" देखि ८" मोटो	गोटा	327.60	327.60	327.60
26	बास ६" भन्दा पातलो	गोटा	273.00	273.00	273.00
27	बारबेड वायर फेसिंग पोष्ट	गोटा	382.20	382.20	382.20
पसोरिया तथा अन्य सामग्रीहरू					
1	सिमेन्ट टाइल्स	थान	29.48	29.48	29.48
2	सिमेन्ट टाइल्स धुरी	गोटा	29.48	29.48	29.48
3	माटो टाइल्स	गोटा	18.56	18.56	18.56
4	माटो टाइल्स धुरी	गोटा	18.56	18.56	18.56
5	माटोको खपडा	हजार	3276.00	3276.00	3276.00
6	बाबियो खरको डोरी	के. जी.	76.44	76.44	76.44
7	परालको चटाइ	व. मि.	218.40	218.40	218.40
8	बाँसको मान्दो	व. मि.	136.50	136.50	136.50
9	भुस	के. जी.	12.01	12.01	12.01
10	गोबर	के. जी.	8.74	8.74	8.74
11	तयारी सिमेन्टको जाली	व. मि.	300.30	300.30	300.30



12	नरिबलको डोरी	के. जी.	174.72	174.72	174.72
13	नाइलनको डोरी	के. जी.	218.40	218.40	218.40
14	एसबेसट्स सिमेन्ट सिट	व. मि.	655.20	655.20	655.20
15	एसबेसट्स सिमेन्ट धुरी	व. मि.	382.20	382.20	382.20
16	मार्बल चिन्स (मोजायक)				
	क) ३ मि. मि.	के. जी.	38.22	38.22	38.22
	क) १५ मि. मि.	के. जी.	38.22	38.22	38.22
17	तेराजो टाइल २० मि. मि.	व. मि.	928.20	928.20	928.20
18	मार्बल				
	क) प्लेन मार्बल १५ मि. मि.	व. मि.	4127.76	4127.76	4127.76
	ख) मार्बल २५ मि. मि.	व. मि.	4245.70	4245.70	4245.70
	ग) ग्रेनाईट हुंगा २० मि. मि.	व. मि.	4586.40	4586.40	4586.40
19	टायल (फ्लोर र भित्तिमा छाप्ने)				
	क) पोर्सेलिन ग्लेज्ड (बाल टायल)	प्र. व. मि.	1310.40	1310.40	1310.40
	ख) पोर्सेलिन ननग्लेज्ड	प्र. व. मि.	1201.20	1201.20	1201.20
20	Double charge Floor Tile 800mm *800mm	प्र. व. मि.	1710.84	1710.84	1710.84
21	Double charge Floor Tile 600mm *600mm	प्र. व. मि.	1366.52	1366.52	1366.52
22	मोजायकको अन्य सामग्री				
	क) कार्बोरन्डम हुंगा	प्र. गोटा	327.60	327.60	327.60
23	नन स्किड टाइल	प्र. व. मि.	1092.00	1092.00	1092.00
	सीमेन्ट फ्लोर टाइल (१०"x१०")	प्र. व. मि.	928.20	928.20	928.20
	पि.सि.सि. टाइल्स (१०"x१०")	प्र. व. मि.	682.50	682.50	682.50
	चेकर टाइल्स (१०"x१०")	प्र. व. मि.	791.70	791.70	791.70
	मोजाइक टाइल्स (१०"x१०")	प्र. व. मि.	982.80	982.80	982.80
	भेन्स टाइल्स (१०"x१०")	प्र. व. मि.	1146.60	1146.60	1146.60
	कार्पेट टाइल्स (१०"x१०")	प्र. व. मि.	1146.60	1146.60	1146.60
	जार्ट टाइल्स (१०"x१०")	प्र. व. मि.	1921.92	1921.92	1921.92
24	Parking Tile 12"x12"	प्र. व. मि.	1140.56	1140.56	1140.56
25	Pastic Tripal 500 gauge	प्र. व. मि.	43.00	43.00	43.00
26	Ivory colour Flat Wall Pannel (0.4*1040)- 50mm	प्र. व. मि.	2324.16	2324.16	2324.16
27	Ivory colour Flat Wall Pannel (0.4*1040)- 75mm	प्र. व. मि.	2711.52	2711.52	2711.52

फलामे सामग्रीहरू

1	फलामे डन्डी				
	क) टोर स्टील/टी.एम.टी. विभिन्न साईज	के. जी.	98.00	98.00	100.00
	ख) माईन्ड स्टील	के. जी.	87.36	87.36	87.36
2	जी.आई. डन्डी बाँधने तार २० नं. (स्पेशल)	के. जी.	131.04	131.04	131.04
3	जी.आई. डन्डी बाँधने तार २२ नं. (स्पेशल)	के. जी.	141.96	141.96	141.96
4	फलामे गेट				
	क) फलामे गेट (फेब्रिकेसन सहित)	के. जी.	141.75	141.75	141.75
	ख) तयारी कोलासिबल गेट	व. मि.	5460.00	5460.00	5460.00
	ग) तयारी रोलिंग सटर	व. मि.	4465.40	4465.40	4465.40
5	तयारी टयुबलर टस	के. जी.	174.72	174.72	174.72
6	फलामे ग्रिल ३.२० मि. मि. (प्रति व. मि. १६.१४ के. जी.)	व. मि.	2893.80	2893.80	2893.80
7	फलामे ग्रिल ४.५० मि. मि. (प्रति व. मि. २१.५ के. जी.)	"	3822.00	3822.00	3822.00
8	फलामे ग्रिल सबै किसिमका	के. जी.	163.80	163.80	163.80
9	जी. आई. तार जाली मस्कवीटो प्रूफ १८ मेस	व. मि.	196.56	196.56	196.56
10	कुखुरा जाली (चिकेन मेस) राम्रो	व. मि.	92.82	92.82	92.82
11	एक्सपेडेड मेटल जाली	व. मि.	169.26	169.26	169.26
12	बेल्डिंग चार्ज	के. जी.	49.14	49.14	49.14
13	पलाइ प्रूफ नेट १८ मेस	व. मि.	196.56	196.56	196.56




14	बालुवा चाल्ने जाली	च. मि.	273.00	273.00	273.00
15	काडेतार				
	क) १२ गेजको	र. मि.	43.68	43.68	43.68
	ख) १४ गेजको	र. मि.	38.22	38.22	38.22
16	किला, काटी, नट बोल्ट				
	क) होल्ड फास्ट २५० मि. मि.	गोटा	49.14	49.14	49.14
	ख) किला, काटी विभिन्न साईजको	प्र. के. जी.	147.42	147.42	147.42
	ग) प्रयोगी किला	प्र. के. जी.	109.20	109.20	109.20
	घ) फलामे बासर	गोटा	4.37	4.37	4.37
	ङ) बिटुमिन बासर	गोटा	1.64	1.64	1.64
17	कच्चा (स्टीलको)				
	७५ मि. मि.	गोटा	48.22	48.22	48.22
	१०० मि. मि.	गोटा	53.68	53.68	53.68
	१५० मि. मि.	गोटा	64.60	64.60	64.60
	२०० मि. मि.	गोटा	70.06	70.06	70.06
	२५० मि. मि.	गोटा	75.02	75.02	75.02
	३०० मि. मि.	गोटा	91.02	91.02	91.02
18	छेस्कनी				
	१०० मि. मि.	गोटा	75.52	75.52	75.52
	१५० मि. मि.	गोटा	96.10	96.10	96.10
	२०० मि. मि.	गोटा	120.12	120.12	120.12
	२५० मि. मि.	गोटा	144.14	144.14	144.14
	३०० मि. मि.	गोटा	168.17	168.17	168.17
19	कस हुक	गोटा	21.84	21.84	21.84
20	नटबोल्ट	गोटा	16.38	16.38	16.38
21	नटबोल्ट	के. जी.	191.10	191.10	191.10
22	लकिंग सेट	गोटा	360.36	360.36	360.36
23	हतकल ठुलो	गोटा	78.62	78.62	78.62
24	हेन्डील ठुलो	गोटा	327.60	327.60	327.60
25	हेन्डील सानो	गोटा	207.48	207.48	207.48
26	मोर्टिस लक	गोटा	709.80	709.80	709.80
27	डोर सिंग	गोटा	524.16	524.16	524.16
28	हाइड्रोलिक डोर सिंग	गोटा	2730.00	2730.00	2730.00
29	छेस्कनी (एन्मुनियम)				
	क) १०० मि. मि. लामो ४"	गोटा	70.98	70.98	70.98
	ख) १५० मि. मि. लामो ६"	गोटा	81.90	81.90	81.90
	ग) २०० मि. मि. लामो ८"	गोटा	92.82	92.82	92.82
	घ) २५० मि. मि. लामो १०"	गोटा	109.20	109.20	109.20
	ङ) ३०० मि. मि. लामो १२"	गोटा	131.04	131.04	131.04
30	लकिंग सेट				
	ब्रासको	गोटा	360.36	360.36	360.36
	अन्मुनियमको ठुलो	गोटा	819.00	819.00	819.00
31	हेन्डल				
	अन्मुनियमको				
	क) ठुलो	गोटा	420.42	420.42	420.42
	ख) सानो	गोटा	240.24	240.24	240.24
32	ब्रासको				
	क) ठुलो	गोटा	709.80	709.80	709.80
	ख) सानो	गोटा	535.08	535.08	535.08
33	हतकल				
	अन्मुनियमको				
	क) ठुलो	गोटा	120.12	120.12	120.12
	ख) सानो	गोटा	87.36	87.36	87.36

Page 6 of 41

Handwritten signatures and stamps are present at the bottom of the page.



	ब्रासको				
	क) ठुलो	गोटा	414.96	414.96	414.96
	ख) सानो	गोटा	174.72	174.72	174.72
34	हेन्डल मेडियम क्वालिटी र साईज	गोटा	191.10	191.10	191.10
35	मोटीस लक				
	स्टीलको	प्र. सेट	873.60	873.60	873.60
	ब्रासको	प्र. सेट	1201.20	1201.20	1201.20
36	डोर स्प्रिंग हाइड्रोलिक ब्रास	प्र. सेट	2020.20	2020.20	2020.20
37	स्कु किला				
	स्कु १/२"	गोटा	1.37	1.37	1.37
	स्कु ३/४"	गोटा	1.64	1.64	1.64
	स्कु १"	गोटा	1.91	1.91	1.91
	स्कु १.५"	गोटा	2.73	2.73	2.73
	स्कु २"	गोटा	3.28	3.28	3.28
	स्कु २.५"	गोटा	3.82	3.82	3.82
	स्कु ३"	गोटा	4.37	4.37	4.37
38	फलामे एंगल (आयरन) Steel Sections (angle, channel etc.) including	के. जी.	136.50	136.50	136.50
39	पर्दाको तार	र. मि.	51.32	51.32	51.32
40	एल किला	गोटा	27.30	27.30	27.30
41	जि. आई. ग्याबियन बायर (hand made)				
	Heavy coated 7/10 S.W.G.	के. जी.	150.00	150.00	150.00
	Heavy coated 12 S.W.G.	के. जी.	140.00	140.00	140.00
	Medium coated 7/10 S.W.G.	के. जी.	130.00	130.00	130.00
	Medium coated 12 S.W.G.	के. जी.	135.00	135.00	135.00
	Light coated 7/10 S.W.G.	के. जी.	110.00	110.00	110.00
	Light coated 12 S.W.G.	के. जी.	115.00	115.00	115.00
	Commercial 8/10 gauge	के. जी.	115.00	115.00	115.00
	१० गेज जी.आई तारको मेसिन मेड जाली	व. मि.	273.00	273.00	273.00
	मासन बाट बुनिएको हवाई जिक काटिड ग्याबियन जाली (षट्कोनीय मेस साईज १०.१२ से. मि., मेस बाइर ३ मि. मि., सेलभेज बायर २.३ मि. मि., लेसिंग बायर २.६४ मि. मि.)	व. मि.	290.00	290.00	290.00
	Concentrina wire 14 gauge with zinc Coating	मिटर	275.00	275.00	275.00
42	सि पायल जेड पायल IS Code २३१४-१९६३	के. जी.	205.00	205.00	205.00
43	होईग बोर्ड				
	जस्तामा लेखेको (३ फिट.४ फिट) फ्रेम सहित	संख्या	3150.00	3150.00	3150.00
	फलेक्स प्रिन्ट (३ फिट.४ फिट) फ्रेम सहित	संख्या	2100.00	2100.00	2100.00
	फलेक्स प्रिन्ट गर्ने कार्य				
	Backlid paper	व. मी.	100.00	100.00	100.00
	Glossing paper	व. मी.	80.00	80.00	80.00
	Star paper	व. मी.	60.00	60.00	60.00
	Normal Paper	व. मी.	50.00	50.00	50.00
	Flex Hanger	व. मी.	35.00	35.00	35.00
44	स्टेनलेस स्टिल पाईप				
	३/४" व्यास भएको १६ गेज मोटाई भएको	मिटर	203.70	203.70	203.70
	१" व्यास भएको १६ गेज मोटाई भएको	"	255.15	255.15	255.15
	१ १/४" व्यास भएको १६ गेज मोटाई भएको	"	325.50	325.50	325.50
	१ १/२" व्यास भएको १६ गेज मोटाई भएको	"	394.80	394.80	394.80
	२" व्यास भएको १६ गेज मोटाई भएको	"	533.40	533.40	533.40
	३" व्यास भएको १६ गेज मोटाई भएको	"	858.90	858.90	858.90
45	स्टेनलेस स्टिल रेलिङको काय २" पाईपको ठाडो पोष्ट २" हेन्डरेल तथा १" व्यासको तिन तह तैसो पाईप राखी तयार गरि जडान गर्ने कार्य (उचाई १० से. मी.)	र. फि.	1260.00	1260.00	1260.00



46	स्टेनलेस स्टील रेलिङको कार्य २" पाइपको ठाडो पोष्ट २" हेन्डरेल तथा १" व्यासको दुई तह तैसो पाइप राखी तयार गरि जडान गर्ने कार्य	र. फि.	1102.50	1102.50	1102.50
47	स्टेनलेस स्टील रेलिङको कार्य १.५" पाइपको ठाडो पोष्ट २" हेन्डरेल तथा १" व्यासको तिन तह तैसो पाइप राखी तयार गरि जडान गर्ने कार्य	र. फि.	997.50	997.50	997.50
48	1) Aluminium fixed panel window with Ventilation but without fly mesh shutter from section (88x38.1x1.3)mm and 5mm glass	ब. मी.	6770.40	6770.40	6770.40
49	2) Aluminium fixed panel window with Ventilation but with fly mesh shutter from section (88x38.1x1.3)mm and 5mm glass	ब. मी.	7207.20	7207.20	7207.20
50	3) Aluminium sliding window without Ventilator from section (101x45x1.50)mm and 5mm glass	ब. मी.	7098.00	7098.00	7098.00
51	4) Aluminium sliding window with Ventilator from section (101x45x1.50)mm and 5mm glass	ब. मी.	7644.00	7644.00	7644.00
52	5) Aluminium sliding door section (101x45x1.50)mm with sash 40x45x1.5mm and 5mm glass	ब. मी.	8080.80	8080.80	8080.80
53	6) Casement double panel aluminium windows with Ventilation section of (54x33x1.5)mm with sash 38x34x1.5mm and 5mm glass	ब. मी.	7644.00	7644.00	7644.00
54	7) Aluminium casement door section (101x45x1.1)mm sash 40x45x1.5mm & 5mm glass	ब. मी.	13104.00	13104.00	13104.00
55	8) Aluminium swing door section of (101x45x1.1)mm & 5mm glass	ब. मी.	8353.80	8353.80	8353.80
56	9) Aluminium sliding window 2 track section of (88x38x1.5)mm & 5mm glass	ब. मी.	6552.00	6552.00	6552.00
57	10) Aluminium fixed window and partition with fixed ventilator from 9mm board and section (101x45x1.5)	ब. मी.	6552.00	6552.00	6552.00
58	11) Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (101x45x1.1)	ब. मी.	6552.00	6552.00	6552.00
59	12) Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (64x38x1.1)	ब. मी.	6115.20	6115.20	6115.20
60	Alluminium fixed panel window with ventilation but without fly mesh shutter from section (78mmx38.1mmx1.1mm) & glass 4.75-5mm	ब. मी.	4236.75	4236.75	4236.75
61	Alluminium fixed panel window with ventilation but without fly mesh shutter from section (88mmx38.1mmx1.3mm) & glass 4.75-5mm	ब. मी.	6213.90	6213.90	6213.90
62	Alluminium fixed panel window with ventilation with fly mesh shutter from section (88mmx38.1mmx1.3mm) & glass 4.75-5mm	ब. मी.	7626.15	7626.15	7626.15
63	Alluminium framed sliding window without ventilator (Aluminium:- Natural anodised 101mmx45mmx1.5mm) & Glass 4.75-5mm clear	ब. मी.	7626.15	7626.15	7626.15
64	भरयाङ्को रेलिङ तथा बादलीमा कुदिएको स्थानीय सीसो काठको हुक्का (२"६" x ३" x ३")	गोटा	1080.00	1080.00	1080.00
65	भरयाङ्को रेलिङ तथा बादलीमा कुदिएको स्थानीय सीसो काठको हेन्डरेल (३" x ४")	र. फि.	724.00	724.00	724.00
66	भरयाङ्को रेलिङको घुम्ने ठाउमा कुदिएको सीसो काठको गोला हेन्डरेल (३" x ४")	गोटा	2362.00	2362.00	2362.00
67	सालको काठको आखि झ्याल तयार	ब. फि.	1620.00	1620.00	1620.00
68	Sisam wood Parquetting 150 mm * 30 mm * 8 mm	ब. फि.	220.00	220.00	220.00
69	Wall Panneling with wood frame sisam wood (75 mm * 16 mm)	ब. फि.	599.00	599.00	599.00
70	Readymade RCC door & window Arc frame (semi-circular) of section 4*2.75" with complete mix design of 1:1 proportion & 2 nos of 7mm dia. rebar including arrangement of necessary holes & safety plates all complete. (Chitwan's rate)	ब. फि.			245.70
71	Readymade RCC door, window & ventilation frame of section 4*2.75" with complete mix design of 1:1 proportion & 2 nos of 7mm dia. rebar including arrangement of necessary holes & safety plates all complete. (Chitwan's rate)	ब. फि.			491.40


72	Expansion joint works					
a)	Providing, chipping and plaster with mixing Perma Bond SBR modified mortar upto 40mm wide on levelling all complete. Providing and laying thermacol in the hole, providing masking tape on thermacol and covering with alluminium V shape member all complete	व. मी.	7278.60	7278.60	7278.60	
b)	24 gauge alluminium sheet	व. मी.	900.90	900.90	900.90	
73	Land scaping works					
73.1	60mm interlocking cement concrete block M-20 grade	व. मी.	617.40	617.40	617.40	
73.2	70mm interlocking cement concrete block M-20 grade	व. मी.	709.80	709.80	709.80	
73.3	50 mm interlocking cement concrete block M-20 grade	व. मी.	575.00	575.00	575.00	
73.4	80 mm interlocking cement concrete block M-20 grade	व. मी.	750.00	750.00	750.00	
73.5	Curve stone M-30 grade (45x38x15cm/piece)	मिटर	1190.70	1190.70	1190.70	
73.6	Kerb stone 300 mm * 300 mm * 100 mm M-20	गोटा	125.00	125.00	125.00	
73.7	Kerb stone 300 mm * 300 mm * 150 mm M-20	गोटा	200.00	200.00	200.00	
73.8	Kerb stone 300 mm * 300 mm * 100 mm M-25	गोटा	150.00	150.00	150.00	
73.9	Kerb stone 300 mm * 300 mm * 150 mm M-25	गोटा	250.00	250.00	250.00	
74	Metalized polyster board (MPL) false ceiling plain	व. मी.	1108.80	1108.80	1108.80	
75	50mm dia. Stainless steel haindrail with 50mm dia. Post in 2m, interval with 25mm 3 nos. stainless steel pipe in horizontal with 3' height all complete.	मिटर	4466.70	4466.70	4466.70	
76	Aluminium Composite Panel (ACP)					
76.1	Providing and fixing ACP cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF core)	Sq. ft	349.65	349.65	349.65	
76.2	Providing and fixing ACP cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF core)	Sq. ft	469.35	469.35	469.35	
काठ अन्य निर्माण सामग्रीहरू						
1	काठ चिरान सहित का साल	घ. मी.	218400.00	218400.00	218400.00	
	ख) सिसौ र टिक	घ. मी.	185640.00	185640.00	185640.00	
	ग) कु काठ	घ. मी.	65520.00	65520.00	65520.00	
2	गोलिया साल	घ. मी.	147420.00	147420.00	147420.00	
3	गोलिया सिसौ र टिक	घ. मी.	131040.00	131040.00	131040.00	
4	गोलिया स्थानीय	घ. मी.	70980.00	70980.00	70980.00	
5	चिरान सहितको १" मोटो फल्याक					
	क) साल	व. मी.	5678.40	5678.40	5678.40	
	ख) सिसौ	व. मी.	4914.00	4914.00	4914.00	
	ग) कु काठ	व. मी.	1638.00	1638.00	1638.00	
6	प्लाई उड					
	क) कमर्सियल					
	३ मि.मि.	प्र. व. मी.	177.45	177.45	177.45	
	४ मि.मि.	प्र. व. मी.	343.98	343.98	343.98	
	ख) बाटर भुक्त प्लाईउड					
	६ मि.मि.	प्र. व. मी.	630.63	630.63	630.63	
	१२ मि.मि.	प्र. व. मी.	1261.26	1261.26	1261.26	
	१९ मि.मि.	प्र. व. मी.	1651.10	1651.10	1651.10	
	ग) टिक प्लाईउड					
	३ मि.मि.	प्र. व. मी.	600.60	600.60	600.60	
	४ मि.मि.	प्र. व. मी.	627.90	627.90	627.90	
	ग) हार्डबोर्ड					
	४ मि.मि.	प्र. व. मी.	283.92	283.92	283.92	
	१२ मि.मि.	प्र. व. मी.	600.60	600.60	600.60	

बर्दिबास नगरपालिका
नगर कार्यपालिकाको कार्यालय
बर्दिबास, महोत्तरी
मधेश प्रदेश, नेपाल
२०७३

7	दाउरा	प्र. के. जी.	नेपाल सरकारले तोके बमोजिम	नेपाल सरकारले तोके बमोजिम	17.16	
8	सिसा प्लेन					
	क) ३ मि. मि. मोटो	प्र. व. मी.	655.20	655.20	655.20	
	ख) ४ मि. मि. मोटो	प्र. व. मी.	873.60	873.60	873.60	
	ग) ५ मि. मि. मोटो	प्र. व. मी.	928.20	928.20	928.20	
	घ) ६ मि. मि. मोटो	प्र. व. मी.	1119.30	1119.30	1119.30	
9	सिसा रंगीन					
	क) ३ मि. मि. मोटो	प्र. व. मी.	666.12	666.12	666.12	
	ख) ४ मि. मि. मोटो	प्र. व. मी.	808.08	808.08	808.08	
	ग) ५ मि. मि. मोटो	प्र. व. मी.	911.82	911.82	911.82	
	घ) ६ मि. मि. मोटो	प्र. व. मी.	1146.60	1146.60	1146.60	
10	सदा सेतो सिसा					
	क) ८ मि. मि.	ब.फी.	157.50	157.50	157.50	
	ख) १० मि. मि.	ब.फी.	199.50	199.50	199.50	
	ग) १२ मि. मि.	ब.फी.	231.00	231.00	231.00	
11	बुटेदार सिसा					
	क) ३ मि. मि. मोटो	ब.फी.	50.83	50.83	50.83	
	ख) ४ मि. मि. मोटो	ब.फी.	59.48	59.48	59.48	
12	पोलि फाईबर ग्लास					
	६ मि.मि.	ब.फी.	162.23	162.23	162.23	
13	कालो रङ्गको सिसा					
	३ मि.मि.	ब.फी.	100.80	100.80	100.80	
	४ मि.मि.	ब.फी.	108.15	108.15	108.15	
	५ मि.मि.	ब.फी.	126.00	126.00	126.00	
	६ मि.मि.	ब.फी.	189.00	189.00	189.00	
	८ मि.मि.	ब.फी.	262.50	262.50	262.50	
	१० मि.मि.	ब.फी.	367.50	367.50	367.50	
	१२ मि.मि.	ब.फी.	420.00	420.00	420.00	
14	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	५ मि.मि. बाक्लो	ब.फी.	121.80	121.80	121.80	
अन्य निर्माण सामग्रीहरू						
1	सिमेन्टको जाली (ब्लक र पोष्ट)					
	1'6"x1'	प्र. गोटा	49.14	49.14	49.14	
	2'x1'6"	प्र. गोटा	43.68	43.68	43.68	
	2'x2'	प्र. गोटा	65.52	65.52	65.52	
2	RCC precast railing post					
	2' 6" long	गोटा	109.20	109.20	109.20	
	2'	गोटा	87.36	87.36	87.36	
	1'6"	गोटा	70.98	70.98	70.98	
	1'	गोटा	49.14	49.14	49.14	
3	जुट	प्र. के. जी.	98.28	98.28	98.28	
	जुटको पुरानो बोरा	प्र. गोटा	49.14	49.14	49.14	
	जुटको नयाँ बोरा (१०० के. जी. साइज)	प्र. गोटा	65.52	65.52	65.52	
	सिमेन्टको नयाँ बोरा	प्र. गोटा	17.47	17.47	17.47	
	सिमेन्टको पुरानो बोरा	प्र. गोटा	16.38	16.38	16.38	
	पोलिटुब ३"×६"	प्र. के. जी.	349.44	349.44	349.44	
	पोलिटुब ४"×६"	प्र. के. जी.	382.20	382.20	382.20	
	पोलिटुब ५"×६"	प्र. के. जी.	385.20	385.20	385.20	
4	हर्चोडा (विट समेत)	प्र. के. जी.	141.50	141.50	141.50	
5	कोदाली	प्र. के. जी.	229.32	229.32	229.32	
6	पिक एक्स	प्र. के. जी.	240.24	240.24	240.24	
7	हेक्सो फ्रेम	प्र. के. जी.	60.06	60.06	60.06	


(Handwritten signatures and marks)

8	हेक्को बलेड	प्र. के. जी.	5.46	5.46	5.46
9	तार ब्रस	प्र. के. जी.	27.30	27.30	27.30
10	रङ्ग लगाउने ब्रस	प्र. के. जी.	43.68	43.68	43.68
11	खर (१५ से. मि.-३० से. मि. का)	प्र. बन्डल	16.38	16.38	16.38
12	धुन्ने डोको	प्र. गोटा	109.20	109.20	109.20
13	बासको टोकरा	प्र. गोटा	54.60	54.60	54.60
14	कुचो/झार				
	क) अमरिसोको कुचो	प्र. गोटा	27.30	27.30	27.30
	ख) बाबियोको कुचो	प्र. गोटा	25.12	25.12	25.12
	ग) नरिवलको कुचो	प्र. गोटा	27.30	27.30	27.30
15	काठे कोइला २० के.जी.	प्र. व्याग	327.60	327.60	327.60
16	खाने नुन	प्र. के.जी.	23.89	23.89	
17	कालो पाईप (ट्रसको लागि)				
	लाइट क्लास	प्र. के. जी.	89.54	89.54	89.54
	हेभी क्लास	प्र. के. जी.	98.28	98.28	98.28
18	लिनोनियम साधारण	ब. मि.	191.10	191.10	191.10
19	लिनोनियम कार्पेट	ब. मि.	207.48	207.48	207.48
20	फरमाइका कार्पेट	ब. मि.	840.84	840.84	840.84
21	पोलीथिन सिट ५०० गेज	ब. मि.	19.66	19.66	19.66
22	टारफेन्ट	ब. मि.	120.12	120.12	120.12
23	डी. पी.सि. ग्रेड टारफेन्ट	ब. मि.	114.66	114.66	114.66
24	सनमाइका	ब. मि.	753.48	753.48	753.48
25	रबर सिल २३० मि. मि.	र. मि.	687.96	687.96	687.96
	१५० मि. मि.	र. मि.	436.80	436.80	436.80
	१५० मेन्ब्रेन	र. मि.	273.00	273.00	273.00
26	वाटर प्रूफ कम्पाउण्ड पाउडर	के. जी.	49.14	49.14	49.14
27	तेलिया इटा	ब. मि.	655.20	655.20	655.20
28	डेकरा बण्ड बा मेटरा बण्ड रुफ सिट	ब. मि.	1528.80	1528.80	1528.80
29	बिटुमेन अलकत्रा	के. जी.	109.20	109.20	109.20
राशिया बलक निम्न					
1	सेतो सिमेन्ट	के. जी.	54.60	54.60	54.60
2	अर्गजालिक एसिड	लिट्र	360.36	360.36	360.36
3	आइरन	लिट्र	447.72	447.72	447.72
4	मैन पोलिस	के. जी.	316.68	316.68	316.68
5	खावसी काठको लागि	प्र. गोटा	16.38	16.38	16.38
6	खावसी फलामको लागि	प्र. गोटा	15.29	15.29	15.29
7	चुना (कल्ली चुना)	प्र. के. जी.	30.58	30.58	30.58
8	वाटरप्रूफ सिमेन्ट पेन्ट (स्नोसियाम) राशो	प्र. के. जी.	136.50	136.50	136.50
9	डिस्टेम्पर पेन्ट (बासेबल डिस्टेम्पर) राशो	प्र. के. जी.	371.28	371.28	371.28
10	ड्राई डिस्टेम्पर	प्र. के. जी.	65.52	65.52	65.52
11	रेडिमेड इनामेल पेन्ट राशो	प्र. लि.	453.18	453.18	453.18
12	एल्युमिनियम पेन्ट	प्र. लि.	447.72	447.72	447.72
13	प्लास्टिक इमल्सन पेन्ट	प्र. लि.	720.72	720.72	720.72
14	Interior wall primer (weather coat)	प्र. लि.	180.60	180.60	180.60
15	Exterior wall primer (weather coat)	प्र. लि.	327.60	327.60	327.60
16	बार्निश पेन्ट	प्र. लि.	180.18	180.18	180.18
17	एज्फाल्ट (अलकत्रा) पेन्ट	प्र. लि.	180.18	180.18	180.18
18	रेड अक्साइड पेन्ट	प्र. लि.	207.48	207.48	207.48
19	Plaster of paris paint	के. जी.	32.76	32.76	32.76
20	Birla or JK putti paint	के. जी.	76.44	76.44	76.44
21	वेदरकोट पेन्ट (एपेक्स)	लिट्र	764.40	764.40	764.40
22	उड प्राइमर (अलकत्रा) पेन्ट	प्र. लि.	327.60	327.60	327.60




23	लिन्सिड आयल	प्र. लि.	136.50	136.50	136.50	
24	रामरस माटो	प्र. के. जी.	21.84	21.84	21.84	
25	रामरस	लिट्र	38.22	38.22	38.22	
26	गेरु रङ्ग (टेरा कोटा)	लिट्र	300.30	300.30	300.30	
27	हरी रङ्ग २ मि. ३ मि.	लिट्र	300.30	300.30	300.30	
28	गुद (गम)	लिट्र	169.26	169.26	169.26	
29	पुटिंग पाउडर	लिट्र	109.20	109.20	109.20	
30	रबली (चक)	लिट्र	17.47	17.47	17.47	
31	चप्रा	के. जी.	611.52	611.52	611.52	
32	स्प्रिट	लिट्र	191.10	191.10	191.10	
33	अलकना पेन्ट बिटुमिन ब्लैक पेन्ट	लिट्र	229.32	229.32	229.32	
34	बाट रूफ कम्पाउण्ड	प्र. के. जी.	131.04	131.04	131.04	
35	उड प्रिजर्वेटिभ पेन्ट	लिट्र	251.16	251.16	251.16	
36	निर (निल)	के. जी.	131.04	131.04	131.04	
37	काठ, प्लाइउड टारने गम फेबिकल	के. जी.	245.70	245.70	245.70	
38	रुफ मेटल पुटिंग	के. जी.	191.10	191.10	191.10	
39	तारपन्टाइन तेल	लिट्र	136.50	136.50	136.50	
40	Exterior wall primer	लिट्र	249.90	249.90	249.90	
41	Interior wall primer	लिट्र	180.60	180.60	180.60	
42	Wall putty normal	Kg	35.00	35.00	35.00	
43	Wall putty water proof	Kg	60.00	60.00	60.00	
44	सनमाइका (4" * 8")	Sqft.	18.00	18.00	18.00	
45	फोर्माइका	Sqft.	80.00	80.00	80.00	
46	Providing and fixing ACP Cladding on wall Exterior 3 mm thick ACP (0.25 mm aluminium PVDF Core) on 25 mm * 38 mm aluminium tube frame	Sqft.	355.00	355.00	355.00	
47	Providing and fixing ACP Cladding on wall Exterior 4 mm thick ACP (0.25 mm aluminium PVDF Core) on 25 mm * 38 mm aluminium tube frame	Sqft.	476.00	476.00	476.00	
48	Headworks, Head regulator, Gear system gate	Kg	400.00	400.00	400.00	
छाना छाप्ने सामग्रीहरू						
1	सि.जी.आई. सिट (कर्ट पाता)		Plain / Coloured	Plain / Coloured	Plain / Coloured	
	क) २२ गेजको	प्र. व. मि.	858	988	858	988
	ख) २४ गेजको	प्र. व. मि.	832	884	832	884
	ग) २६ गेजको	प्र. व. मि.	780	884	780	884
	घ) २८ गेजको	प्र. व. मि.	676	832	676	832
	ङ) ३० गेजको	प्र. व. मि.	650	702	650	702
2	जी.आई. प्लेन सीट					
	क) २२ गेजको	प्र. व. मि.	709.80	709.80	709.80	
	ख) २४ गेजको	प्र. व. मि.	655.20	655.20	655.20	
	ग) २६ गेजको	प्र. व. मि.	573.30	573.30	573.30	
	घ) २८ गेजको	प्र. व. मि.	502.32	502.32	502.32	
	ङ) ३० गेजको	प्र. व. मि.	491.40	491.40	491.40	
	च) ३२ गेजको	प्र. व. मि.	343.98	343.98	343.98	
3	जे हुक यू हुक	गोटा	43.68	43.68	43.68	
4	C.G.I. Sheet Commercial coated					
	26 guage	प्र. व. मि.	409.50	409.50	409.50	
	28 guage	प्र. व. मि.	382.20	382.20	382.20	
5	C.G.I. Sheet medium coated					
	24 guage	प्र. व. मि.	518.70	518.70	518.70	
	26 guage	प्र. व. मि.	485.94	485.94	485.94	
	28 guage	प्र. व. मि.	414.96	414.96	414.96	
6	छापने ढुंगा					
	५० मि.मि. बाक्लो	व. मि.	1092.00	1092.00	1092.00	
	३७ मि.मि. बाक्लो	व. मि.	1037.40	1037.40	1037.40	


Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and several smaller ones on the right.




२५ मि.मि. बाक्लो	व. मि.	982.80	982.80	982.80	
7 काठको लिस्टी	र. मि.	14.20	14.20	14.20	
8 छागामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
१:४ भागको मिश्रणको सिमेन्ट मसला तयार गरी खट राखी					
9 १" बाक्लो प्लास्टरमा रुफिंग टाइलको बुझा काट्ने सामान सहित	व. मि.	654.15	654.15	654.15	
१" साइजको १:३ भागको मिश्रणको मसला तयार गरी खट राखी वर्षादको पानी पट्टी बनाउने काम	र. मि.	78.75	78.75	78.75	
१:४ भागको मसलाको प्लास्टरमा डिजाइन अनुसार परम्परागत तरिकाले बुझा काट्ने सामान सहित	प्र. व. मि.	3332.65	3332.65	3332.65	
12 Ready made Teak wood Doors (Seasoned and Poisoned treated) (Excluding the cost of fitting, transportation, Painting)					
a) Ready Made Shutter Recon, Ordinary (1 side teak)	Sqft.	182.70	182.70	182.70	
b) Ready made door shutter Recon, Special (1 side teak)	Sqft.	248.85	248.85	248.85	
13 One side water proof Ply fitting					
a) Ready made door shutter recon, ordinary (1 side teak)	Sqft.	208.95	208.95	208.95	
b) Ready made door shutter Recon, Special (1 side teak)	Sqft.	281.40	281.40	281.40	
स्थानीय फिटिंगका सामग्रीहरू					
1 डब्लु सी प्यान (पोर्सलीन कले ट्वाइलेट प्यान, साइफन, फूट रेस्ट, ट्याप समेत)					
क) १८ इन्च साइज राम्रो	सेट	1638.00	1638.00	1638.00	
ख) २० इन्च साइज राम्रो	सेट	1856.40	1856.40	1856.40	
ग) २२ इन्च साइज राम्रो	सेट	1998.36	1998.36	1998.36	
2 स्थानीय पैन साइफन समेत	सेट	2866.50	2866.50	2866.50	
3 उडिसा पैन २१ इन्च	सेट	873.60	873.60	873.60	
4 कमोड (पोर्सलीन कले ट्वाइलेट कमोड कम्पलिट सेट प्लेन) Local	सेट	3057.60	3057.60	3057.60	
5 कमोड (पोर्सलीन कले ट्वाइलेट कमोड कम्पलिट सेट रंगीन) Local	सेट	3822.00	3822.00	3822.00	
6 कमोड कभर	सेट	764.40	764.40	764.40	
7 Supplying of White Viterous Flexo Washdown one piece commode with soft closing seat cover size (715*360*710 mm) made of sanitary ceramics with connection pipe and angle valve	सेट			24800.00	
8 White glazed porcelian clay Ewe wall mounted commode without cistern all complete	सेट			5252.00	
9 White glazed porcelian clay Ewe floor mounted commode without cistern all complete	सेट			8656.00	
10 EWC regular constellation commode with S and P trap all complete	सेट			18119.00	
11 600 to 900 mm grab bar	सेट			6062.00	
12 Porcelian Clay white glaze large flat back urinal 61*41*37 cm	सेट			4147.00	
13 Urinal Partition white glazed Porcelian Clay (68*30) cm	सेट			1690.00	
14 सिस्टर्न (पोर्सलीन कले) फलसिंग सिस्टर्न					
क) लो लेभल	सेट	3822.00	3822.00	3822.00	
ख) हाइ लेभल	सेट	3057.60	3057.60	3057.60	
15 वास बेसिन पोर्सलीन ग्लेज्ड					
क) १८" • १६" साइज	सेट	2293.20	2293.20	2293.20	
ख) २०" • १६" साइज	सेट	2839.20	2839.20	2839.20	
ग) २२" • १६" साइज	सेट	2402.40	2402.40	2402.40	



16	बास बेसिन पोर्सलीन ग्लेज्ड रंगीन २२" * १६" साइज	सेट	3494.40	3494.40	3494.40
17	सिक पोर्सलीन ग्लेज्ड	सेट	4149.60	4149.60	4149.60
	क) स्टिल सिक ३७" * १८" साइज	सेट	3385.20	3385.20	3385.20
	ख) स्टिल सिक सिंगल	सेट	2730.00	2730.00	2730.00
18	युरिनल पोर्सलीन ग्लेज्ड कम्पलिट सेट जेन्ट्स	सेट	1965.60	1965.60	1965.60
19	युरिनल पोर्सलीन ग्लेज्ड कम्पलिट सेट लेडिज	सेट	2402.40	2402.40	2402.40
20	टाबेल रड स्टिलको				
	क) १८" लामो	गोटा	382.20	382.20	382.20
	ख) ९" लामो	गोटा	240.24	240.24	240.24
21	Floor trap grating 4"				
	Brass	गोटा	76.44	76.44	76.44
	steel	गोटा	65.52	65.52	65.52
	PVC	गोटा	21.84	21.84	21.84
22	Floor trap grating 3"				
	Brass	गोटा	54.60	54.60	54.60
	steel	गोटा	43.68	43.68	43.68
	PVC	गोटा	16.38	16.38	16.38
23	Floor trap grating 2"				
	Brass	गोटा	43.68	43.68	43.68
	steel	गोटा	32.76	32.76	32.76
	PVC	गोटा	15.29	15.29	15.29
24	सोप डिस				
	क) स्टिल	गोटा	223.86	223.86	223.86
	ख) पोर्सलीन ग्लेज्ड	गोटा	414.96	414.96	414.96
	ग) प्लास्टिक	गोटा	54.60	54.60	54.60
25	ग्लास सेल्फ	गोटा	1201.20	1201.20	1201.20
26	लुकिंग मिरर ब्राडकेट समेत				
	क) २२" * १६" साइज	गोटा	709.80	709.80	709.80
	ख) १८" * १४" साइज	गोटा	600.60	600.60	600.60
	ग) १८" * १२" साइज	गोटा	491.40	491.40	491.40
27	ट्वाइलेट पेपर होल्डर	गोटा	273.00	273.00	273.00
28	सावर रोज फेन्सी टाइप	गोटा	819.00	819.00	819.00
29	सावर रोज साधारण	गोटा	436.80	436.80	436.80
30	पुस भल्भ सिस्टर्न (गन मेटल)	गोटा	1310.40	1310.40	1310.40
31	बेस्ट पार्डप ५ इन्च देखि १ इन्च सम्म	गोटा	245.70	245.70	245.70
32	बेस्ट कपलिंग (बास बेसिनको)	गोटा	382.20	382.20	382.20
33	लिड कपलिंग (बास बेसिनको)	गोटा	218.40	218.40	218.40
34	पोलीथिन प्लास्टिक बाटर ट्यांक	प्र. लि.	13.10	13.10	13.10
35	जी. आइ. पानी ट्यांकी २० गेज				
	४०० गेलन	गोटा	13104.00	13104.00	13104.00
	३०० गेलन	गोटा	10374.00	10374.00	10374.00
	२०० गेलन	गोटा	9282.00	9282.00	9282.00
	१०० गेलन	गोटा	8190.00	8190.00	8190.00
36	बोकिंग मिनम इनडोविग ब्राकेट				
	18"	गोटा	573.30	573.30	573.30
	20"	गोटा	627.90	627.90	627.90
	20"	गोटा	627.90	627.90	627.90
	22"	गोटा	737.10	737.10	737.10
37	A.C. Pipe				
	2"	गोटा	76.44	76.44	76.44
	3"	गोटा	81.90	81.90	81.90




4	"	गोटा	114.66	114.66	114.66	
6	"	गोटा	158.34	158.34	158.34	
38	A.C. Tee					
2	"	गोटा	54.60	54.60	54.60	
3	"	गोटा	60.06	60.06	60.06	
4	"	गोटा	76.44	76.44	76.44	
6	"	गोटा	87.36	87.36	87.36	
39	A.C. Band					
2	"	गोटा	41.50	41.50	41.50	
3	"	गोटा	45.86	45.86	45.86	
4	"	गोटा	56.78	56.78	56.78	
6	"	गोटा	68.80	68.80	68.80	
40	Stoneware pipe					
4	"	गोटा	873.60	873.60	873.60	
6	"	गोटा	1201.20	1201.20	1201.20	
Sanitary Items others:						
41	1000 liter stainless steel water tank 304 grade steel with inlet, outlet, overflow, cleanout hole etc.	गोटा	18361.35	18361.35	18361.35	
42	2000 liter stainless steel water tank 304 grade steel with inlet, outlet, overflow, cleanout hole etc.	गोटा	34788.60	34788.60	34788.60	
43	CPVC pipe and fittings					
	15mm (1/2") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	162.75	162.75	162.75	
	20mm (3/4") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	225.75	225.75	225.75	
	25mm (1") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	296.10	296.10	296.10	
	32mm (1.25") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	369.60	369.60	369.60	
	40mm (1.5") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	515.55	515.55	515.55	
	50mm (2") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	788.55	788.55	788.55	
	15mm CVPC ball valve, CTS sockets	मिटर	515.55	515.55	515.55	
	20mm CVPC ball valve, CTS sockets	मिटर	685.65	685.65	685.65	
	25mm CVPC ball valve, CTS sockets	मिटर	828.45	828.45	828.45	
	32mm CVPC ball valve, CTS sockets	मिटर	1935.15	1935.15	1935.15	
	40mm CVPC ball valve, CTS sockets	मिटर	2317.35	2317.35	2317.35	
	40mm CVPC ball valve, CTS sockets	मिटर	2986.20	2986.20	2986.20	
	Jointing materials (flow guard adhesive sojn)	मिटर	163.80	163.80	163.80	
44	पि. पी. आर. पाईप १०/SDR					
	पि. पी. आर. पाईप ०.५"	मीटर	84.00	84.00	84.00	
	पि. पी. आर. पाईप ०.७५"	मीटर	131.25	131.25	131.25	
	पि. पी. आर. पाईप १"	मीटर	218.40	218.40	218.40	
	पि. पी. आर. पाईप १.५"	मीटर	321.30	321.30	321.30	
	पि. पी. आर. पाईप २"	मीटर	775.95	775.95	775.95	
	पि. पी. आर. पाईप २.५"	मीटर	1100.40	1100.40	1100.40	
	पि. पी. आर. पाईप ३"	मीटर	1798.65	1798.65	1798.65	
	पि. पी. आर. पाईप ४"	मीटर	2667.00	2667.00	2667.00	
45	PVC Pipe and Fittings					
	"LEAD FREE" PVC PIPES as per					
	1/2" dia. (42.19 kg/Sq.cm)	र. मि.	119.70	119.70	119.70	
	3/4" dia. (33.75 kg/Sq.cm)	र. मि.	154.35	154.35	154.35	
	1" dia. (31.64 kg/Sq.cm)	र. मि.	237.30	237.30	237.30	
	1-1/4" dia. (26.01 kg/Sq.cm)	र. मि.	292.95	292.95	292.95	
	1-1/2" dia. (23.20 kg/Sq.cm)	र. मि.	359.10	359.10	359.10	
	2" dia. (19.69 kg/Sq.cm)	र. मि.	509.25	509.25	509.25	
	2-1/2" dia. (21.09 kg/Sq.cm)	र. मि.	711.90	711.90	711.90	
	3" dia. (18.28 kg/Sq.cm)	र. मि.	898.80	898.80	898.80	




	4" dia. (15.47 kg/Sq.cm)	र. मि.	1318.80	1318.80	1318.80	
	6" dia. (12.66 kg/Sq.cm)	र. मि.	2746.80	2746.80	2746.80	
46	PVC Fittings					
	PVC Tee - Soc					
	1/2"	गोटा	33.60	33.60	33.60	
	3/4"	गोटा	46.20	46.20	46.20	
	1"	गोटा	72.45	72.45	72.45	
	1-1/4"	गोटा	114.45	114.45	114.45	
	1-1/2"	गोटा	150.15	150.15	150.15	
	2"	गोटा	232.05	232.05	232.05	
	2-1/2"	गोटा	664.65	664.65	664.65	
	3"	गोटा	872.55	872.55	872.55	
	4"	गोटा	1578.15	1578.15	1578.15	
	6"	गोटा	8752.80	8752.80	8752.80	
47	PVC Reducer Tee - Soc					
	3/4 x 1/2	गोटा	66.15	66.15	66.15	
	1 x 1/2	गोटा	101.85	101.85	101.85	
	1 x 3/4	गोटा	101.85	101.85	101.85	
	1-1/2 x 1/2	गोटा	345.45	345.45	345.45	
	1-1/2 x 3/4	गोटा	345.45	345.45	345.45	
	1-1/2 x 1	गोटा	345.45	345.45	345.45	
	1-1/2 x 1-1/4	गोटा	345.45	345.45	345.45	
	2 x 1/2	गोटा	426.30	426.30	426.30	
	2 x 3/4	गोटा	426.30	426.30	426.30	
	2 x 1	गोटा	426.30	426.30	426.30	
	2 x 1-1/4	गोटा	426.30	426.30	426.30	
	2 x 1-1/2	गोटा	426.30	426.30	426.30	
	2-1/2 x 1/2	गोटा	1095.15	1095.15	1095.15	
	2-1/2 x 3/4	गोटा	1095.15	1095.15	1095.15	
	2-1/2 x 1	गोटा	1095.15	1095.15	1095.15	
	2-1/2 x 1-1/4	गोटा	1095.15	1095.15	1095.15	
	2-1/2 x 1-1/2	गोटा	1095.15	1095.15	1095.15	
	2-1/2 x 2	गोटा	1095.15	1095.15	1095.15	
48	Cemented floor Tile 10"x10"					
	Plain	No.	21.84	21.84	21.84	
	Coloured	No.	26.43	26.43	26.43	
49	Fencing pole 6' long with 8 mm reinforcement	No.	600.00	600.00	600.00	
50	Fencing pole 7' long with 8 mm reinforcement	No.	700.00	700.00	700.00	
51	Safe Crete	lit.	264.26	264.26	264.26	
52	Safe Mitte	lit.	348.35	348.35	348.35	
53	Geotextiles (2000 Terem)	Sqm	191.10	191.10	191.10	
54	Geotextiles (1000 Terem)	Sqm	163.80	163.80	163.80	
55	Gunny bag	गोटा	76.44	76.44	76.44	
56	जियो बैग (१.००*०.६०)m	गोटा	410.05	410.05	410.05	
57	नाईलन क्रेट	गोटा	1747.20	1747.20	1747.20	
58	Joint filler	Kg.	1201.20	1201.20	1201.20	
59	Joint sealer	Kg.	191.10	191.10	191.10	
60	Epoxy binding agent	No.	491.40	491.40	491.40	
61	Concrete (1:1.45:2.65) with microseal superpl.	Cum.	16816.80	16816.80	16816.80	
62	Expansion joint cilent	Rm	1190.28	1190.28	1190.28	
63	Carbon fiber UPVC roofing sheet including cost of materials and labour fitting all complete.					

	3mm	Sqm	1801.80	1801.80	1801.80
	2mm	Sqm	1365.00	1365.00	1365.00
64	3coat Dr.fixit"New coat" over primer	Sqm	851.76	851.76	851.76
65	2mm th.Dr.fixit" Tourchshield" over primer	Sqm	769.86	769.86	769.86
66	2coat Dr.fixit" pidifin 2k"	Sqm	471.74	471.74	471.74
67	2coat dr. fixit" super create"	Sqm	589.68	589.68	589.68
68	2coat Dr.fixit" bioshield" over primer	Sqm	262.08	262.08	262.08
69	2coat Dr.fixit" Hygiene coat" over primer	Sqm	218.40	218.40	218.40
70	2coat Dr.fixit" birla putty"	Sqm	144.14	144.14	144.14
71	2coat Epoxy coating over primer	Sqm	1528.80	1528.80	1528.80
72	UPVC roofing sheet	Sqm	As Factory Rate	As Factory Rate	
73	Pioneer cable	Rm	As Factory Rate	As Factory Rate	
74	Expansion joint works				
	Providing, chiping and plaster with mixing Perma Bond SBR modified mortar upto 40mm wide on levelling all complete. Providing and laying thermacol in the hole, providing masking tape on thermacol and covering with alluminium V shape member all complete	व. मी.	7278.60	7278.60	7278.60
	24 gauge alluminium sheet	व. मी.	900.90	900.90	900.90
75	Land scaping works				
	60mm interlocking cement concrete block M-20 grade	व. मी.	617.40	617.40	617.40
	70mm interlocking cement concrete block M-20 grade	व. मी.	709.80	709.80	709.80
	Curve stone M-30 grade (45x38x15cm/piece)	मिटर	1190.70	1190.70	1190.70
76	Aerolite AAC block(550 kg/m3), 3N/mm2 strength				
	600*200*100	गोटा	150.00	150.00	150.00
	600*200*150	गोटा	230.00	230.00	230.00
	600*200*200	गोटा	300.00	300.00	300.00
77	Double Wall Corrugated (SN8) pipes for Sewage and Rain water				
	100 mm (4 inch)	मिटर	503.75	503.75	503.75
	150 mm (6 inch)	मिटर	1046.25	1046.25	1046.25
	200 mm (8 inch)	मिटर	1550.00	1550.00	1550.00
	250 mm (10 inch)	मिटर	2015.00	2015.00	2015.00
	300 mm (12 inch)	मिटर	2828.75	2828.75	2828.75
	400 mm (16 inch)	मिटर	3952.50	3952.50	3952.50
	500 mm (20 inch)	मिटर	5425.00	5425.00	5425.00
	600 mm (24 inch)	मिटर	8525.00	8525.00	8525.00
	800 mm (32 inch)	मिटर	12400.00	12400.00	12400.00
	1000 mm (40 inch)	मिटर	18135.00	18135.00	18135.00
78	Class 500 PVC-O Pipes for Pressurized water supply				
		PN12.5 PN16 PN25	PN12.5 PN16 PN25	PN12.5 PN16 PN25	PN12.5 PN16 PN25
	90 mm	मिटर	565.75 662.47 1317.5	565.75 662.47 1317.5	565.75 662.47 1317.5
	110 mm	मिटर	891.25 976.50 1937.50	891.25 976.50 1937.50	891.25 976.50 1937.50
	125 mm	मिटर	1123.75 1201.25 2092.50	1123.75 1201.25 2092.50	1123.75 1201.25 2092.50
	140 mm	मिटर	1356.25 1511.25 2402.50	1356.25 1511.25 2402.50	1356.25 1511.25 2402.50
	160 mm	मिटर	1705.00 2015.00 1945.00	1705.00 2015.00 1945.00	1705.00 2015.00 1945.00
	200 mm	मिटर	2712.50 3100.00 4262.50	2712.50 3100.00 4262.50	2712.50 3100.00 4262.50
	225 mm	मिटर	3410.00 3836.25 5192.50	3410.00 3836.25 5192.50	3410.00 3836.25 5192.50
	250 mm	मिटर	4030.00 4882.50 6587.50	4030.00 4882.50 6587.50	4030.00 4882.50 6587.50
	315 mm	मिटर	6587.50 7440.00 10075.00	6587.50 7440.00 10075.00	6587.50 7440.00 10075.00
	355 mm	मिटर	8370.00 9842.50 12400.00	8370.00 9842.50 12400.00	8370.00 9842.50 12400.00
	400 mm	मिटर	10850.00 12400.00 15887.50	10850.00 12400.00 15887.50	10850.00 12400.00 15887.50
	450 mm	मिटर	14725.00 17437.50 23250.00	14725.00 17437.50 23250.00	14725.00 17437.50 23250.00
	500 mm	मिटर	17592.50 21312.50 29450.00	17592.50 21312.50 29450.00	17592.50 21312.50 29450.00
	630 mm	मिटर	27900.00 36037.50 44175.00	27900.00 36037.50 44175.00	27900.00 36037.50 44175.00
	800 mm	मिटर	44950.00 58125.00	44950.00 58125.00	44950.00 58125.00
	1000 mm	मिटर	85250.00 93000.00	85250.00 93000.00	85250.00 93000.00
	1200 mm	मिटर	116250.00 135625.00	116250.00 135625.00	116250.00 135625.00
79	FITOM PVC -O Fittings-PN16				
A)	Elbow 11.25° Degree				
	Elbow 11.25°-size 110	प्रति गोटा	5716.10	5716.10	5716.10




	Elbow 11.25° -size 160	प्रति गोटा	12417.26	12417.26	12417.26
	Elbow 11.25° -size 200	प्रति गोटा	22807.26	22807.26	22807.26
	Elbow 11.25° - size 250	प्रति गोटा	34728.58	34728.58	34728.58
	Elbow 11.25° - size 315	प्रति गोटा	66568.76	66568.76	66568.76
	Elbow 11.25°-size 400	प्रति गोटा	124258.13	124258.13	124258.13
B)	Elbow 22.5° Degree				
	Elbow 22.5° - Size 110	प्रति गोटा	5944.74	5944.74	5944.74
	Elbow 22.5° - Size 160	प्रति गोटा	13107.39	13107.39	13107.39
	Elbow 22.5° - size 200	प्रति गोटा	23719.55	23719.55	23719.55
	Elbow 22.5°-size 250	प्रति गोटा	36117.72	36117.72	36117.72
	Elbow 22.5° -size 315	प्रति गोटा	69231.52	69231.52	69231.52
	Elbow 22.5° -size 400	प्रति गोटा	129228.46	129228.46	129228.46
C)	Elbow 45° Degree				
	Elbow 45° size 110	प्रति गोटा	6575.98	6575.98	6575.98
	Elbow 45° - Size 160	प्रति गोटा	14392.13	14392.13	14392.13
	Elbow 45° - Size 200	प्रति गोटा	26084.82	26084.82	26084.82
	Elbow 45° -size 250	प्रति गोटा	42782.82	42782.82	42782.82
	Elbow 45°-size 315	प्रति गोटा	75911.47	75911.47	75911.47
	Elbow 45° size 400	प्रति गोटा	147051.54	147051.54	147051.54
D)	Elbow 90° Degree				
	Elbow 90° -size 110	प्रति गोटा	9338.55	9338.55	9338.55
	Elbow 90° -size 160	प्रति गोटा	18710.52	18710.52	18710.52
	Elbow 90° size 200	प्रति गोटा	33648.49	33648.49	33648.49
	Elbow 90° size 250	प्रति गोटा	56046.16	56046.16	56046.16
	Elbow 90° size 315	प्रति गोटा	87295.95	87295.95	87295.95
	Elbow 90° -size 400	प्रति गोटा	174992.92	174992.92	174992.92
E)	Coupler				
	Coupler -size 110	प्रति गोटा	5703.38	5703.38	5703.38
	Coupler -size 160	प्रति गोटा	10170.29	10170.29	10170.29
	Coupler -size 200	प्रति गोटा	14700.32	14700.32	14700.32
	Coupler- size 250	प्रति गोटा	27514.38	27514.38	27514.38
	Coupler -size 315	प्रति गोटा	52154.78	52154.78	52154.78
	Coupler -size 400	प्रति गोटा	115597.45	115597.45	115597.45
	Sliding Coupler -size 110	प्रति गोटा	5703.38	5703.38	5703.38
	Sliding Coupler -size 160	प्रति गोटा	10170.29	10170.29	10170.29
	Sliding Coupler-size 200	प्रति गोटा	14700.32	14700.32	14700.32
	Sliding Coupler-size 250	प्रति गोटा	27514.38	27514.38	27514.38
	Sliding Coupler size 315	प्रति गोटा	52154.78	52154.78	52154.78
	Sliding Coupler-size 400	प्रति गोटा	115597.45	115597.45	115597.45
F)	Reducing Coupler				
	Reducing Coupler - size 110 to 90	प्रति गोटा	7125.53	7125.53	7125.53
	Reducing Coupler - size 160 to 110	प्रति गोटा	11696.39	11696.39	11696.39
	Reducing Coupler - size 200 to 160	प्रति गोटा	11729.81	11729.81	11729.81
	Reducing Coupler -size 250 to 200	प्रति गोटा	20232.90	20232.90	20232.90
	Reducing Coupler - size 315 to 250	प्रति गोटा	45192.64	45192.64	45192.64
	Reducing Coupler - size 400 to 315	प्रति गोटा	93808.81	93808.81	93808.81
1	Metalized polyster board (MPL) false ceiling plain	ब. मी.	1108.80	1108.80	1108.80
2	50mm dia. Stainless steel handrail with 50mm dia. Post in 2m, interval with 25mm 3 nos. stainless steel pipe in horizontal with 3' height all complete.	मिटर	4466.70	4466.70	4466.70
3	Gypsum board ceiling 12.5mm th. With providing, fitting, fixing under GI frame (600*600mm) finishing of joints with compound and tape all complete work	Sqm	955.50	955.50	955.50

4	Aluminium casement window double, panel 4mm, thick glass with ventilator size 54*38*1.5 feet all complete work	Sqm	7316.40	7316.40	7316.40	
5	Aluminium casement door with material agrano or equivalent in section 101*45*1.5 in naturally anodised colour with 5mm glass all complete work	Sqm	11466.00	11466.00	11466.00	
6	UPVC Roofing sheet (3mm thick)					
	PMMA coating and mesh (Regular)	Sq.m	1581.30	1581.30	1581.30	
	Stone coated (18 inch X 4 feet)	Sq.m	1260.00	1260.00	1260.00	
	Ridge cover regular profile 1.10 R.m	Rm	2021.25	2021.25	2021.25	
	Ridge cover Regular profile 1.05 R.m	Rm	2021.25	2021.25	2021.25	
	UPVC clip	No.	27.30	27.30	27.30	
	Self taping screw 3"	No.	31.50	31.50	31.50	
	Self taping screw 2.2"	No.	21.00	21.00	21.00	
	Self taping screw 2"	No.	11.55	11.55	11.55	
	Self taping screw 1.5"	No.	8.93	8.93	8.93	
7	Eco-UPVC Roofing Scheet (Ultra Modern Technology)					
	Corugated sheet (2mm)	Sq.ft.	69.69	69.69	69.69	
	Corugated ridge (2mm) (3' X 1.4')	No.	782.39	782.39	782.39	
	Corugated ridge Side (2mm) (3' X 1.4')	No.	470.18	470.18	470.18	
	Spanish tile without fiber mesh (3mm)	Sq.ft.	106.86	106.86	106.86	
	Spanish tile with fiber mesh (3mm)	Sq.ft.	116.15	116.15	116.15	
	Spanish ridge (3mm) (3'X1.4')	No.	1410.53	1410.53	1410.53	
	Spanish ridge side (3mm) (3'X1.4')	No.	782.39	782.39	782.39	
	Spanish tile tripod (3mm)	No.	1046.28	1046.28	1046.28	
	Clip Set	No.	9.29	9.29	9.29	
8	Supply and erection of different mm th. Cement base prebabricated everst solid wall panel (RAPION) Non asbestors including 1.1 mm thick GI hennel (50X25X20) mm with necessary assessories and fiting charge in partation wall all complete.					
	75 mm thick	Sq.ft.	317.10	317.10	317.10	
	50 mm thick	Sq.ft.	250.95	250.95	250.95	
9	False Ceiling/Partition cladding (सम्बन्धित उत्पादक राष्ट्रको गुणस्तर बिन्दु प्राप्त)					
	Supplying,making,fixing of false ceiling with everest fiber designer board in E-grid	Sq.ft.	97.65	97.65	97.65	
	Supplying,making,fixing of 70 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	292.95	292.95	292.95	
	Supplying,making,fixing of 66 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	256.20	256.20	256.20	
	Supplying,making,fixing of 91 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	326.55	326.55	326.55	
	Supplying,making,fixing of external cladding with 9 mm HD/7.5 mm sliding board.	Sq.ft.	287.70	287.70	287.70	
	Supplying,making,fixing of 50 mm thick full height of partation with RAPICON wall panels.	Sq.ft.	227.85	227.85	227.85	
	Supplying,making,fixing of 75 mm thick full height of partation with RAPICON wall panels.	Sq.ft.	302.40	302.40	302.40	
	6 mm thick Flex-O board (Water proof cement board) 6mm thick for false ceiling.	Sq.ft.	36.75	36.75	36.75	
10	Iron grill welding charge only	Kg.	38.22	38.22	38.22	
11	शुल्म शौचालयको रिग					
	1.5" PCC 3 feet dia and 1.5 feet height	No.	700.00	700.00	700.00	
	2" RCC 3 feet dia and 1.5 feet height	No.	1000.00	1000.00	1000.00	
	ढक्कन	गोटा	491.40	491.40	491.40	
12	Mirror		0.00	0.00	0.00	
	3mm thick.	Sq.m	627.90	627.90	627.90	
	4mm thick.	Sq.m	715.26	715.26	715.26	
	5mm. thick.	Sq.m	819.00	819.00	819.00	
	6mm. thick.	Sq.m	1146.60	1146.60	1146.60	
1	Lead Pipe Jointing	Kg.	262.08	262.08	262.08	
2	C.I. pipe					
	2"	R.m.				
	3"	R.m.	As Per Factory Rate	As Per Factory Rate	As Per Factory Rate	
	4"	R.m.				
	6"	R.m.				
3	C.I. elbow					
	2"	No.	229.32	229.32	229.32	




3"	No.	425.88	425.88	425.88
4"	No.	485.94	485.94	485.94
6"	No.	600.60	600.60	600.60
4 C.I. Tee				
2"	No.	311.22	311.22	311.22
3"	No.	371.28	371.28	371.28
4"	No.	627.90	627.90	627.90
6"	No.	857.22	857.22	857.22
5 C.I. socket band				
2"	No.	141.96	141.96	141.96
3"	No.	169.26	169.26	169.26
4"	No.	229.32	229.32	229.32
6"	No.	458.64	458.64	458.64
6 C.I. case				
2"	No.	343.98	343.98	343.98
3"	No.	398.58	398.58	398.58
4"	No.	458.64	458.64	458.64
6"	No.	1031.94	1031.94	1031.94
7 C.I. cobel				
2"	No.	169.26	169.26	169.26
3"	No.	398.58	398.58	398.58
4"	No.	513.24	513.24	513.24
6"	No.	687.96	687.96	687.96
8 Water Pump Chinese				
0.5 HP	No.	1890.00	1890.00	1890.00
1 HP	No.	3097.50	3097.50	3097.50
1.5 HP	No.	3885.00	3885.00	3885.00
2 HP	No.	5565.00	5565.00	5565.00
9 Water Pump Indian				
0.5 HP	No.	4200.00	4200.00	4200.00
1 HP	No.	6090.00	6090.00	6090.00
1.5 HP	No.	11130.00	11130.00	11130.00
2 HP	No.	15540.00	15540.00	15540.00
10 Faucet 0.5" Brass	No.	343.98	343.98	343.98
11 Steel	No.	283.92	283.92	283.92
12 Plastic	No.	54.60	54.60	54.60
13 Bib Cock Steel	No.	229.32	229.32	229.32
14 Brass tape 3/4"	No.	398.58	398.58	398.58
15 Steel Tape Fancy 1/2"	No.	513.24	513.24	513.24
16 Pillar Cock 1/2"	No.	485.94	485.94	485.94
17 Lore Tape	No.	87.36	87.36	87.36
18 Hand Pipe Head 4 NO.	No.	3822.00	3822.00	3822.00
19 Hand Pipe Head 6 No. HLC (Unicef Model) 30 kgs weight	No.	8736.00	8736.00	8736.00
20 Hand Pipe Head 6 No. HLC (Original) 22.5kgs weight	No.	6006.00	6006.00	6006.00
21 Brass Pipe Filter 1/2" 2P	No.	1545.18	1545.18	1545.18
22 PVC filter 1/2" 2P	No.	687.96	687.96	687.96
23 PVC filter belt and lead pipe	No.	114.66	114.66	114.66
24 fancy steel angle valve	No.	573.30	573.30	573.30
25 C.P. steelstove valve (cork)	No.	513.24	513.24	513.24
26 Polythine Pipe (HDPE) different size & series nepal standard	Kg.	283.92	283.92	283.92
27 G.I. pipe				
G.I. pipe 1/2" medium	R.m	252.25	252.25	252.25
G.I. pipe 3/4" medium	R.m	320.72	320.72	320.72
G.I. pipe 1" medium	R.m	491.29	491.29	491.29
G.I. pipe 1.5" medium	R.m	727.93	727.93	727.93
G.I. pipe 2" medium	R.m	1017.42	1017.42	1017.42
G.I. pipe 2.5" medium	R.m	1321.32	1321.32	1321.32
G.I. pipe 3" medium	R.m	1681.68	1681.68	1681.68
G.I. pipe 4" medium	R.m	2522.52	2522.52	2522.52
28 Gate Valve				
15mm dia.	No.	851.76	851.76	851.76
20mm dia.	No.	1190.28	1190.28	1190.28
25mm dia.	No.	1747.20	1747.20	1747.20
40mm dia.	No.	3658.20	3658.20	3658.20
50mm dia.	No.	5678.40	5678.40	5678.40
29 3" G.I. Fittings				
Tee	No.	1146.60	1146.60	1146.60
Elbow	No.	928.20	928.20	928.20
Socket	No.	602.78	602.78	602.78




30	Gate Valve (80 mm)	No.	17788.68	17788.68	17788.68
	Nipple 6" long	No.	645.37	645.37	645.37
	3/4" G.I. fittings	No.			
	Tee	No.	112.48	112.48	112.48
	Elbow	No.	72.07	72.07	72.07
	Cross	No.	145.24	145.24	145.24
	Socket	No.	65.52	65.52	65.52
	Gate Valve (25 mm)	No.	1670.76	1670.76	1670.76
	Union	No.	171.44	171.44	171.44
	Nipple 6" long	No.	127.76	127.76	127.76
31	1" G.I. Fittings	No.			
	Tee	No.	151.79	151.79	151.79
	Elbow	No.	114.66	114.66	114.66
	Cross	No.	231.50	231.50	231.50
	Socket	No.	82.99	82.99	82.99
	Gate Valve (32 mm)	No.	2677.58	2677.58	2677.58
	Union	No.	228.23	228.23	228.23
	Nipple 6" long	No.	185.64	185.64	185.64
32	1.5" G.I. fittings	No.			
	Tee	No.	291.56	291.56	291.56
	Elbow	No.	240.24	240.24	240.24
	Cross	No.	519.79	519.79	519.79
	Socket	No.	171.44	171.44	171.44
	Gate Valve (40 mm)	No.	5612.88	5612.88	5612.88
	Union	No.	443.35	443.35	443.35
	Nipple 6" long	No.	292.66	292.66	292.66
33	2" G.I. Fittings	No.			
	Tee	No.	456.46	456.46	456.46
	Elbow	No.	365.82	365.82	365.82
	Cross	No.	778.60	778.60	778.60
	Socket	No.	266.45	266.45	266.45
	Gate Valve (65 mm)	No.	11686.58	11686.58	11686.58
	Union	No.	616.98	616.98	616.98
	Nipple 6" long	No.	405.13	405.13	405.13
34	Pipe Uprooting Work 1.5"	R.m.	54.60	54.60	54.60
35	G.I. Chek Nut 1/2"	No.	38.22	38.22	38.22
36	3/4"	No.	43.68	43.68	43.68
37	1"	No.	49.14	49.14	49.14
38	Stop Cock Brass 1/2"	No.	764.40	764.40	764.40
39	3/4"	No.	873.60	873.60	873.60
40	Ferule 1/2"	No.	191.10	191.10	191.10
41	Ferule 3/4"	No.	218.40	218.40	218.40
42	Ferule Concealed Brass 1/2"	No.	764.40	764.40	764.40
43	3/4"	No.	819.00	819.00	819.00
44	Gun Metal Check valve 1/2"	No.	928.20	928.20	928.20
45	3/4"	No.	1474.20	1474.20	1474.20
46	1"	No.	1801.80	1801.80	1801.80
47	1.5"	No.	3576.30	3576.30	3576.30
48	Check Valves 1/2"	No.	469.56	469.56	469.56
49	3/4"	No.	819.00	819.00	819.00
50	1"	No.	1610.70	1610.70	1610.70
51	1.25"	No.	2642.64	2642.64	2642.64
52	1.5"	No.	3838.38	3838.38	3838.38
53	2"	No.	4477.20	4477.20	4477.20
54	3"	No.	14469.00	14469.00	14469.00
55	4"	No.	23368.80	23368.80	23368.80
56	Angle Valve Concealed	No.	900.90	900.90	900.90
57	Thread Tape	No.	16.38	16.38	16.38
58	Hand Pipe Washer 1.5"	No.	70.98	70.98	70.98
59	Hand Pipe Jibiya 1.5"	No.	49.14	49.14	49.14
60	Hand Pipe Plunger 1.5"	No.	262.08	262.08	262.08
61	Hand Pipe Filter 1.5"	No.			
62	3' Long	GI PVC	655 364	655 364	655 364
63	6' Long	GI PVC	988 624	988 624	988 624
64	हेन्ड पाईपको फिल्टरमा लगाउने प्लास्टिकको जाली	प्र. मि.	54.60	54.60	54.60
65	Hume pipe, NP2 class				
	150 mm dia.	Per 2.5 Rm	1490.58	1490.58	1490.58
	200 mm dia.	Per 2.5 Rm	2167.62	2167.62	2167.62
	225 mm dia.	Per 2.5 Rm	2293.20	2293.20	2293.20
	250mm dia.	Per 2.5 Rm	2402.40	2402.40	2402.40
	300 mm dia.	Per 2.5 Rm	3570.84	3570.84	3570.84
	350 mm dia.	Per 2.5 Rm	4095.00	4095.00	4095.00

[Signature]


[Signatures and stamps]



400mm dia.	Per 2.5 Rm	4695.60	4695.60	4695.60
450 mm dia	Per 2.5 Rm	5034.12	5034.12	5034.12
500 mm dia	Per 2.5 Rm	5296.20	5296.20	5296.20
600mm dia	Per 2.5 Rm	7545.72	7545.72	7545.72
750 mm dia	Per 2.5 Rm	9282.00	9282.00	9282.00
800 mm dia	Per 2.5 Rm	9828.00	9828.00	9828.00
900 mm dia	Per 2.5 Rm	14261.52	14261.52	14261.52
1000 mm dia	Per 2.5 Rm	15943.20	15943.20	15943.20
1200 mm dia	Per 2.5 Rm	17253.60	17253.60	17253.60
1500 mm dia	Per 2.5 Rm	27300.00	27300.00	27300.00
66 Hume pipe, NP3 class				
150 mm dia.	Per 2.5 Rm	3112.20	3112.20	3112.20
200 mm dia.	Per 2.5 Rm	4204.20	4204.20	4204.20
250mm dia.	Per 2.5 Rm	5007.20	5007.20	5007.20
300 mm dia.	Per 2.5 Rm	7556.64	7556.64	7556.64
350 mm dia.	Per 2.5 Rm	7098.00	7098.00	7098.00
400mm dia.	Per 2.5 Rm	7474.74	7474.74	7474.74
450 mm dia	Per 2.5 Rm	11313.12	11313.12	11313.12
500 mm dia	Per 2.5 Rm	12612.60	12612.60	12612.60
600mm dia	Per 2.5 Rm	14916.72	14916.72	14916.72
750 mm dia	Per 2.5 Rm	20982.78	20982.78	20982.78
800 mm dia	Per 2.5 Rm	21840.00	21840.00	21840.00
900 mm dia	Per 2.5 Rm	26754.00	26754.00	26754.00
1000 mm dia	Per 2.5 Rm	29593.20	29593.20	29593.20
1200 mm dia	Per 2.5 Rm	35490.00	35490.00	35490.00
1500 mm dia	Per 2.5 Rm	56019.60	56019.60	56019.60
Transportation Charge to Bardibas				
Below 900 mm dia.	Per 2.5 Rm	2402.40	2402.40	2402.40
Above 900mm dia.	Per 2.5 Rm	3494.40	3494.40	3494.40
MS Pipe and Fittings for Deep Boring				
1 MS pipe 6 mm thick, 200 mm dia.	Rm	5940.00	5940.00	5940.00
2 MS pipe 7 mm thick, 200 mm dia.	Rm	7500.00	7500.00	7500.00
3 MS pipe 6.3 mm thick, 200 mm dia.	Rm	7000.00	7000.00	7000.00
4 MS pipe 6 mm thick, 250 mm dia.	Rm	7150.00	7150.00	7150.00
5 MS pipe 6.3 mm thick, 250 mm dia.	Rm	8500.00	8500.00	8500.00
6 MS pipe 7 mm thick, 250 mm dia.	Rm	9000.00	9000.00	9000.00
7 MS pipe 250 mm dia.	Rm	9450.00	9450.00	9450.00
8 MS pipe 150 mm dia.	Rm	4725.00	4725.00	4725.00
9 MS pipe 5 mm thick, 150 mm dia.	Rm	3500.00	3500.00	3500.00
10 MS pipe 5.4 mm thick, 150 mm dia.	Rm	4000.00	4000.00	4000.00
11 150 mm stainless steel screen	Rm	15225.00	15225.00	15225.00
12 200 mm stainless steel screen	Rm	19800.00	19800.00	19800.00
13 150 mm LCG	Rm	10890.00	10890.00	10890.00
14 200 mm LCG	Rm	13310.00	13310.00	13310.00
15 MS Flange 10"	No.	12100.00	12100.00	12100.00
16 MS Flange 8"	No.	4085.00	4085.00	4085.00
17 MS Flange 6"	No.	6562.00	6562.00	6562.00
18 MS Flange 4"	No.	3520.00	3520.00	3520.00
19 MS Flange 3"	No.	3000.00	3000.00	3000.00
20 MS Top Plate (well cover) 10"	No.	7150.00	7150.00	7150.00
21 MS Top Plate (well cover) 8"	No.	6050.00	6050.00	6050.00
22 MS Top Plate (well cover) 6"	No.	5500.00	5500.00	5500.00
23 MS Reducer 10" *6"	No.	6300.00	6300.00	6300.00
24 MS Reducer 8" *6"	No.	6500.00	6500.00	6500.00
25 MS Reducer 10" *8"	No.	7500.00	7500.00	7500.00
26 MS Reducer 6" *4"	No.	4180.00	4180.00	4180.00
27 Alfa Alfa Valve	No.	6050.00	6050.00	6050.00
28 UPVC Pipe				
160 mm dia., UPVC Pipe 4kgf	Rm	1031.37	1031.37	1031.37
200 mm dia., UPVC Pipe 4kgf	Rm	1577.10	1577.10	1577.10
29 UPVC Pipe Fitting				
160 mm dia., UPVC socket	Pcs	570.00	570.00	570.00
160 mm dia., UPVC Elbow 4 kgf	Pcs	690.00	690.00	690.00
160 mm dia., UPVC Tee 4 kgf	Pcs	1050.00	1050.00	1050.00
160 mm dia., UPVC End cap	Pcs	400.00	400.00	400.00
200 mm dia., UPVC socket	Pcs	1350.00	1350.00	1350.00
200 mm dia., UPVC Elbow 4 kgf	Pcs	2980.00	2980.00	2980.00
200 mm dia., UPVC Tee 4 kgf	Pcs	4500.00	4500.00	4500.00
200 mm dia., UPVC End cap	Pcs	850.00	850.00	850.00
30 Flat Submersible cable				
4 mm2	Rm	484.00	484.00	484.00
6 mm2	Rm	660.00	660.00	660.00




	10 mm2	Rm	1155.00	1155.00	1155.00
	16 mm2	Rm	1875.50	1875.50	1875.50
	25 mm2	Rm	2601.50	2601.50	2601.50
31	CI Sluice Valve				
	150 mm	No.	31814.20	31814.20	31814.20
	100 mm	No.	17245.80	17245.80	17245.80
	80 mm	No.	12955.80	12955.80	12955.80
32	CI Non returns Valve				
	150 mm	No.	31823.00	31823.00	31823.00
	100 mm	No.	18040.00	18040.00	18040.00
	80 mm	No.	12958.00	12958.00	12958.00
33	CI 90 degree Bend				
	150 mm	No.	16500.00	16500.00	16500.00
	100 mm	No.	13200.00	13200.00	13200.00
	80 mm	No.	8844.00	8844.00	8844.00
34	GI Pipe Medium				
	150 mm	Rm	2420.00	2420.00	2420.00
35	GI Elbow				
	50 mm	No.	365.00	365.00	365.00
	80 mm	No.	935.00	935.00	935.00
	100 mm	No.	1677.50	1677.50	1677.50
	150 mm	No.	6671.50	6671.50	6671.50
36	GI Tee				
	50 mm	No.	459.80	459.80	459.80
	80 mm	No.	1155.00	1155.00	1155.00
	100 mm	No.	2026.00	2026.00	2026.00
	150 mm	No.	9060.70	9060.70	9060.70
37	GI Socket				
	50 mm	No.	266.45	266.45	266.45
	80 mm	No.	631.62	631.62	631.62
	100 mm	No.	1119.25	1119.25	1119.25
	150 mm	No.	5192.00	5192.00	5192.00
38	Butter Fly Valve				
	8"	Set	45650.00	45650.00	45650.00
	6"	Set	39270.00	39270.00	39270.00
39	2.5" dia. 3m long UPVC Column Pipe	Nos			4746.00
40	2.5" UPVC Column Pipe Adaptor	Nos			6780.00
41	Lowering of Column Pipe in Deep Tube well	Rm	1155.00	1155.00	1155.00
42	De-Lowering of Column Pipe in Deep Tube well	Rm	1155.00	1155.00	1155.00
43	Star Delta Pannel Board				
	25-30 HP	No	89775.00	89775.00	89775.00
	30-33 HP	No	163955.00	163955.00	163955.00
	35-40 HP	No	100000.00	100000.00	100000.00
	40-51 HP	No	206305.00	206305.00	206305.00
44	Rubber Packing				
	3"	No	300.00	300.00	300.00
	4"	No	325.00	325.00	325.00
	6"	No	425.00	425.00	425.00
45	MCCB of Standard Company				
	63 A	No	7875.00	7875.00	7875.00
	100 A	No	10710.00	10710.00	10710.00
	50 mm2 4 core almunium conductor non armored	No	870.00	870.00	870.00
46	Main Switch of Standard Company				
	63 A	No	10445.60	10445.60	10445.60
	100 A	No	19632.80	19632.80	19632.80
47	Pea Gravel	Cum.	3050.00	3050.00	3050.00
48	Gasket	kg			51.00
49	Bentonite	kg			29.00
50	Barite	kg			30.00
	Deep Set Boring Construction Materials				
A	Materials	Unit			
51	Indian Mark-3, Hand Pump Set	Set	32760.00	32760.00	32760.00
52	4" dia pvc casing pipe	R.m	1419.60	1419.60	1419.60
53	4" dia pvc screen pipe	R.m	1856.40	1856.40	1856.40
54	5" dia GI riser pipe	R.m	3057.60	3057.60	3057.60
55	Connecting Rod	R.m	273.00	273.00	273.00
56	2.5" dia socket etc.	No	491.40	491.40	491.40
57	Cylinder	No	10920.00	10920.00	10920.00
B	Spare For Pump Head				
58	Hexagonal bolts M12x1.75x40mm long 8 nos.	No	518.70	518.70	518.70
59	Hexagonal nuts M12x1.75 18 nos.	No	518.70	518.70	518.70
60	Washer M12 10nos.	No	191.10	191.10	191.10



61	High tensile bolt M10x1.5x40mm long 1 no.	No	431.34	431.34	431.34
62	Nylon nut M10x1.5 2 nos.	No	447.72	447.72	447.72
63	Angle axle (stainless steel) 1 nos.	No	1037.40	1037.40	1037.40
64	Washer 4mm thick for handle axle 1 no.	No	218.40	218.40	218.40
65	Bearing 620 2nos.	No	2730.00	2730.00	2730.00
66	Spacer 1no.	No	300.30	300.30	300.30
67	Chain with courling 1no.	No	2948.40	2948.40	2948.40
68	Bolt front cover M12x1.75x20mm long 2 nos.	No	409.50	409.50	409.50
C Spare For Cylinder					
69	Nitrile rubber cup washers (4nos.)	No	764.40	764.40	764.40
70	Upper Valve rubber seating 2Nos	No	546.00	546.00	546.00
71	Check valve rubber seating 2nos.	no	600.60	600.60	600.60
72	Rubber 'O' ring 4 nos.	No	655.20	655.20	655.20
73	Rubber mechanics tools	No	546.00	546.00	546.00
74	Village Mechanics tools complete set	No	81900.00	81900.00	81900.00
75	For 2" Shallow tubewell drilling work to 5" dia bore hole in soft formation through pebbles and gravels	Rm	1365.00	1365.00	1365.00
76	Installation of TW assembly 2" dia pipe and screen including lowering work into the bore pole	Rm	109.20	109.20	109.20
77	For 1/1.5" Shallow tubewell drilling work for 5" dia bore hole in soft formation through pebbles and gravel	Rm	1255.80	1255.80	1255.80
78	Installation of TW assembly 2" dia pipe and screen including lowering work into the bore pole	Rm	109.20	109.20	109.20
79	Tubewall washing work	Rm	109.20	109.20	109.20
80	For 4" shallow tubewell drilling work for 8.5" dia bore hole in soft formation through pebbles and gravel	Rm	3166.80	3166.80	3166.80
81	2" boring with lowering and washing all complete upto 60 m manually	Rm	300.00	300.00	300.00
82	2" boring with lowering and washing all complete above 60 m with machine	Rm	1081.00	1081.00	1081.00
D Submersible Pump Materials					
83	1 HP Submersible pump with motor	No.			14000.00
84	2 HP Submersible pump with motor	No.			35000.00
85	3 HP Submersible pump with motor	No.			52000.00
86	5 HP Submersible pump with motor	No.			82500.00
87	7.5 HP Submersible pump with motor	No.	121275.00	121275.00	121275.00
88	10 HP Submersible pump with motor	No.	179025.00	179025.00	179025.00
89	15 HP Submersible pump with motor	No.	265650.00	265650.00	265650.00
90	20 HP Submersible pump with motor	No.	282975.00	282975.00	282975.00
91	25-30 HP Submersible pump with motor	No.	306075.00	306075.00	306075.00
92	panel board suitable for 1 HP pump	No.			7500.00
93	panel board suitable for 2 HP pump	No.			10000.00
94	panel board suitable for 3 HP pump	No.			12500.00
95	panel board suitable for 5 HP pump	No.			17500.00
96	panel board suitable for 7.5 HP pump	No.	55125.00	55125.00	55125.00
97	panel board suitable for 10 HP pump	No.	65625.00	65625.00	65625.00
98	panel board suitable for 15 HP pump	No.	76125.00	76125.00	76125.00
99	panel board suitable for 20 HP pump	No.	82425.00	82425.00	82425.00
100	panel board suitable for 25-30 HP pump	No.	89775.00	89775.00	89775.00
101	GI pipe 2.5" medium class	Mtr	1491.00	1491.00	1491.00
102	GI pipe 3" medium class	Mtr	1764.00	1764.00	1764.00
103	GI pipe 4" medium class	Mtr	2436.00	2436.00	2436.00
104	GI pipe 5" medium class	Mtr	3087.00	3087.00	3087.00
105	submersible copper flat cable 4 mm2	Mtr	739.20	739.20	739.20
106	submersible copper flat cable 6 mm2	Mtr	843.15	843.15	843.15
107	submersible copper flat cable 10 mm2	Mtr	1443.75	1443.75	1443.75
108	Flange 2.5" MS	Set	1942.50	1942.50	1942.50
109	Flange 3" MS	Set	2572.50	2572.50	2572.50
110	Flange 4" MS	Set	3066.00	3066.00	3066.00
111	Flange 5" MS	Set	4987.50	4987.50	4987.50
112	Flange 6" MS	Set	6562.50	6562.50	6562.50
E MS Fitting Materials					
113	Gun metal Non return valve 6"	No.	41475.00	41475.00	41475.00
114	Gun metal Non return valve 5"	No.	37143.75	37143.75	37143.75
115	Gun metal Non return valve 4"	No.	29715.00	29715.00	29715.00
116	Gun metal Gate valve 6"	No.	41475.00	41475.00	41475.00
117	Gun metal Gate valve 4"	No.	30870.00	30870.00	30870.00
118	Gun metal Gate valve 5"	No.	35175.00	35175.00	35175.00
119	90 degree elbow 6" MS	No.	4725.00	4725.00	4725.00
120	90 degree elbow 4" MS	No.	3255.00	3255.00	3255.00

121	90 degree elbow 5" MS	No.	3832.50	3832.50	3832.50
122	MS Tee 6"	No.	6720.00	6720.00	6720.00
123	MS Tee 5"	No.	5754.00	5754.00	5754.00
124	MS Tee 4"	No.	5092.50	5092.50	5092.50
Deep Tubewell Materials					
125	250 mm (10") MS Casing Pipe	Mtr	9450.00	9450.00	9450.00
126	150 mm (6") MS Casing Pipe	Mtr	4725.00	4725.00	4725.00
127	150 mm (6") LCG Steel Strainer	Mtr	9450.00	9450.00	9450.00
128	150 mm (6") Stainless screen	Mtr	15225.00	15225.00	15225.00
129	Reducer 10/6 inch	Set	6300.00	6300.00	6300.00
130	Well cap with flange (10" Ø)	Set	8925.00	8925.00	8925.00
131	Well cap with flange (6" Ø)	Set	4725.00	4725.00	4725.00
132	4" MS pipe	Mtr	2205.00	2205.00	2205.00
133	Pvc pipe 6" (6 kg/cm ²)	Mtr	2148.30	2148.30	2148.30
134	Screen making charge on MS pipe	Mtr	892.50	892.50	892.50
135	Screen making charge on MS pipe	Mtr	2724.75	2724.75	2724.75
Electric Water Pump Motor for Agriculture purpose for Irrigation					
136	2 HP Electric water pump motor with Monoblock centrifugal water pump 3" outlet	No.		20000.00	20000.00
137	1 HP Electric water pump motor with Monoblock centrifugal water pump 2" outlet	No.		17000.00	17000.00
138	पेट्रोल	लिटर	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम
139	मट्टितेल	लिटर	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम
140	डिजल	लिटर	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम
विद्युतीय सामग्री					
1	Cable lock up 150	No.	294.84	294.84	294.84
2	Cable lock up 50	No.	117.94	117.94	117.94
3	Kirkat fuse 300A	No.	1769.04	1769.04	1769.04
4	Kirkat fuse 400A	No.	2122.85	2122.85	2122.85
5	Kirkat fuse 500A	No.	2358.72	2358.72	2358.72
6	9.0 m chemically treated wooden (Masala) pole	No.	7665.84	7665.84	7665.84
7	Transformer connector	No.	791.70	791.70	791.70
8	Binding wire	Kg	152.88	152.88	152.88
9	8 m chemically treated wooden (masala) pole	No.	6552.00	6552.00	6552.00
10	cable socket different size	No.	163.80	163.80	163.80
11	Electric plate and switch				
	1 gauge 1/2 way	No.	70.98	70.98	70.98
	2 gauge 1/2 way	No.	120.12	120.12	120.12
	3 gauge 1/2 way	No.	152.88	152.88	152.88
	4 gauge 1/2 way	No.	202.02	202.02	202.02
	6 gauge 1/2 way	No.	251.16	251.16	251.16
12	6pin socket 15 amp.	No.	251.16	251.16	251.16
13	Telephone socket	No.	87.36	87.36	87.36
14	Deemer	No.	393.12	393.12	393.12
15	MCB- 6,10,15,20,25,32 amp.	No.	191.10	191.10	191.10
16	MCCB-10,16,20,25,32,45 amp.	No.	4968.60	4968.60	4968.60
17	CFL 5 watt	No.	207.48	207.48	207.48
18	CFL 11 watt	No.	245.70	245.70	245.70
19	CFL 14 watt	No.	251.16	251.16	251.16
20	CFL 18 watt	No.	327.60	327.60	327.60
21	CFL 25 watt	No.	425.88	425.88	425.88
22	CFL 35 watt	No.	611.52	611.52	611.52
23	CFL 45 watt	No.	1283.10	1283.10	1283.10
24	CFL 65 watt	No.	1501.50	1501.50	1501.50
25	CFL 85 watt	No.	1692.60	1692.60	1692.60
26	CFL set with box 35 watt.	No.	2784.60	2784.60	2784.60
27	CFL set with box 85 watt.	No.	3903.90	3903.90	3903.90
LED bulb (सम्बन्धित उत्पादक राष्ट्रक गुणस्तर चिन्ह प्राप्त)					
28	LED BULB (Wh,R,BI,Or,G,Y) 0.5W B22	गोटा	102.38	102.38	102.38
29	LED Bulb 3W B22/E27 2700/6500K	गोटा	175.00	175.00	175.00
30	LED Bulb 5W B22/E27 2700/6500K	गोटा	227.50	227.50	227.50
31	LED Bulb 8.3W B22/E27 2700/6500K	गोटा	315.00	315.00	315.00
32	LED Bulb 9W B22/E27 2700/6500K	गोटा	332.50	332.50	332.50




33	LED Bulb 11W B22/E27 2700/6500K	गोटा	406.88	406.88	406.88
34	LED Bulb 14/15 W B22/E27 2700/6500K	गोटा	437.50	437.50	437.50
35	High Power LED Bulb 20 W E27 2700/6500K	गोटा	945.00	945.00	945.00
36	High Power LED Bulb 25 W E27 2700/6500K	गोटा	1050.00	1050.00	1050.00
37	High Power LED Bulb 28W E27 2700/6500K	गोटा	1155.00	1155.00	1155.00
38	High Power LED Bulb 35 W E27 2700/6500K	गोटा	1446.38	1446.38	1446.38
39	Squire type wall mounting LED 100 watt	गोटा	5250.00	5250.00	5250.00
40	Iron Circular Galvanized Pole 13Mtr Long as per NEA specification.	Mtr	52500.00	52500.00	52500.00
41	Supply delivery and installation of Circular ring of 1m diameter to hold 6 Nos of LED flood light	No.	10500.00	10500.00	10500.00
42	150 Watt LED outdoor Flood Light	No.	29925.00	29925.00	29925.00
43	Flood Light 500 W.	Pc.	26250.00	26250.00	26250.00
44	Flood Light 200 W.	Pc.	22050.00	22050.00	22050.00
45	Flood Light Color 50 W.	Pc.	8400.00	8400.00	8400.00
46	Flood Light 50 W.	Pc.	6825.00	6825.00	6825.00
47	Flood Light 30 W.	Pc.	4725.00	4725.00	4725.00
48	Spot Fox Light RGB (15-20w)	Pc.	2625.00	2625.00	2625.00
49	Spot Fox Light Yellow	Pc.	2520.00	2520.00	2520.00
50	Spot Fox Light Blue	Pc.	2520.00	2520.00	2520.00
51	Spot Fox Light Red	Pc.	2520.00	2520.00	2520.00
52	Spot Fox Light Green	Pc.	2520.00	2520.00	2520.00
53	MCB	No.	525.00	525.00	525.00
54	PVC Copper Wire (91.44 m in a quile)				
	1/18	Quile	1260.00	1260.00	1260.00
	3/22	Quile	1575.00	1575.00	1575.00
	3/20	Quile	2100.00	2100.00	2100.00
	7/22	Quile	2835.00	2835.00	2835.00
	7/20	Quile	4725.00	4725.00	4725.00
	7/18	Quile	6300.00	6300.00	6300.00
	7/16	Quile	12600.00	12600.00	12600.00
55	40 Watt AC LED Light with auto sensor	Nos	9828.00	9828.00	9828.00
56	Stand clamp	Nos	1050.00	1050.00	1050.00
	Solar Power				
57	Solar PV Module	प्रति बट	98.28	98.28	98.28
58	Solar Tubular Battery (200Ah@c20, 12v)	गोटा	35053.20	35053.20	35053.20
59	Solar Tubular Battery (150Ah@c20, 12v)	गोटा	26754.00	26754.00	26754.00
60	Solar Tubular Battery (100Ah@c20, 12v)	गोटा	18564.00	18564.00	18564.00
61	Solar Tubular Battery (80Ah@c20, 12v)	गोटा	18454.80	18454.80	18454.80
62	Solar Tubular Battery (60Ah@c20, 12v)	गोटा	13322.40	13322.40	13322.40
63	Solar Tubular Battery (40Ah@c20, 12v)	गोटा	8736.00	8736.00	8736.00
64	Solar Gel battery (200Ah@c20, 12v)	गोटा	72836.40	72836.40	72836.40
65	Solar Gel battery (150Ah@c20, 12v)	गोटा	54818.40	54818.40	54818.40
66	Solar Gel battery (100Ah@c20, 12v)	गोटा	39421.20	39421.20	39421.20
67	Solar Gel battery (80Ah@c20, 12v)	गोटा	33961.20	33961.20	33961.20
68	Solar Gel battery (75Ah@c20, 12v)	गोटा	30139.20	30139.20	30139.20
69	Solar Gel battery (40Ah@c20, 12v)	गोटा	17253.60	17253.60	17253.60
70	Solar Lithinium Ion Battery (100AH@c10, 12V)	गोटा	40076.40	40076.40	40076.40
71	Solar Lithinium Ion Battery (80AH@c10, 12V)	गोटा	35599.20	35599.20	35599.20
72	Solar Lithinium Ion Battery (50AH@c10, 12V)	गोटा	20420.40	20420.40	20420.40
73	Charge controller (60A/24-48V)	गोटा	35490.00	35490.00	35490.00
74	Charge controller (45A/12-24-48V)	गोटा	26098.80	26098.80	26098.80
75	Charge controller (30A/12-24-48V)	गोटा	21621.60	21621.60	21621.60
76	Charge controller (25A/12-24-48V)	गोटा	16161.60	16161.60	16161.60
77	Charge controller 20a/12-24 V	गोटा	6552.00	6552.00	6552.00
78	Charge controller 15a/12-24 V	गोटा	5350.80	5350.80	5350.80
79	Charge controller 10a/12-24 V	गोटा	2948.40	2948.40	2948.40
80	Charge controller 5a/12-24 V	गोटा	1747.20	1747.20	1747.20
81	Solar dusk to down controller 20A/12V with driver circuit	गोटा	4914.00	4914.00	4914.00

82	Solar street light 40W- 12V DC with autodimming system	गोट	14851.20	14851.20	14851.20
83	Solar street light 30W- 12V DC with autodimming system	गोट	26535.60	26535.60	26535.60
84	Solar street light 20W- 12V DC with autodimming system	गोट	16707.60	16707.60	16707.60
85	Solar street light 100W	गोट	46191.60	46191.60	46191.60
86	Solar street light 80W	गोट	39093.60	39093.60	39093.60
87	Solar street light 60W	गोट	29265.60	29265.60	29265.60
88	Solar street light 40W	गोट	16489.20	16489.20	16489.20
89	Solar street light 30W	गोट	13104.00	13104.00	13104.00
90	Solar street light 20W	गोट	9391.20	9391.20	9391.20
91	Solar street light 12W	गोट	6115.20	6115.20	6115.20
92	MS pole 6 m high with rustproof enamel paint dimension 4" for bottom 3 m 3" for top 3 m	गोट	19000.80	19000.80	19000.80
93	MS pole 7 m high with rustproof enamel paint dimension 4" for bottom 4 m 5" for top 3 m	गोट	20966.40	20966.40	20966.40
94	MS pole 8 m high with rustproof enamel paint dimension 4" for bottom 5 m 6" for top 3 m	गोट	23368.80	23368.80	23368.80
95	MS pole 9 m high with rustproof enamel paint dimension 4" for bottom 6 m 6" for top 3 m	गोट	23696.40	23696.40	23696.40
96	7 m Hot Deep Galvanized pole with diameter of pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोट	23368.80	23368.80	23368.80
97	8 m Hot Deep Galvanized pole with diameter of pole section 5" for bottom 4.5 m, 4" Middle 1.75 m and 3" for top 1.75 m	गोट	26972.40	26972.40	26972.40
98	9 m Hot Deep Galvanized pole with diameter of pole section 5" for bottom 5 m, 4" Middle 2 m and 3" for top 2 m	गोट	29374.80	29374.80	29374.80
99	10 m Hot Deep Galvanized pole with diameter of pole section 5" for bottom 5.2 m, 4" Middle 2.4 m and 3" for top 2.4 m	गोट	31777.20	31777.20	31777.20
100	Pure sine wave inverter 250 VA/12V	गोट	7862.40	7862.40	7862.40
101	Pure sine wave inverter 400 VA/12V	गोट	14742.00	14742.00	14742.00
102	Pure sine wave inverter 850 VA/12V	गोट	18018.00	18018.00	18018.00
103	Pure sine wave inverter 1000 VA/12V	गोट	25006.80	25006.80	25006.80
104	Pure sine wave inverter 1400 VA	गोट	26535.60	26535.60	26535.60
105	Pure sine wave Solar Hybrid inverter 850VA with inbuilt charge	गोट	22058.40	22058.40	22058.40
106	Pure sine wave Solar Hybrid inverter 1000VA with inbuilt charge	गोट	26426.40	26426.40	26426.40
107	Pure sine wave Solar Hybrid inverter 3KVA with 50A inbuilt charge	गोट	78078.00	78078.00	78078.00
108	Pure sine wave Solar Hybrid inverter 5KVA with 50A inbuilt charge	गोट	156156.00	156156.00	156156.00
109	Hybrid UPS 3.5 KVA	गोट	105000.00	105000.00	105000.00
110	Hybrid UPS 2 KVA	गोट	52754.63	52754.63	52754.63
111	Hybrid UPS 1.7 KVA	गोट	37020.11	37020.11	37020.11
112	Ms light Arms	सेट	2402.40	2402.40	2402.40
113	SPV mounting frame	सेट	6333.60	6333.60	6333.60
114	Battery box	सेट	4914.00	4914.00	4914.00
115	Battery stand	सेट	4914.00	4914.00	4914.00
LED Tube Lights					
116	LED Tubelight 18w 6500k	गोट	292.66	292.66	292.66
117	LED Tubelight with Holder 18w 6500k	गोट	461.92	461.92	461.92
118	100 Wp Solar PV Pannel	Wp	15288.00	15288.00	15288.00
119	15 KVA Transformer	Nos	226000.32	226000.32	226000.32
120	25 KVA Transformer	Nos	296412.48	296412.48	296412.48
121	50 KVA Transformer	Nos	423949.34	423949.34	423949.34
122	75 KVA Transformer	Nos	546262.08	546262.08	546262.08
123	100 KVA Transformer	Nos	670732.61	670732.61	670732.61
124	125 KVA Transformer	Nos	794976.00	794976.00	794976.00
125	150 KVA Transformer	Nos	908544.00	908544.00	908544.00
126	200 KVA Transformer	Nos	1162822.75	1162822.75	1162822.75

127	250 KVA Transformer	Nos	1677705.12	1677705.12	1677705.12
128	300 KVA Transformer	Nos	1329767.71	1329767.71	1329767.71
129	8 mtrs Long PSC Poleas per NEA Specification	Nos	8505.00	8505.00	8505.00
130	9 mtrs Long PSC Pole as per NEA Specification	Nos	9639.00	9639.00	9639.00
131	0.03 SQ Inch Conductor	Km	50820.00	50820.00	50820.00
132	0.05 SQ .inch Conductor	Km	69877.50	69877.50	69877.50
133	0.1 SQ. inch Conductor	Km	139755.00	139755.00	139755.00
134	11 KV DO Set	Set	21000.00	21000.00	21000.00
135	11kv LA set	Set	11025.00	11025.00	11025.00
136	Earthing rod	Nos	3675.00	3675.00	3675.00
137	Earthing copper wire	Nos	2625.00	2625.00	2625.00
138	11 mm LT bush connector	Nos	1785.00	1785.00	1785.00
139	Plus type channel	Nos	5250.00	5250.00	5250.00
140	1200 mm flat type channel	Nos	2520.00	2520.00	2520.00
141	300 mm flat type channel	Nos	630.00	630.00	630.00
142	Flat cross arm bracing	Nos	315.00	315.00	315.00
143	11 kv dics insuletor set	Set	2625.00	2625.00	2625.00
144	11 kv pin insuletor set	Set	315.00	315.00	315.00
145	pole clamp	Set	315.00	315.00	315.00
146	Stay set	Set	1785.00	1785.00	1785.00
147	Stay wire	Kg	220.50	220.50	220.50
148	Stay insuletor	Nos	252.00	252.00	252.00
149	Nut- bolt	Kg	367.50	367.50	367.50
150	D- Iron set	Set	231.00	231.00	231.00
151	120 sq mm 4 core ABC cable	Mtrs	1050.00	1050.00	1050.00
152	95 sq mm 4 core ABC Cable	Mtrs	866.25	866.25	866.25
153	50 sq mm 4 core ABC Cable	Mtrs	420.00	420.00	420.00
154	TRF mounting set	Set	25305.00	25305.00	25305.00
155	Earthing chemical	Kg	42.00	42.00	42.00
	Note: All electrical items specification must have to meet as per NEA.				
156	Five pin plug	No.	54.60	54.60	54.60
157	3pin power plug	"	218.40	218.40	218.40
158	5pin power plug	"	229.32	229.32	229.32
159	Bulb holder	"	27.30	27.30	27.30
160	flux	"	27.30	27.30	27.30
161	MCH switch box	"	382.20	382.20	382.20
162	CFL set with box 85 watt.	"	3822.00	3822.00	3822.00
163	Providing and fixing concealed or bit wiring, point for light, fan, plug, fuse, indicator, ballbell etc with 5amp. One way switch pipe 5 pin socket broad fuse indicator, angle or straight holder ceiling rose PVC switch board using 7x20 angle core main wire 3x20 single core distribution wire with 1/8 earthing wire continuous including all necessary materials and labour as per direction	No.	775.32	775.32	775.32
164	Wooden Board				
	12*8"	No	43.68	43.68	43.68
	10*8"	No	38.22	38.22	38.22
	8*6"	No	27.30	27.30	27.30
	6*4"	No	21.84	21.84	21.84
	4*4"	No	15.29	15.29	15.29
	3*3"	No	15.29	15.29	15.29
165	Wooden Bit				
	1/2"	R.m	19.66	19.66	19.66
	3/4"	R.m	21.84	21.84	21.84
	1"	R.m	27.30	27.30	27.30
	1.5"	R.m	30.58	30.58	30.58
	2"	R.m	32.76	32.76	32.76
166	Fiber Plate				
	12*8"	No	54.60	54.60	54.60
	10*8"	No	49.14	49.14	49.14
	8*6"	No	49.14	49.14	49.14
	7*4"	No	36.75	36.75	36.75
	6*4"	No	38.22	38.22	38.22
	4*4"	No	27.30	27.30	27.30
	3*3"	No	21.84	21.84	21.84
167	Plastic Board				
	12*8"	No	87.36	87.36	87.36
	10*8"	No	76.44	76.44	76.44
	8*6"	No	49.14	49.14	49.14
	6*4"	No	43.68	43.68	43.68

4**4	No	41.50	41.50	41.50
3**3	No	27.30	27.30	27.30
168 Round Box 1 way. 20 mm.	Pc.	21.00	21.00	21.00
169 Round Box 2 way. 20 mm.	Pc.	21.00	21.00	21.00
170 Round Box 3 way 20 mm.	Pc.	21.00	21.00	21.00
171 Round Box 4way 20 mm.	Pc.	21.00	21.00	21.00
172 PVC Box 3"x3"	Pc.	52.50	52.50	52.50
173 PVC Box 3"x5"	Pc.	73.50	73.50	73.50
174 PVC Box 3"x4"	Pc.	68.25	68.25	68.25
175 PVC Box 5"x4"	Pc.	47.25	47.25	47.25
176 PVC Box 4"x4"	Pc.	21.00	21.00	21.00
177 PVC Box 7"x4"	Pc.	31.50	31.50	31.50
178 PVC Box 8"x3"	Pc.	204.75	204.75	204.75
179 PVC Box 8"x6"	Pc.	236.25	236.25	236.25
180 Electrical Conduit (Marvell) 20 mm.	Pc.	225.75	225.75	225.75
181 Pipe clip 20 mm.	Pc.	8.40	8.40	8.40
182 Conduit Socket 20 mm.	Pc.	18.90	18.90	18.90
183 Electrical Cable 4mm FRLS Janata Gold	Pack.	6016.50	6016.50	6016.50
184 Electrical Cable 2.5mm FRLS Janata Gold	Pack.	4095.00	4095.00	4095.00
185 Electrical Cable 1.5mm FRLS Janata Gold	Pack.	2640.75	2640.75	2640.75
186 Electrical Cable 4 Core Aluminium Janata 35 mm.	Rm.	472.50	472.50	472.50
187 Wall Fan	Pc.	4200.00	4200.00	4200.00
188 Main Switch 45 A (Dyna DP)	Pc.	735.00	735.00	735.00
189 6 Mod Plate (Horizontal)	Pc.	341.25	341.25	341.25
190 Mod Switch With Indicator 25 A	Pc.	357.00	357.00	357.00
191 Mod 5 Pin 25 A	Pc.	451.50	451.50	451.50
192 Board Fuse	Pc.	63.00	63.00	63.00
193 Board indicator	Pc.	47.25	47.25	47.25
194 Board 5 Pin	Pc.	63.00	63.00	63.00
195 4 Gang Switch with 5 Pin&Indicator	Pc.	682.50	682.50	682.50
196 6 Gang Switch with 5 Pin&Indicator	Pc.	840.00	840.00	840.00
197 Switch 16 A. 2-1/2"x2-1/2"	Pc.	157.50	157.50	157.50
198 DB 3 Phase 8 way. (For 24 MCB)	Pc.	8925.00	8925.00	8925.00
199 MCB TPN 60 A.	Pc.	3675.00	3675.00	3675.00
200 MCB SP 10 A.	Pc.	315.00	315.00	315.00
201 MCB SP 16 A.	Pc.	315.00	315.00	315.00
202 Cable Tie 200mm. 250mm. 3mm.	Pkt.	472.50	472.50	472.50
203 Paper Tape 1"	Pc.	210.00	210.00	210.00
204 Metal Greep Nut Boalt Set 8mm	Pc.	52.50	52.50	52.50
205 TPN Change Over Switch 63 A. 440 V.	Pc.	12600.00	12600.00	12600.00
206 DP Change Over Switch 32 A. 415 V.	Pc.	4200.00	4200.00	4200.00
207 Cilicon White	Pc.	420.00	420.00	420.00
208 UPS 1600 VA.	Pc.	16800.00	16800.00	16800.00
209 Battery 220AH.	Pc.	36750.00	36750.00	36750.00
210 GI Black Pipe 1-1/2" or 2"	Per/ft.	141.75	141.75	141.75
211 Gumbaj Light Set (In Top)	Set.	4200.00	4200.00	4200.00
212 Kalla Tar	Kg.	189.00	189.00	189.00
213 Concrete Nail 1"	Kg.	262.50	262.50	262.50
214 Concrete Nail 1-1/2"	Kg.	262.50	262.50	262.50
215 Steel Waser 6.5 mm. hole.	Pcs	10.50	10.50	10.50
216 PVC Greep 6.5mm. White	Pkt.	157.50	157.50	157.50
217 PVC Greep 8mm. White	Pkt.	262.50	262.50	262.50
218 Steel Star Screw 2-1/2"	Pkt.	525.00	525.00	525.00
219 Garden Pole Light 12" LED Set	Pc.	1680.00	1680.00	1680.00
220 Round Plate	Pc.	15.75	15.75	15.75
221 Grinder Blade Concrete 4"	Pc.	315.00	315.00	315.00
222 Grinder Blade Concrete 7"	Pc.	1050.00	1050.00	1050.00
223 Grinder Metal Blade Concrete 4"	Pc.	52.50	52.50	52.50
224 Drill Bti 6.5mm	Pc.	210.00	210.00	210.00
225 Drill Bti 8mm	Pc.	315.00	315.00	315.00
226 Drill Bti 10.5mm	Pc.	420.00	420.00	420.00
227 Drill Bti 18mm	Pc.	630.00	630.00	630.00
228 Small Garden + Pound Lighting Controll Pannel With All Electrical Materials (Rain Proof)	Set.	36750.00	36750.00	36750.00
229 Big Garden Lighting Controll Pannel With All Electrical Materials (Rain Proof)	Set.	42000.00	42000.00	42000.00
230 AC 2T	Pc.	162750.00	162750.00	162750.00
231 3Phase Meter को सँगै सगानको COST.	Set.	42000.00	42000.00	42000.00
232 Speaker-300w	Pcs	6300.00	6300.00	6300.00
233 Speaker cable	Roll	3990.00	3990.00	3990.00
234 Amplifier set with mic & cordless mic set-2500w with all accessories.	Set	120750.00	120750.00	120750.00



235	Wiring Clip				
	150 no. size	No	19.66	19.66	19.66
	200 no. size	No	21.84	21.84	21.84
	250 no. size	No	24.02	24.02	24.02
236	Wooden Guli	No	6.55	6.55	6.55
	Plastic grip	No	5.46	5.46	5.46
237	Main line wire (service wire)	R.m	38.22	38.22	38.22
238	Bulb (40 Watt to 100 Watt)	No	32.76	32.76	32.76
239	Mercury	No	218.40	218.40	218.40
240	Ceiling fan (Standard Company)				
	36" size	No	3276.00	3276.00	3276.00
	42" size	No	3494.40	3494.40	3494.40
	48" size	No	3822.00	3822.00	3822.00
242	Ceiling fan (General)				
	36" size	No	1638.00	1638.00	1638.00
	42" size	No	1474.20	1474.20	1474.20
	48" size	No	1337.70	1337.70	1337.70
243	Table fan Standard Company	No	3439.80	3439.80	3439.80
244	Stand fan	No	5460.00	5460.00	5460.00
245	Exhaust fan 1-0"	No	2730.00	2730.00	2730.00
	" " 0-9"	No	2293.20	2293.20	2293.20
246	Tubelight bracket set	No	1092.00	1092.00	1092.00
248	Domelight bracket set	no	655.20	655.20	655.20
249	PVC listy	R.m			
	0.5"	No	54.60	54.60	54.60
	0.75"	No	60.06	60.06	60.06
	1"	No	65.52	65.52	65.52
	1.5"	No	70.98	70.98	70.98
	2"	No	76.44	76.44	76.44
250	Steel screw				
	1/2 size (100 no in a pack)	Packet	245.70	245.70	245.70
	3/4"	Packet	294.84	294.84	294.84
	1"	Packet	327.60	327.60	327.60
	1.5"	Packet	382.20	382.20	382.20
	2"	Packet	436.80	436.80	436.80
251	Copper plate 1"x1"	No	1638.00	1638.00	1638.00
252	Kitkat flux 10 amp.	No	32.76	32.76	32.76
253	Main switch 30 amp.	No	1638.00	1638.00	1638.00
254	Sub main switch	No	218.40	218.40	218.40
255	Main switch kitkat heavy connection	No	2730.00	2730.00	2730.00
256	On/off switch flush types	No	32.76	32.76	32.76
257	Sub main switch 32 amp.	No	191.10	191.10	191.10
258	Main switch 32 amp. Double faze	No	873.60	873.60	873.60
259	Switch flush type 5 amp.	No	24.02	24.02	24.02
260	Power plug 15 amp.	No	163.80	163.80	163.80
261	Two pin plug	No	32.76	32.76	32.76
262	Kitkat 15 Amp	No	39.31	39.31	39.31
263	" 22 Amp	No	70.98	70.98	70.98
264	" 63 Amp	No	196.56	196.56	196.56
265	Main switch 63 Amp.	No	2839.20	2839.20	2839.20
266	Main switch kitkat connection 63 Amps	No	349.44	349.44	349.44
267	Bulb holder angle	No	32.76	32.76	32.76
268	Ceiling rose	No	29.48	29.48	29.48
269	Cooler standard company	No	8954.40	8954.40	8954.40
270	Cooler local	No	5460.00	5460.00	5460.00
271	Electric line fitting				
	Channel	Point	38.22	38.22	38.22
	Bit	Point	43.68	43.68	43.68
	Pipe	Point	27.30	27.30	27.30
	Underground	Point	49.14	49.14	49.14
272	Main switch fitting	No	196.56	196.56	196.56
273	Copper wire earthing fitting	R.m	16.38	16.38	16.38
274	5 pin socket 5 amp.	No	43.68	43.68	43.68
275	2 pin socket	No	30.58	30.58	30.58
276	3 pin socket	No	43.68	43.68	43.68
277	3 pin top	No	49.14	49.14	49.14
278	Call bell (With tuning)	No	393.12	393.12	393.12
279	Call bell simple	No	218.40	218.40	218.40
280	Fuse	No	54.60	54.60	54.60
281	Water tight bracket	No	327.60	327.60	327.60
282	Vapour light standard company				
	125 watt	No	5460.00	5460.00	5460.00

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]



250 watt	No	9282.00	9282.00	9282.00
450 watt	No	13650.00	13650.00	13650.00
Insulation tape	No	27.30	27.30	27.30
Connector 15 Amp.	R.m	54.60	54.60	54.60
PVC Pipe 3/4" for electricity	R.m	27.30	27.30	27.30
1" "	No	38.22	38.22	38.22
sandle 3/4" "	No	6.55	6.55	6.55
1" "	No	7.64	7.64	7.64
PVC junction boxes 3/4"	No	16.38	16.38	16.38
1" "	No	16.38	16.38	16.38
PVC Tee 3/4"	No	6.55	6.55	6.55
1" "	No	10.92	10.92	10.92
PVC elbow 3/4"	No	7.64	7.64	7.64
1" "	No	10.92	10.92	10.92
PVC hand 3/4"	No	10.92	10.92	10.92
1" "	No	16.38	16.38	16.38
Painted Holder	No	32.76	32.76	32.76
Mercury Chock	No	174.72	174.72	174.72
(electroincis)	No	294.84	294.84	294.84
Bracket light	No	273.00	273.00	273.00
Mercury tubes	No	109.20	109.20	109.20
Starter	No	21.84	21.84	21.84
D.B. switch single	No	218.40	218.40	218.40
PVC fittings (Electric)				
1/2"	No	4.37	4.37	4.37
3/4"	No	7.64	7.64	7.64
1"	No	10.92	10.92	10.92
1.25"	No	13.10	13.10	13.10
2"	No	16.38	16.38	16.38
Metal box 3"x3"	No	32.76	32.76	32.76
5"x3"	No	43.68	43.68	43.68
D.B. box				
two way	No	70.98	70.98	70.98
four way	No	294.84	294.84	294.84
six way	No	393.12	393.12	393.12
eight way	No	567.84	567.84	567.84
ten way	No	567.84	567.84	567.84
twelve way	No	791.70	791.70	791.70
fourteen way	No	906.36	906.36	906.36
MCB switch box	No	491.40	491.40	491.40
Sub - meter	No	677.04	677.04	677.04
HDP pipe (electric)				
1/2"	Rm	16.38	16.38	16.38
3/4"	Rm	21.84	21.84	21.84
1"	Rm	32.76	32.76	32.76
150 AMCCB	Nos.	8408.40	8408.40	8408.40
250 AMCCB	Nos.	15288.00	15288.00	15288.00
Bulb Holder Standar company	No	36.75	36.75	36.75
Bulb cap fiber	No	47.25	47.25	47.25
12" exhusst fan USA/ Bajaj/ baltra or eivalet etc. all complete work.	No.	4725.00	4725.00	4725.00
Vacum cleaner 1600 Watt Himstar or equivalet	No.	12600.00	12600.00	12600.00
Sound System 11"	Set	15750.00	15750.00	15750.00
Kent/Euro guard/Aquwa guard filter or equivalent 1liter/minute all complete work.	Set	23100.00	23100.00	23100.00
Stainless Steel 3 seated chair	set	14700.00	14700.00	14700.00
Wall Fan 22"	Nos.	8400.00	8400.00	8400.00
CCTV Camera Accessories				
NVR & IP CAMERA				
H 265 5.0 Mega-Pixel Ip Outdoor camera night color	Pcs	68250.00	68250.00	68250.00
PTZ Camera with 360" 5 MP Star light	pcs	110250.00	110250.00	110250.00
Camera IP	Pcs	15750.00	15750.00	15750.00
64CH 4K/5MP/1080P 9HDD NVR	Pcs	212625.00	212625.00	212625.00
NVR16 Chanel	Pcs	131250.00	131250.00	131250.00
Display Monitor 65inch tv	Pcs	99750.00	99750.00	99750.00
TV 52" Ultra UHD	Pcs	84000.00	84000.00	84000.00
Monitor 19"	Pcs	15750.00	15750.00	15750.00
Survilance Hard Disk 8 TB	Pcs	73500.00	73500.00	73500.00
Hard disk 2TB	Pcs	15750.00	15750.00	15750.00
CCTV Accessories				
Gepon OLT With Pon SFP	Pcs	212100.00	212100.00	212100.00


[Signature]

[Signature]

[Signature]

[Signature]

[Signature]




332	ONU	Pcs	8400.00	8400.00	8400.00
333	POE Switch 8 port	Pcs	12600.00	12600.00	12600.00
334	POE Switch 4 port	Pcs	8400.00	8400.00	8400.00
335	UTB Cable	Roll	3675.00	3675.00	3675.00
336	Joint Box (Tiffin Box)	Pcs	1575.00	1575.00	1575.00
337	Patch cord	Pcs	525.00	525.00	525.00
338	Out Door Water Proof Pole Box with fitting	Pcs	26250.00	26250.00	26250.00
339	Splicing Charge	Per Pcs	170.63	170.63	170.63
340	Cat 6 with Aerial Laying bare Pure Copper	Rooll	18375.00	18375.00	18375.00
341	Power Ext. Cord	Pcs	735.00	735.00	735.00
342	Accessories Per camera	Point	8400.00	8400.00	8400.00
343	Power adaptor 3amp	Pcs	2100.00	2100.00	2100.00
344	Fiber 6 core with instlation	Km	44677.50	44677.50	44677.50
345	Power cable outdoor/ Indoor	Km	58800.00	58800.00	58800.00
346	Camera Instlation	Per pcs	1050.00	1050.00	1050.00
347	Bamboo	Pcs	4200.00	4200.00	4200.00
348	Fiber Speiliter	Set	4200.00	4200.00	4200.00
349	AC 2 tones Standard Company (2 tone)	Pc.	93450.00	93450.00	93450.00
350	Air Conditioning System				
	Single Split (1.1) Wall mounted/ceiling Cassette/Floor standing type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent Control, Filter cleaning Indicator, PMV Control and Power saving features included wireless remote controller, installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be included with in the cost. (Brand LG, Daikin, Panasonic or equivalent.)				
	Wall mounted Inverter type Split Units with Wireless remote Controller				
	0.75 Ton	set		81000.00	81000.00
	1.0 Ton	set		79548.67	79548.67
	1.5 Ton	set		120345.12	120345.12
	2.0 Ton	set		143442.47	143442.47
351	Ceiling Cassette Inverter type Split Units with Wireless remote Controller				
	1.0 Ton	set		118800.00	118800.00
	1.5 Ton	set		145800.00	145800.00
	2.0 Ton	set		162000.00	162000.00
	3.0 Ton	set		261950.00	261950.00
	4.0 Ton (3ph)	set		265500.00	265500.00
352	Wall mounted Non-Inverter type Split type AC with Wireless display remote Controller				
	0.75 Ton	set		52200.00	52200.00
	1.0 Ton	set		51550.44	51550.44
	1.5 Ton	set		68050.44	68050.44
	2.0 Ton	set		84250.44	84250.44
353	Ceiling Cassette Non-Inverter type Split type AC with Wireless display remote Controller				
	1.0 Ton	set		86600.00	86600.00
	1.5 Ton	set		99300.00	99300.00
	2.0 Ton	set		128600.00	128600.00
	3.0 Ton	set		176000.00	176000.00
354	Binding wire (fiber)	Roll	3675.00	3675.00	3675.00
355	Binding wire (Clipping)	Rooll	367.50	367.50	367.50
356	Media converter	Pcs	12600.00	12600.00	12600.00
जिल्ला वन कार्यालय सम्बन्धी दररेट					
1	गोलिया काठ कटान सुखान तर्फ	गोटा	16.38	16.38	16.38
	रुख छपान प्रति रुख	घन फिट	38.22	38.22	38.22
	रुख गोलिया कटान, सुखान	घन फिट	16.38	16.38	16.38
	बोका ताछने, रिग काटने	घन फिट	38.22	38.22	38.22
	प्रेडिग र याडिग	घन फिट	32.76	32.76	32.76
	लोड	घन फिट	16.38	16.38	16.38
	अनलोड	घन फिट	27.30	27.30	27.30
	पायलिग				
2	डुबानी	कि. मि.	32.76	32.76	32.76
	र कि.मि. सम्म				

[Signature]

[Signature]

[Signature]

[Signature]




२.५ कि.मि. सम्म	कि. मि.	43.68	43.68	43.68
५ देखि १० कि.मि. सम्म	कि. मि.	54.60	54.60	54.60
चाईनिज दुधो	वर्ग फिट	84.00	84.00	84.00
दाउरा कटान मुछान				
दाउरा कटान	चट्टा	4914.00	4914.00	4914.00
चट्टा निर्माण	चट्टा	2730.00	2730.00	2730.00
लोडिंग ढुवानीको लागि	चट्टा	1856.40	1856.40	1856.40
अनलोडिंग ढुवानीको लागि	चट्टा	1201.20	1201.20	1201.20
विरुवा ढुवानी लोड अनलोड सहित				
० देखि १० कि.मि. सम्म	गोट	1.91	1.91	1.91
१० देखि २० कि.मि. सम्म	गोट	2.18	2.18	2.18
२० देखि ३० कि.मि. सम्म	गोट	2.73	2.73	2.73
३० देखि ४० कि.मि. सम्म	गोट	3.28	3.28	3.28
४० देखि ५० कि.मि. सम्म	गोट	3.82	3.82	3.82
बोट विरुवाको मूल्य				
i) औपको विरुवा, माल्दह/बम्बई -१ वर्ष	गोट	145.00	145.00	145.00
-२ वर्ष	गोट	70.00	70.00	70.00
-३ वर्ष	गोट	273.00	273.00	273.00
ii) औपको विरुवा, दसहरी/आम्रपाली/भलिका/जर्दा -१ वर्ष	गोट	163.80	163.80	163.80
-२ वर्ष	गोट	273.00	273.00	273.00
-३ वर्ष	गोट	436.80	436.80	436.80
7 जडियुटी	गोट			
कुरिलो	गोट	7.64	7.64	7.64
सर्पगन्धा	गोट	32.76	32.76	32.76
घृतकुमारी	गोट	109.20	109.20	109.20
बेल	गोट	38.22	38.22	38.22
लेमनग्रास/नेपियर	सेट	3.82	3.82	3.82
अमिसो	सेट	5.46	5.46	5.46
8 वन विरुवा, विभिन्न प्रजातिको	गोट	8.74	8.74	8.74
9 ढाले घाँस, विभिन्न प्रजातिको	गोट	16.38	16.38	16.38
10 बाँसको बेर्ना, सक्कर/राईजोम १ वर्ष	गोट	185.64	185.64	185.64
11 बाँसको बेर्ना, सक्कर/राईजोम २ वर्ष	गोट	273.00	273.00	273.00
12 बाँसको बेर्ना, बिउ बाँस	गोट	32.76	32.76	32.76
13 पोली बेग, २२ गेज	के. जी.	382.20	382.20	382.20
14 तेजपात	गोट	43.68	43.68	43.68
15 लिची -१ वर्ष	गोट	109.20	109.20	109.20
-२ वर्ष	गोट	191.10	191.10	191.10
16 कागती	गोट	54.60	54.60	54.60
17 कटहर	गोट	75.00	75.00	75.00
18 अनार जेनेरल	गोट	109.20	109.20	109.20
19 अनार मिडियम	गोट	163.80	163.80	163.80
20 अनार स्पेशल	गोट	218.40	218.40	218.40
21 औप (५ फिट अथवा १ वर्ष सम्मको विरुवा)	गोट	145.00	145.00	145.00
22 औप (५ फिट अथवा १ वर्ष सम्मको विरुवा)	गोट	70.00	70.00	70.00
23 केरा	गोट	35.00	35.00	35.00
24 अम्बा	गोट	65.00	65.00	65.00
25 कागती	गोट	45.00	45.00	45.00
26 मेवा	गोट	65.00	65.00	65.00
27 झुगन	गोट	135.00	135.00	135.00
28 रुद्राक्ष/श्रीखण्ड	गोट	273.00	273.00	273.00
29 अशोक	गोट	65.52	65.52	65.52
30 धुपी	गोट	87.36	87.36	87.36
31 अदुबा	के. जी.	273.00	273.00	273.00

[Signature]

[Signature]

[Signature]

[Signature]



32	बिसर	के. जी.	87.36	87.36	87.36	
33	मुंगली	के. जी.	327.60	327.60	327.60	
34	विज बिजन					
	सिसौ/खेर	के. जी.	1638.00	1638.00	1638.00	
	मसला	के. जी.	3276.00	3276.00	3276.00	
	बीस	के. जी.	4368.00	4368.00	4368.00	
	कदम	के. जी.	3276.00	3276.00	3276.00	
	स्टाइलो घाँस	के. जी.	1638.00	1638.00	1638.00	
	सतावरी	के. जी.	4914.00	4914.00	4914.00	
35	बाँसको कटिंग बिरुवा	गोटा	218.40	218.40	218.40	
36	बेत बाँसको बिरुवा	गोटा	54.60	54.60	54.60	
37	टिकको बिरुवा	गोटा	27.30	27.30	27.30	
	विटमीन (अलकतरा)					
38	VG-10(New M.S.) drum Packed)	kg	116.00	116.00	158.30	
39	VG-30(New M.S.) drum Packed)	kg	117.60	117.60	162.20	
	Cationic Bitumen Emulsion (Himalson)		HDP Drum Packed MS Drum Packed	HDP Drum Packed MS Drum Packed	HDP Drum Packed	
40	Rapid Setting(R/S 60%)	kg	104.12	100.51	104.12	132.30
41	Rapid Setting(R/S 65%)	kg	110.58	106.97	110.58	140.80
42	Rapid Setting(R/S 70%)	kg	116.94	113.33	116.94	149.30
43	Medium Setting(M/S 60%)	kg	104.97	101.36	104.97	133.50
44	Medium Setting(M/S 65%)	kg	106.305	112.20	106.305	140.40
45	Slow Setting(S/S 60%)	kg	109.44	108.10	109.44	135.00
46	Slurry Seal(S/Seal 60%)	kg	109.44	111.40	109.44	139.10
47	Cut Back(MC 30)	kg	172.90	178.20	172.90	199.60
48	Cut Back (MC 70)	kg	159.31	155.70	159.31	186.60
49	Cut Back (MC800)	kg	154.85	151.24	154.85	142.40
	Antistripping Agent					
50	Antistrip (Liquid)	kg				700.00
	For Ready Mix Concrete (Including Delivery Upto 15 km)					
51	M10 (Grade of Concrete)	Cum.	12172.57	11122.57	11122.57	
52	M15 (Grade of Concrete)	Cum.	12172.57	12172.57	12172.57	
53	M20 (Grade of Concrete)	Cum.	13222.57	13222.57	13222.57	
54	M25 (Grade of Concrete)	Cum.	13752.21	13752.21	13752.21	
55	M30 (Grade of Concrete)	Cum.	14700.00	14700.00	14700.00	
	Concrete Block					
56	40*15*20	गोटा	35.00	35.00	35.00	
57	40*10*20	गोटा	30.00	30.00	30.00	
	Precast Interlocking Brick					
58	Bricks Grey colour with Compressive strength M10 or above. (Specification: Thickness: 70 mm, Dimension: (230*110*70)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा	20.36	20.36	20.36	
59	Bricks Single colour with Compressive strength M10 or above. (Specification: Thickness: 70 mm, Dimension: (230*110*70)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा	22.09	22.09	22.09	
60	Bricks Grey colour with Compressive strength M10 or above. (Specification: Thickness: 55 mm, Dimension: (230*110*55)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा	18.62	18.62	18.62	
61	Bricks Single colour with Compressive strength M10 or above. (Specification: Thickness: 55 mm, Dimension: (230*110*55)mm, Tolerance/others: Machine made Precats Concrete Bricks)	प्रति गोटा	19.49	19.49	19.49	
62	Hollocon Grey colour with Compressive strength M7 or above. (Specification: Thickness: 200 mm, Dimension: (390*200*190), Tolerance/others: Machine made)	प्रति गोटा	134.27	134.27	134.27	
63	Hollocon Single colour with Compressive strength M7 or above. (Specification: Thickness: 200 mm, Dimension: (390*200*190), Tolerance/others: Machine made)	प्रति गोटा	151.59	151.59	151.59	

[Signature]

[Signature]

[Signature]

[Signature]


[Signature]



64	Hollocon Grey colour with Compressive strength M7 or above. (Specification: Thickness: 150 mm, Dimension: (390*150*190), Tolerance/others: Machine made)	प्रति गोटा	112.61	112.61	112.61	
65	Hollocon Single colour with Compressive strength M7 or above. (Specification: Thickness: 150 mm, Dimension: (390*150*190), Tolerance/others: Machine made)	प्रति गोटा	123.01	123.01	123.01	
66	Hollocon Grey colour with Compressive strength M7 or above. (Specification: Thickness: 100 mm, Dimension: (390*100*190), Tolerance/others: Machine made)	प्रति गोटा	93.56	93.56	93.56	
67	Hollocon Single colour with Compressive strength M7 or above. (Specification: Thickness: 100 mm, Dimension: (390*100*190), Tolerance/others: Machine made)	प्रति गोटा	104.82	104.82	104.82	
68	Hexagon Interlock Pavers Grey colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 226*200*50, (NS Standard)	प्रति गोटा	37.25	37.25	37.25	
69	Hexagon Interlock Pavers Single colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 226*200*50, (NS Standard)	प्रति गोटा	43.31	43.31	43.31	
70	Hexagon Interlock Pavers Blended colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 226*200*50, (NS Standard)	प्रति गोटा	47.64	47.64	47.64	
71	Hexagon Interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 226*200*60, (NS Standard)	प्रति गोटा	44.18	44.18	44.18	
72	Hexagon Interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 226*200*60, (NS Standard)	प्रति गोटा	50.24	50.24	50.24	
73	Hexagon Interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 226*200*60, (NS Standard)	प्रति गोटा	52.84	52.84	52.84	
74	Hexagon Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 226*200*70, (NS Standard)	प्रति गोटा	54.57	54.57	54.57	
75	Hexagon Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 226*200*70, (NS Standard)	प्रति गोटा	58.91	58.91	58.91	
76	Hexagon Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 226*200*70, (NS Standard)	प्रति गोटा	62.24	62.24	62.24	
77	Hexagon Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 226*200*80, (NS Standard)	प्रति गोटा	62.37	62.37	62.37	
78	Hexagon Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 226*200*80, (NS Standard)	प्रति गोटा	68.43	68.43	68.43	
79	Hexagon Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 226*200*80, (NS Standard)	प्रति गोटा	71.03	71.03	71.03	
80	Rectangular Interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*100*60, (NS Standard)	प्रति गोटा	36.38	36.38	36.38	
81	Rectangular Interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*100*60, (NS Standard)	प्रति गोटा	41.58	41.58	41.58	
82	Rectangular Interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*100*60, (NS Standard)	प्रति गोटा	43.31	43.31	43.31	
83	Rectangular Interlock Pavers Grey colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 200*100*100, (NS Standard)	प्रति गोटा	74.50	74.50	74.50	
84	Rectangular Interlock Pavers Single colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 200*100*100, (NS Standard)	प्रति गोटा	81.43	81.43	81.43	
85	Rectangular Interlock Pavers Blended colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 200*100*100, (NS Standard)	प्रति गोटा	84.03	84.03	84.03	




86	Behaton interlock I Pavers Grey colour with Compressive strength M35 or above. Thickness: 50 mm, Dimension: 200*165*50, (NS Standard)	प्रति गोटा	38.98	बर्दibas, महोत्तरी महोत्तरी, नेपाल	38.98	
87	Behaton interlock I Pavers Single colour with Compressive strength M35 or above. Thickness: 50 mm, Dimension: 200*165*50, (NS Standard)	प्रति गोटा	45.05		45.05	
88	Behaton interlock I Pavers Blended colour with Compressive strength M35 or above. Thickness: 50 mm, Dimension: 200*165*50, (NS Standard)	प्रति गोटा	47.64		47.64	
89	Behaton interlock I Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*165*80, (NS Standard)	प्रति गोटा	61.50		61.50	
90	Behaton interlock I Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*165*80, (NS Standard)	प्रति गोटा	68.43		68.43	
91	Behaton interlock I Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*165*80, (NS Standard)	प्रति गोटा	71.03		71.03	
92	Uni interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 240*120*60, (NS Standard)	प्रति गोटा	44.61		44.61	
93	Uni interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 240*120*60, (NS Standard)	प्रति गोटा	51.54		51.54	
94	Uni interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 240*120*60, (NS Standard)	प्रति गोटा	54.14		54.14	
95	ZigZag interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 225*112.5*80, (NS Standard)	प्रति गोटा	60.64		60.64	
96	ZigZag interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 225*112.5*80, (NS Standard)	प्रति गोटा	66.70		66.70	
97	ZigZag interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 225*112.5*80, (NS Standard)	प्रति गोटा	69.30		69.30	
98	ZigZag interlock Pavers Grey colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 225*112.5*100, (NS Standard)	प्रति गोटा	99.62		99.62	
99	ZigZag interlock Pavers Single colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 225*112.5*100, (NS Standard)	प्रति गोटा	112.61		112.61	
100	ZigZag interlock Pavers Blended colour with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 225*112.5*100, (NS Standard)	प्रति गोटा	116.94		116.94	
101	ZigZag interlock Pavers Grey colour with Compressive strength M55 or above. Thickness: 120 mm, Dimension: 225*112.5*120, (NS Standard)	प्रति गोटा	112.61		112.61	
102	ZigZag interlock Pavers Single colour with Compressive strength M55 or above. Thickness: 120 mm, Dimension: 225*112.5*120, (NS Standard)	प्रति गोटा	121.28		121.28	
103	ZigZag interlock Pavers Blended colour with Compressive strength M55 or above. Thickness: 120 mm, Dimension: 225*112.5*120, (NS Standard)	प्रति गोटा	125.61		125.61	
104	Romba 3D interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*173*60, (NS Standard)	प्रति गोटा	58.04		58.04	
105	Romba 3D interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*173*60, (NS Standard)	प्रति गोटा	64.97		64.97	
106	Romba 3D interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*173*60, (NS Standard)	प्रति गोटा	67.57		67.57	
107	Square interlock Pavers Grey colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 200*200*50, (NS Standard)	प्रति गोटा	57.17		57.17	
108	Square interlock Pavers Single colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 200*200*50, (NS Standard)	प्रति गोटा	70.17		70.17	
109	Square interlock Pavers Blended colour with Compressive strength M30 or above. Thickness: 50 mm, Dimension: 200*200*50, (NS Standard)	प्रति गोटा	74.50		74.50	



110	Square interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	71.03	71.03	71.03
111	Square interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	84.03	84.03	84.03
112	Square interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	88.36	88.36	88.36
113	Cobble interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 100*100*60, (NS Standard)	प्रति गोटा	17.33	17.33	17.33
114	Cobble interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 100*100*60, (NS Standard)	प्रति गोटा	19.92	19.92	19.92
115	Cobble interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 100*100*60, (NS Standard)	प्रति गोटा	24.26	24.26	24.26
116	Interlock Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	71.03	71.03	71.03
117	Interlock Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	79.70	79.70	79.70
118	Interlock Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	84.03	84.03	84.03
119	Interlock with Cobble Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	76.23	76.23	76.23
120	Interlock with Cobble Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	84.89	84.89	84.89
121	Interlock with Cobble Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 200*200*60, (NS Standard)	प्रति गोटा	93.56	93.56	93.56
122	Matrix Slab/tiles Grey color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 400*400*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	242.55	242.55	242.55
123	Matrix Slab/tiles Single color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 400*400*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	268.54	268.54	268.54
124	Matrix Slab/tiles Blended color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 400*400*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	294.53	294.53	294.53
125	Matrix Slab/tiles Grey color with Compressive strength M35 or above. (Specification: Thickness: 60 mm, Dimension: 400*400*60, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	355.16	355.16	355.16
126	Matrix Slab/tiles Single color with Compressive strength M35 or above. (Specification: Thickness: 60 mm, Dimension: 400*400*60, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	398.48	398.48	398.48
127	Matrix Slab/tiles Blended color with Compressive strength M35 or above. (Specification: Thickness: 60 mm, Dimension: 400*400*60, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	441.79	441.79	441.79
128	Mixed Fusion Slab/tiles Grey color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 1200*800*40, Tolerance/others: ± 1	प्रति गोटा	1645.88	1645.88	1645.88

Handwritten signatures and notes at the bottom of the page, including 'Page 37 of 41'.




129	Mixed Fusion Slab/tiles Single color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 1200*800*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	1862.44	1862.44	1862.44
130	Mixed Fusion Slab/tiles Blended color with Compressive strength M35 or above. (Specification: Thickness: 40 mm, Dimension: 1200*800*40, Tolerance/others: ± 1 mm Variance in thickness, proper interlock Grooves & Pigment color, water absorption <6%)	प्रति गोटा	2079.00	2079.00	2079.00
131	Nostalgic Pavers Grey colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 1440*960*60/Pallet, (NS Standard)	प्रति गोटा	2728.69	2728.69	2728.69
132	Nostalgic Pavers Single colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 1440*960*60/Pallet, (NS Standard)	प्रति गोटा	2988.56	2988.56	2988.56
133	Nostalgic Pavers Blended colour with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 1440*960*60/Pallet, (NS Standard)	प्रति गोटा	3118.50	3118.50	3118.50
134	Grass Interlock Pavers Grey color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 400*600*80, (NS Standard)	प्रति गोटा	420.13	420.13	420.13
135	Half batterd Kerbstone Grey Color with Compressive strength M20. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा	368.16	368.16	368.16
136	Half batterd Kerbstone Grey Color with Compressive strength M25. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा	389.81	389.81	389.81
137	Half batterd Kerbstone Grey Color with Compressive strength M20. Thickness: 165 mm, Dimension: 300*165*325 (L*B*H), (NS Standard)	प्रति गोटा	307.52	307.52	307.52
138	Half batterd Kerbstone Grey Color with Compressive strength M25. Thickness: 165 mm, Dimension: 300*165*325 (L*B*H), (NS Standard)	प्रति गोटा	324.84	324.84	324.84
139	Half batterd Kerbstone Grey Color with Compressive strength M20. Thickness: 200 mm, Dimension: 250*200*380 (L*B*H), (NS Standard)	प्रति गोटा	359.49	359.49	359.49
140	Half batterd Kerbstone Grey Color with Compressive strength M25. Thickness: 200 mm, Dimension: 250*200*380 (L*B*H), (NS Standard)	प्रति गोटा	376.82	376.82	376.82
141	Bullnose Kerbstone Grey Color with Compressive strength M20. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा	407.14	407.14	407.14
142	Bullnose Kerbstone Grey Color with Compressive strength M25. Thickness: 200 mm, Dimension: 300*200*350 (L*B*H), (NS Standard)	प्रति गोटा	428.79	428.79	428.79
143	V-Shape Drain Male & Female set with Compressive strength M35. Thickness: 70 mm, Dimension: 300*75*499.5 (L*B*H)	प्रति गोटा	563.06	563.06	563.06
144	Cobble Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 100*100*80, (NS Standard)	प्रति गोटा	23.52	23.52	23.52
145	Cobble Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 100*100*80, (NS Standard)	प्रति गोटा	26.40	26.40	26.40
146	Cobble Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 100*100*80, (NS Standard)	प्रति गोटा	29.63	29.63	29.63
147	Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा	83.45	83.45	83.45
148	Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा	96.24	96.24	96.24
149	Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा	105.61	105.61	105.61
150	Interlock with Cobble Pavers Grey colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा	99.90	99.90	99.90

[Handwritten signature]

[Handwritten signatures and notes]

151	Interlock with Cobble Pavers Single colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा	111.35	111.35	111.35	
152	Interlock with Cobble Pavers Blended colour with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*200*80, (NS Standard)	प्रति गोटा	119.90	119.90	119.90	
153	Grass Interlock Pavers Grey color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 400*600*100, (NS Standard)	प्रति गोटा	576.99	576.99	576.99	
154	Rectangular Interlock Pavers Grey colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 200*100*70, (NS Standard)	प्रति गोटा	45.34	45.34	45.34	
155	Rectangular Interlock Pavers Single colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 200*100*70, (NS Standard)	प्रति गोटा	52.43	52.43	52.43	
156	Rectangular Interlock Pavers Blended colour with Compressive strength M40 or above. Thickness: 70 mm, Dimension: 200*100*70, (NS Standard)	प्रति गोटा	57.34	57.34	57.34	
157	Rectangular Interlock Pavers Grey color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*100*80, (NS Standard)	प्रति गोटा	49.77	49.77	49.77	
158	Rectangular Interlock Pavers Single color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*100*80, (NS Standard)	प्रति गोटा	57.59	57.59	57.59	
159	Rectangular Interlock Pavers Blended color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 200*100*80, (NS Standard)	प्रति गोटा	62.68	62.68	62.68	
160	Permeable Interlock Pavers Grey color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 228*158*60, (NS Standard)	प्रति गोटा	75.69	75.69	75.69	
161	Permeable Interlock Pavers Single color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 228*158*60, (NS Standard)	प्रति गोटा	90.89	90.89	90.89	
162	Permeable Interlock Pavers Blended color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 228*158*60, (NS Standard)	प्रति गोटा	101.95	101.95	101.95	
163	Permeable Interlock Pavers Grey color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 228*158*80, (NS Standard)	प्रति गोटा	91.64	91.64	91.64	
164	Permeable Interlock Pavers Single color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 228*158*80, (NS Standard)	प्रति गोटा	109.39	109.39	109.39	
165	Permeable Interlock Pavers Blended color with Compressive strength M40 or above. Thickness: 80 mm, Dimension: 228*158*80, (NS Standard)	प्रति गोटा	122.72	122.72	122.72	
166	Permeable Interlock Pavers Grey color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 228*158*100, (NS Standard)	प्रति गोटा	126.30	126.30	126.30	
167	Permeable Interlock Pavers Single color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 228*158*100, (NS Standard)	प्रति गोटा	149.12	149.12	149.12	
168	Permeable Interlock Pavers Blended color with Compressive strength M50 or above. Thickness: 100 mm, Dimension: 228*158*100, (NS Standard)	प्रति गोटा	167.27	167.27	167.27	
169	Porus Permeable Matrix Tiles Grey color with Compressive strength M35 or above. Thickness: 40 mm, Dimension: 400*400*40.	प्रति गोटा	301.88	301.88	301.88	
170	Porus Permeable Matrix Tiles Single color with Compressive strength M35 or above. Thickness: 40 mm, Dimension: 400*400*40.	प्रति गोटा	362.97	362.97	362.97	
171	Porus Permeable Interlock Matrix Grey color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 400*400*60.	प्रति गोटा	376.55	376.55	376.55	
172	Porus Permeable Interlock Matrix Single color with Compressive strength M35 or above. Thickness: 60 mm, Dimension: 400*400*60.	प्रति गोटा	472.02	472.02	472.02	
173	Parking Tiles (25mm)	च.मि.	42.00	42.00	42.00	
174	Pre-cast Structure					
	2" Pre-stress Pre-cast Concrete Toilet wall & ceiling panel		548.63	548.63	548.63	
	Pre-stress Pre-cast Concrete Benches		7980.00	7980.00	7980.00	



	Pre-stress Pre-cast Concrete Compound wall		299.25	299.25	299.25
	Pre-stress Pre-cast Concrete Fencing Pole (4"×4")		139.65	139.65	139.65
	Pre-stress Pre-cast Concrete Fencing Pole (5"×5")		159.60	159.60	159.60
175	EPS Sanwich Panel Work (Metal Sheet based) including Fittings				
	Providing and fittings EPS Sandwich Panel, FR 3 rated, Exterior & interior Skin of 0.3-0.4 mm PPGI with flame retardant EPS core insulation, Base metal 1105 mm and effective width 1000 mm, length 2m-13m with specified color and thickness with its accessories such as (U bar, joint bar, Corner bar, Screw, Screw cap, color piece, projection gable, sealing materials)				
A)	Ivory color/white color Flat partition and Exterior Wall				
	Thickness				
	50 mm	Sq.ft.	318.74	318.74	318.74
	75 mm	Sq.ft.	367.53	367.53	367.53
	100 mm	Sq.ft.	416.12	416.12	416.12
	125 mm	Sq.ft.	467.08	467.08	467.08
	150 mm	Sq.ft.	514.87	514.87	514.87
B)	Gray color RP wall panel				
	Thickness				
	50 mm	Sq.ft.	351.59	351.59	351.59
	75 mm	Sq.ft.	399.38	399.38	399.38
	100 mm	Sq.ft.	486.00	486.00	486.00
	125 mm	Sq.ft.	467.54	467.54	467.54
	150 mm	Sq.ft.	549.72	549.72	549.72
C)	Wooden color Siding wall panel				
	Thickness				
	75 mm	Sq.ft.	444.19	444.19	444.19
	100 mm	Sq.ft.	494.96	494.96	494.96
	125 mm	Sq.ft.	551.71	551.71	551.71
	150 mm	Sq.ft.	592.52	592.52	592.52
D)	Blue and Orange Roof Panel				
	Thickness				
	50 mm	Sq.ft.	386.52	386.52	386.52
	75 mm	Sq.ft.	417.30	417.30	417.30
	100 mm	Sq.ft.	506.91	506.91	506.91
	125 mm	Sq.ft.	514.87	514.87	514.87
E)	Zinc Panel (Combat and Black color)				
	Thickness				
	50 mm	Sq.ft.	458.13	458.13	458.13
	75 mm	Sq.ft.	490.98	490.98	490.98
	100 mm	Sq.ft.	581.57	581.57	581.57
	125 mm	Sq.ft.	600.49	600.49	600.49
	150 mm	Sq.ft.	631.35	631.35	631.35
176	Sanwich PUFF Panel Work (Metal Sheet based) including Fittings				
	Providing and fittings PUFF Sandwich Ivory color/white color wall Panel, Exterior & interior Skin of 0.4-0.5 mm PPGI with PUF core insulation os Density 45-50 kg/m3, Base metal 1105 mm and effective width 1000 mm, length 2m- 13m with specified color and thickness with its accessories such as (U bar, joint bar, Corner bar, Screw, Screw cap, color piece, projection gable, sealing materials)				
A)	Ivory color/white color Flat puff Wall				
	Thickness				
	40 mm	Sq.ft.	362.70	362.70	362.70
	50 mm	Sq.ft.	385.20	385.20	385.20
	75 mm	Sq.ft.	445.50	445.50	445.50
	100 mm	Sq.ft.	510.30	510.30	510.30
B)	PUFF Panel Roof (Orange/Blue)				
	Thickness				
	30 mm	Sq.ft.	345.60	345.60	345.60
	40 mm	Sq.ft.	367.20	367.20	367.20
	50 mm	Sq.ft.	396.00	396.00	396.00
	75 mm	Sq.ft.	464.40	464.40	464.40
	100 mm	Sq.ft.	532.80	532.80	532.80
177	Steel Door				



	Providing and Fittings 30 minute Fire-resistant Steel Door with all complete set of frame 1.6 mm EGI Steel, Leaf 0.8-0.5 mm EGI Steel, core insulation Honeycomb, 50 mm thickness of steel Door	Sq.ft.	990.00	990.00	990.00	
178	Panel Door					
	Providing and Fittings Steel Panel Door with all complete set of frame 0.4 mm Aluminium, Leaf Nonburn EPS Panel framed by 0.4 mm Aluminium	Sq.ft.	648.00	648.00	648.00	
179	UPVC Window					
	Providing and Fittings 115 mm multi chamber frame thick UPVC Window all complete set along with frame having wall thickness of 0.2 mm-0.3 mm and 1.5(+0.2) mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	Sq.ft.	799.20	799.20	799.20	
180	Sheet Pile Z Pile		389.38	389.38	389.38	
181	Sheet Pile (3 mm- 10 mm) with driving up to 2 m depth		250.00	250.00	250.00	
182	Sheet Pile (12 mm- 30 mm) with driving up to 2 m depth		250.00	250.00	250.00	
183	PVC Plastic Heavy Duty Manhole Cover					
	24" * 24"		3827.03	3827.03	3827.03	
	18" * 24"		4022.00	4022.00	4022.00	
	18" * 18"		2218.00	2218.00	2218.00	
184	Pre-Cast RCC Drain M25 Per meter					
	90 mm * 90 mm * 125 mm	Per meter	12678.50	12678.50	12678.50	
	75 mm * 75 mm * 125 mm	Per meter	10769.63	10769.63	10769.63	
	60 mm * 60 mm * 125 mm	Per meter	8804.26	8804.26	8804.26	
	45 mm * 45 mm * 125 mm	Per meter	6990.04	6990.04	6990.04	
	30 mm * 40 mm * 125 mm	Per meter	6148.47	6148.47	6148.47	
185	Pre-Cast Drain Cover M25 Per meter					
	90 cm	Per meter	3671.36	3671.36	3671.36	
	75 cm	Per meter	3057.44	3057.44	3057.44	
	60 cm	Per meter	2356.76	2356.76	2356.76	
	45 cm	Per meter	1602.89	1602.89	1602.89	
	30 cm	Per meter	1603.01	1603.01	1603.01	
186	Pre-cast Drain Joint Work (All size)	Per meter	1000.00	1000.00	1000.00	
187	Square Frame Heavy Duty					
	27" * 27" (45 kg)	Set	8104.00	8104.00	8104.00	
	22" * 22" (22 kg)	Set	5665.00	5665.00	5665.00	
188	Square Frame Medium Duty					
	27" * 27" (31 kg)	Set	5187.00	5187.00	5187.00	
	22" * 22" (20 kg)	Set	3353.00	3353.00	3353.00	
189	Drilling work for 8" dia bore hole in soft formation through Pebbles, gravel and installation of 8" MS Casing pipe (all complete work including drilling assembling and lowering of casing pipe)	Mtr.			9500.00	
190	Drilling work for 6" dia bore hole in soft formation through Pebbles, gravel and installation of 6" MS Casing pipe (all complete work including drilling assembling and lowering of casing pipe)	Mtr.	7300.00	7500.00	7500.00	
191	Drilling work for 4" dia bore hole in soft formation through Pebbles, gravel and installation of 4" MS Casing pipe (all complete work including drilling assembling and lowering of casing pipe)	Mtr.			5500.00	
192	Drilling work for 4" dia bore hole in soft formation through Pebbles, gravel and installation of 4" PVC Casing pipe (all complete work including drilling assembling and lowering of casing pipe)	Mtr.		4500.00	4500.00	

टिप्पणी :

- निर्माण सामग्रीको दररेट ब न.पा. भित्रको लागि कायम गरिएको छ तथा अन्य निर्माण सामग्रीहरूको दर निर्धारण गर्दा सामग्री उपलब्ध हुने स्थानको दरमा दूरी अनुसारको सामान दुबानी भाडा थप
- उल्लेख नभएका निर्माण सामग्रीको हकमा बजार भाउको आधारमा दरभाउ कायम गर्न सकिन्छ तथा अन्य स्थानीय बजारमा नपाईने निर्माण सामग्रीको हकमा अन्य जिल्लाको दरमा दुबानी थप गरि
- निर्धारण गरिएका दररेटमा मूल्य अभिवृद्धि कर समावेश गरिएको छैन ।

(Handwritten signatures and stamps)